

Sustainable Feeding Practices for Dairy Development in the Tropics: Exploring Cost Reduction Through Resource Optimization

Md. Emran Hossain^{1,*}, Shilpi Islam²

Abstract

Sustainable feeding practices are crucial for enhancing the economic viability and environmental responsibility of dairy farming. This review explores innovative strategies for cost reduction through resource optimization, aiming to minimize feed expenses while maintaining animal health and productivity. A comprehensive examination of over 100 cost-saving measures reveals diverse approaches, including nutritional planning, pasture management, and the incorporation of alternative feed sources. The integration of precision feeding techniques, waste utilization, and community collaboration emerges as pivotal in achieving both economic and environmental sustainability. Furthermore, the review highlights the importance of technology in monitoring feed quality and improving efficiency through data-driven decision-making. By emphasizing the role of cow comfort and health, the study underscores the necessity of a holistic approach that balances economic and animal welfare considerations. This exploration not only addresses immediate feeding cost challenges but also contributes to the long-term sustainability of dairy operations. The findings indicate that effective implementation of these practices can lead to significant reductions in feed costs, thereby enhancing profitability and fostering sustainable agricultural practices. Ultimately, this review serves as a valuable resource for dairy producers seeking to navigate the complexities of modern feeding strategies while aligning sustainability goals.

Keywords: Dairy development, animal tracking technology, comfort housing, planning calendar, manure management

INTRODUCTION

The dairy industry faces numerous challenges, including fluctuating feed prices, environmental concerns, and the need for sustainable practices. As feed costs constitute a significant portion of the total expenses in dairy production, optimizing feeding strategies is essential for ensuring profitability and sustainability. Sustainable feeding practices not only contribute to cost reduction but also promote animal welfare, environmental stewardship, and the efficient use of resources. In recent years, there has been a growing awareness of the need for integrated approaches to feeding dairy cows. Traditional feeding strategies often focus solely on maximizing production without considering the broader implications of resource use and environmental impact. This review aims to explore innovative and sustainable feeding practices that facilitate cost reduction through effective resource optimization.

*Author for Correspondence

Md. Emran Hossain
E-mail: emran@cvasu.ac.bd

¹Professor, Department of Animal Science and Nutrition, Chattogram Veterinary and Animal Sciences University, Khulshi, Chattogram, Bangladesh

²Professor, Department of Animal Science and Nutrition, Bangabandhu Sheikh Mujibur Rahman Agricultural University, Salna, Gazipur, Bangladesh

Received Date: February 05, 2025
Accepted Date: February 21, 2025
Published Date: February 28, 2025

Citation: Md. Emran Hossain, Shilpi Islam. Sustainable Feeding Practices for Dairy Development in the Tropics: Exploring Cost Reduction Through Resource Optimization. Research & Reviews: Journal of Dairy Science & Technology. 2025; 14(2): 11–19p.

Various strategies have emerged in the field of dairy nutrition that address these challenges. Nutritional planning, for instance, enables farmers to align feeding strategies with the availability of forage and feed ingredients, reducing waste and ensuring that cows receive balanced nutrition throughout the year [1]. Additionally, improved pasture management practices, such as rotational grazing, can enhance forage quality and yield, thereby decreasing reliance on purchased feeds [2]. The incorporation of alternative feed sources is another critical component of sustainable feeding practices. By utilizing by-products from local food industries, farmers can reduce feed costs while minimizing environmental waste [3, 4]. Moreover, employing precision feeding techniques allows for tailored rations that meet the specific needs of individual animals, further optimizing feed efficiency.

The role of technology in modern dairy farming cannot be overstated. Advances in feed monitoring and analysis enable farmers to make data-driven decisions that enhance feed utilization and overall farm management [5]. Furthermore, community engagement and knowledge sharing among farmers can foster collaboration and lead to innovative solutions for reducing feed costs. This review will delve into over 100 practical strategies for cost reduction in dairy feeding practices, providing a comprehensive framework for dairy producers seeking to enhance sustainability and profitability. The findings will underscore the importance of adopting a holistic approach that considers economic viability, animal welfare, and environmental responsibility. Ultimately, the goal is to equip dairy farmers with the knowledge and tools necessary to navigate the complexities of sustainable feeding practices, ensuring the long-term success of their operations.

WAYS OF REDUCING FEED COST

Feeding Management

- *Feed Bunk Management*: Effective feed bunk management ensures that cows have access to feed without wastage. Keeping feed bunks clean and well-maintained encourages cows to eat more efficiently, minimizing feed spillage [6]. Regularly monitoring feed levels and adjusting feeding amounts helps ensure that all cows receive adequate nutrition while preventing overfeeding and reducing overall costs.
- *Community Shared Agriculture (CSA)*: Participating in community shared agriculture initiatives can help dairy farmers share resources and reduce feed costs. By collaborating with local farms, producers can combine efforts to purchase feed in bulk, share machinery for feed processing, or engage in cooperative grazing practices [7]. This collaboration fosters community ties and enables farmers to take advantage of economies of scale.
- *Rotational Forage Systems*: Implementing rotational forage systems, where different types of forages are planted in succession, maximizing soil fertility and forage yield. Rotating legumes with grasses can enhance nitrogen fixation, reducing the need for synthetic fertilizers [8]. This practice improves pasture quality and allows farmers to optimize feed production, ultimately reducing the reliance on purchased feeds.
- *Utilizing Hydroponics*: Hydroponic systems can provide fresh forage year-round, reducing feed costs and improving cow nutrition. By growing hydroponically produced feed, such as fodder or greens, dairy farms can ensure a constant supply of nutrient-rich forage without relying on traditional growing methods [9, 10]. This approach also reduces land use and water consumption, making it a sustainable alternative.
- *Weather Based Forage Planning*: Keeping track of weather patterns can inform forage management decisions. By anticipating dry spells or wet seasons, farmers can adjust planting schedules, harvest times, and feed storage strategies [9, 10]. This proactive approach helps ensure that high-quality forage is available when needed, minimizing reliance on expensive purchased feed.
- *Crop Diversification*: Crop diversification allows dairy farmers to reduce risk and improve feed availability [9, 10]. By growing a variety of crops, farmers can ensure that they have alternative feed sources in case of crop failure or poor yield. This strategy also helps improve soil health and resilience, further reducing the reliance on purchased feed.
- *Animal Welfare Practices*: Prioritizing animal welfare practices ensures that cows are healthy and productive, which can lower feed costs [11]. Healthy cows exhibit better feed conversion rates and

produce more milk, resulting in lower overall feed requirements [12]. Practices that minimize stress, provide adequate space, and promote social interactions contribute to improved animal health and performance.

- *Strategic Supplementation:* Strategically supplementing rations only, when necessary, can help avoid unnecessary feed costs. Analyzing forage quality and adjusting supplementation based on actual nutrient needs ensures that cows receive adequate nutrition without overfeeding [13]. Focused supplementation can optimize feed efficiency, reducing reliance on costly feed additives.
- *Research and Extension Programs:* Engaging with agricultural research and extension programs allows dairy farmers to access the latest advancements in feed efficiency and management practices [14]. These programs often provide valuable insights into cost-saving technologies, feeding strategies, and crop management techniques. By implementing research-backed practices, farmers can optimize feed usage and reduce costs effectively.
- *Collaborating with Nutritionists:* Working with animal nutritionists can help farmers formulate effective and cost-efficient rations [15]. Nutritionists can analyze forage quality, suggest appropriate supplements, and develop tailored feeding programs that meet the specific needs of the herd. This expertise can lead to more efficient feed use, reduced costs, and improved herd performance.
- *Utilizing Data Analytics:* Employing data analytics can optimize feed management by identifying trends and areas for improvement. Analyzing historical data on feed usage, cow performance, and nutrient intake allows farmers to make informed decisions regarding feed allocation and ration formulation [16]. This approach enhances efficiency and helps identify cost-saving opportunities.
- *Training Staff:* Providing training for farm staff on effective feed management techniques ensures that best practices are implemented consistently [17]. Knowledgeable staff can optimize feeding schedules, maintain accurate feed records, and minimize waste through better bunk management. Investing in training enhances overall farm productivity and helps reduce feeding costs through improved practices.
- *Efficient Irrigation:* Implementing efficient irrigation techniques, like moisture sensors, helps optimize water use for growing forage crops. These systems minimize water waste and ensure that crops receive the right amount of moisture, which is essential for healthy growth [18]. By improving forage quality and yield through effective irrigation, dairy farms can increase the availability of homegrown feed. This results in lower feed costs as farmers can rely more on self-produced forages rather than purchasing expensive feed from external sources.
- *Renewable Energy Solutions:* Investing in renewable energy solutions, such as solar panels or wind turbines, can significantly lower energy costs associated with feed processing and storage. By generating their own energy, dairy farms can reduce operational costs and redirect those savings toward purchasing feed [19]. Additionally, renewable energy systems can enhance sustainability practices on the farm, creating a more resilient operation. By integrating renewable energy, dairy farmers can effectively manage their feed costs while contributing to environmental conservation efforts.
- *Animal Tracking Technology:* Using animal tracking technology, such as GPS collars or RFID tags, enables farmers to monitor grazing patterns and feed intake accurately [20]. This technology provides real-time data on animal behavior, allowing for adjustments in feeding strategies based on individual cow performance. By understanding which cows are most efficient in their feed conversion, farmers can tailor diets more precisely, reducing overall feed costs. Enhanced monitoring ensures that animals receive optimal nutrition without excessive feeding, thereby improving the farm's economic viability.
- *Use of by-Products:* Maximizing the use of agricultural by-products, such as brewers' grains, fruit pulp, or vegetable trimmings, can provide cost-effective feed alternatives for dairy cows [21]. These by-products often have high nutrient content and can be incorporated into rations, reducing reliance on traditional feed sources. Establishing relationships with local food processing facilities or breweries allows farmers to secure these materials at lower costs, leading to significant savings. By diversifying feed inputs with by-products, dairy farms can achieve better nutritional balance while minimizing feed expenses.

-
- *Soil Amendments:* Incorporating soil amendments, such as lime or biochar, can improve soil fertility and forage quality. These amendments enhance nutrient availability and soil structure, resulting in healthier, more productive pastures [22]. Improved pasture growth leads to greater forage yield, reducing the need for purchased feed. Over time, this strategy contributes to a more sustainable farming operation, as enhanced soil health supports ongoing forage production, ultimately lowering overall feed costs.
 - *Regular Forage Testing:* Regularly testing forage quality enables farmers to optimize their feeding programs based on accurate nutritional analysis [23]. Understanding the nutrient composition of forages allows for more precise supplementation, ensuring that cows receive only what they need without overfeeding costly nutrients. This practice helps prevent feed wastage and maximizes feed efficiency. By investing in forage testing, dairy farmers can adjust rations according to the actual quality of available feeds, ultimately reducing overall feed costs and improving cow performance.
 - *Government Subsidy Program:* Engaging in government subsidy programs that support sustainable agricultural practices can help offset feed costs for dairy farms [24]. Many regions offer financial assistance for implementing practices that improve soil health, water conservation, and animal welfare. By taking advantage of these programs, farmers can reduce their financial burden while adopting more sustainable feeding strategies. Utilizing available subsidies can lead to significant savings in feeding expenses, allowing for reinvestment into other areas of the operation.
 - *Relationships with Suppliers:* Building sustainable relationships with feed suppliers can lead to favorable pricing and better access to quality feed ingredients. Establishing long-term partnerships with local suppliers allows farmers to negotiate better rates and secure reliable sources of feed [25]. These relationships can also provide farmers with insights into market trends, helping them make informed decisions about feeding purchases. By fostering a collaborative approach with suppliers, dairy farms can achieve cost savings while ensuring a consistent supply of quality feed.
 - *Heifer Development Programs:* Implementing targeted heifer development programs can ensure that replacements are raised efficiently, reducing future feed costs. By focusing on proper nutrition and management during the growth phases, dairy farms can produce healthy heifers that transition smoothly into the milking herd [26]. Providing high-quality forage and balanced rations during the heifer phase ensures that they reach maturity more quickly, minimizing the costs associated with rearing replacements and enhancing overall herd productivity.
 - *Comfort Housing:* Improving cow comfort through proper housing and ventilation reduces stress and promotes better feed conversion. Comfortable cows are more likely to consume feed efficiently and produce higher milk yields [27]. Adequate space, clean bedding, and appropriate temperature control contribute to cow well-being, ultimately reducing feed costs through improved productivity. By investing in cow housing, dairy farmers can create an environment conducive to optimal health and performance.
 - *Inventory Management:* By maintaining accurate records of feed usage and availability, farmers can anticipate shortages and avoid purchasing excess feed at higher prices. This proactive approach allows for strategic planning and better budgeting, leading to reduced overall feed costs. Proper inventory management ensures that farmers can make informed decisions regarding feed procurement and storage.
 - *Fermentation Techniques:* Fermenting forages with beneficial bacteria can improve digestibility and nutrient availability for cows [28]. This process not only extends the shelf life of feeds but also enhances their nutritional profile, allowing for lower feed input without sacrificing animal health. By exploring fermentation as a feed management strategy, dairy farms can maximize their available resources while minimizing costs.
 - *Planning Calendar:* Creating a nutritional planning calendar helps dairy farmers align feeding strategies with seasonal forage availability and herd needs [29]. By mapping out feeding schedules and potential forage shortages, farmers can proactively adjust rations and sourcing to optimize feed costs. This structured approach minimizes waste and ensures that cows receive consistent nutrition throughout the year, ultimately leading to lower overall feed expenses.
-

- *Utilizing Waste by Products*: incorporating waste by-products from local food industries, such as spent grains, can provide valuable nutrients while significantly lowering feed costs. These materials often have a high nutrient density and can replace conventional feed ingredients in rations [30]. Establishing connections with food processors allows dairy farmers to secure these by-products at a reduced cost, leading to better resource utilization and minimized feed expenses.
- *Improving Pasture Management*: Effective pasture management practices, such as regular mowing, fertilization, and reseeded, ensure the availability of high-quality forage. By promoting vigorous pasture growth and reducing weeds, farmers can maximize forage yield and minimize reliance on purchased feed [31]. Well-managed pastures lead to healthier cows and reduced feed costs, ultimately enhancing the farm's overall profitability.
- *Regular Soil Tests*: Regular soil testing enables dairy farmers to identify nutrient deficiencies and adjust fertilization practices accordingly [32]. By applying the right nutrients based on soil needs, farmers can enhance forage quality and yield while minimizing unnecessary fertilization costs. Improved soil fertility results in healthier pastures and reduced reliance on costly purchased feeds, contributing to overall savings.
- *Diverse Forage Base*: Planting a diverse mix of forage species helps improve resilience and forage quality. By cultivating legumes, grasses, and brassicas together, farmers can enhance soil fertility, reduce pest pressures, and increase overall biomass production [33]. A diverse forage base ensures a more consistent feed supply, reducing dependence on external feed sources and leading to lower costs.
- *Community Feeding Programs*: Participating in community feeding programs allows farmers to share resources and reduce feed costs collectively. By collaborating with neighboring farms to purchase feed in bulk or share equipment for forage processing, farmers can take advantage of economies of scale. These partnerships foster community ties and create a more sustainable agricultural network, leading to significant savings.
- *Early Weaning*: Implementing early weaning strategies for calves can reduce the costs associated with feeding them for extended periods. By weaning calves at a younger age and transitioning them to high-quality solid feeds, farmers can minimize the reliance on expensive milk replacers [34]. This approach not only reduces feeding expenses but also improves overall herd productivity by preparing calves for future growth more efficiently.
- *Knowledge Sharing*: Creating opportunities for farmer-to-farmer knowledge sharing encourages the exchange of best practices for feed management. Establishing local networks or cooperatives allows farmers to learn from one another's experiences and implement cost-saving strategies [35]. By sharing insights on efficient feed practices, farmers can collectively reduce feed costs and enhance overall farm management.
- *Alternative Protein Sources*: Investigating alternative protein sources, such as insects or algae, can offer cost-effective supplements for dairy cows. These protein sources are often rich in nutrients and can be cultivated sustainably, reducing reliance on conventional feed proteins like soybean meal [36, 37]. By diversifying protein sources, farmers can optimize rations and potentially lower feed costs.
- *Education and Training*: Investing in education and training for farm staff enhances their understanding of feed management practices. Training programs focused on nutrition, pasture management, and animal welfare equip staff with the skills needed to implement best practices effectively [38]. A knowledgeable team can optimize feeding strategies, leading to increased efficiency and reduced feeding costs.
- *Partnerships with Research Institutions*: Collaborating with agricultural research institutions can provide dairy farmers access to the latest innovations in feed efficiency and management [39]. By participating in research trials and workshops, farmers can learn about cutting-edge practices and technologies that enhance productivity [40]. These partnerships can lead to improved feeding strategies, reduced costs, and better overall farm performance.
- *Local Feed Sourcing*: Sourcing feed locally helps reduce transportation costs and supports community agriculture. By building relationships with nearby suppliers or other farmers, dairy

producers can negotiate better rates and secure quality feed [41]. Local sourcing enhances supply chain resilience, ensuring that dairy farms have reliable access to feed at a lower cost.

- *Manure Management*: Implementing efficient manure management practices, such as composting or anaerobic digestion, reduces waste and enhances nutrient recycling on dairy farms [42, 43]. Proper manure management minimizes nutrient runoff and maximizes the value.
- *Precision Feeding*: Implementing precision feeding techniques allows dairy farmers to tailor rations to the specific needs of individual animals or groups based on their production stage and health status [44]. This approach utilizes technology, such as feed tracking systems and nutritional software to optimize feed formulations and minimize waste [45]. By providing precise amounts of nutrients, farmers can enhance feed efficiency, resulting in reduced overall feed costs while maintaining animal health and productivity.
- *Feed Monitoring and Analysis*: Investing in technology for monitoring and analyzing feed quality, such as near-infrared reflectance spectroscopy (NIRS), enables farmers to evaluate the nutritional content of feed more accurately [46, 47]. By understanding the composition of their feed resources, farmers can make informed decisions about ration formulations and identify potential cost-saving adjustments. Enhanced feed analysis contributes to better nutrient management, ultimately leading to lower feed costs while supporting optimal cow performance.

CONCLUSIONS

Sustainable feeding practices are integral to the future of dairy farming, offering substantial opportunities for cost reduction and resource optimization. By integrating practices, such as nutritional planning, pasture management, and the use of alternative feed sources, farmers can significantly decrease their reliance on purchased feeds, ultimately lowering overall costs. Moreover, the role of technology in monitoring and analyzing feed quality enhances decision-making processes, leading to improved resource utilization. As the dairy industry continues to evolve, the implementation of these sustainable feeding practices will be crucial for achieving economic viability and environmental sustainability, paving the way for a more resilient and responsible dairy sector.

Limitations

The strategies presented are largely based on existing literature and may not encompass all possible feeding practices in diverse geographical and environmental contexts. As dairy farming practices can vary significantly based on regional conditions, the applicability of some strategies may be limited in specific situations. Second, the review focuses primarily on cost reduction without extensively addressing the potential trade-offs between feed efficiency and animal welfare. While many strategies aim to optimize feed use, the long-term impacts on cow health and milk quality should be further investigated. Additionally, the review does not account for the economic feasibility of implementing certain practices, as initial investments in technology or infrastructure may be a barrier for some dairy producers. Finally, further research is needed to evaluate the effectiveness of these strategies in real-world settings, as controlled studies may not fully capture the complexities of on-farm implementation.

Future Directions

Longitudinal studies assessing the long-term impacts of various feeding strategies on both animal welfare and economic viability would provide valuable insights for dairy producers. Additionally, research on the integration of emerging technologies, such as artificial intelligence and machine learning, could offer innovative solutions for real-time monitoring and optimization of feeding practices. Furthermore, understanding the role of consumer preferences in shaping sustainable dairy practices can guide farmers in aligning their strategies with market demands. Collaborative research initiatives between academia, industry, and farmers could facilitate the development of best practices tailored to specific regional contexts. Exploring the potential of genetic selection for feed efficiency traits in dairy cattle also presents an exciting direction for future research, potentially leading to breeds that require less feed while maintaining high productivity levels. By addressing these areas, the dairy industry can continue to evolve toward more sustainable and economically viable feeding practices, ensuring resilience in an ever-changing agricultural landscape.

REFERENCES

1. Makkar HPS. Smart livestock feeding strategies for harvesting triple gain-the desired outcomes in planet, people and profit dimensions: A developing country perspective. *Anim Prod Sci.* 2016;56(3):519–534. doi: 10.1071/AN15557
2. Phillip LE, Goldsmith P, Bergeron M, Peterson PR. Optimizing pasture management for cow-calf production: The roles of rotational frequency and stocking rate in the context of system efficiency. *Can J Anim Sci.* 2001;81(1):47–56. doi: 10.4141/A00-044
3. Alao BO, Falowo AB, Chulayo A, Muchenje V. The potential of animal by-products in food systems: Production, prospects and challenges. *Sustainability.* 2017;9(7):1089.
4. Manju Wadhwa MW, Bakshi MPS, Makkar HPS. Waste to worth: Fruit wastes and by-products as animal feed. *CABI Rev.* 2015;(2015):1–26.
5. Liang C, Shah T. IoT in agriculture: The future of precision monitoring and data-driven farming. *Eig Rev Sci Technol.* 2023;7(1):85–104.
6. DeVries TJ. Feeding behavior, feed space, and bunk design and management for adult dairy cattle. *Vet Clin North Am - Food Anim Pract.* 2019;35(1):61–76. doi: 10.1016/j.cvfa.2018.10.003
7. Lucas V, Gasselin P, Van Der Ploeg JD. Local inter-farm cooperation: A hidden potential for the agroecological transition in northern agricultures. *Agroecol Sustain Food Syst.* 2019;43(2):145–179.
8. Luo F, Mi W, Liu W. Legume-grass mixtures improve biological nitrogen fixation and nitrogen transfer by promoting nodulation and altering root conformation in different ecological regions of the Qinghai-Tibet Plateau. *Front Plant Sci.* 2024;15:1375166. doi: 10.3389/fpls.2024.1375166
9. Abdula AH. Contribution of hydroponic feed for livestock production and productivity. *Sci Front.* 2022;3(1):1–7. doi: 10.11648/j.sf.20220301.11
10. Hassen A, Dawid I. Contribution of hydroponic feed for livestock production and productivity: A review. *Int J Gr Sediment Water.* 2022;15:899–916.
11. Lovarelli D, Bacenetti J, Guarino M. A review on dairy cattle farming: Is precision livestock farming the compromise for an environmental, economic and social sustainable production? *J Clean Prod.* 2020;262:121409.
12. Vande Haar MJ, Armentano LE, Weigel K, Spurlock DM, Tempelman RJ, Veerkamp R. Harnessing the genetics of the modern dairy cow to continue improvements in feed efficiency. *J Dairy Sci.* 2016;99(6):4941–4954.
13. van Empel MJ, Makkar HPS, Dijkstra J, Lund P. Nutritional, technological and managerial parameters for precision feeding to enhance feed nutrient utilization and productivity in different dairy cattle production systems. *CABI Rev.* 2016:1–27.
14. Ogola PA, Ngesa F, Makanji DL. Influence of access to extension services on milk productivity among smallholder dairy farmers in Njoro Sub-County, Nakuru County, Kenya. *Heliyon.* 2023;9(9). doi: 10.1016/j.heliyon.2023.e20210
15. Pesti GM, Miller BR. *Animal feed formulation: economic and computer applications.* Springer Science & Business Media; 1993.
16. Cabrera VE, Barrientos-Blanco JA, Delgado H, Fadul-Pacheco L. Symposium review: Real-time continuous decision making using big data on dairy farms. *J Dairy Sci.* 2020;103(4):3856–3866.
17. Ventura G, Lorenzi V, Mazza F, Clemente GA, Iacomino C, Bertocchi L, et al. Best farming practices for the welfare of dairy cows, heifers and calves. *Animals.* 2021;11(9):2645. doi: 10.3390/ani11092645
18. Ray S, Majumder S. Water management in agriculture: Innovations for efficient irrigation. In: *Mod. Agron. Sil P, Chhetri P, Majumder S, Santosh DT, editors; 2024. pp. 169–185.*
19. Zlaoui M, Dhraief MZ, Hilali ME-D, Dhehibi B, Salem MB, Jebali O, et al. Can small-scale dairy farm profitability increase with the use of solar energy technology? an experimental study in Central Tunisia. *Energies.* 2023;16(13):4925.
20. Aquilani C, Confessore A, Bozzi R, Sirtori F, Pugliese C. Precision livestock farming technologies in pasture-based livestock systems. *Animal.* 2022;16(1):100429.
21. Jalal H, Giammarco M, Lanzoni L, Akram ZM, Mammi LME, Vignola G, et al. Potential of fruits and vegetable by-products as an alternative feed source for sustainable ruminant nutrition and production: A review. *Agriculture.* 2023;13(2):286.

22. Agegnehu G, Srivastava AK, Bird MI. The role of biochar and biochar-compost in improving soil quality and crop performance: A review. *Appl. soil Ecol.* 2017;119:156–170.
23. Sollenberger LE, Cherney DJR. Evaluating forage production and quality. *Forages Sci Grassl Agric.* 1995;2:97–110.
24. Barbosa MW. Government support mechanisms for sustainable agriculture: A systematic literature review and future research agenda. *Sustain.* 2024;16(5):2185. doi: 10.3390/su16052185.
25. Eaton C, Shepherd A. Contract farming: Partnerships for growth, no. 145. *Food Agr Org.* 2001.
26. Akins MS. Dairy heifer development and nutrition management. *Vet Clin North Am - Food Anim Pract.* 2016;32(2):303–317. doi: 10.1016/j.cvfa.2016.01.004.
27. Grant R, Miner WH. Economic benefits of improved cow comfort. *Nov Int Inc;* 2015. p.1–26.
28. Wang L, Jin S, Wang P, Li X, Li C, Sun S, et al. Fermented total mixed ration enhances nutrient digestibility and modulates the milk components and fecal microbial community in lactating Holstein dairy cows. *Front Vet Sci.* 2024;11:1408348.
29. Tylutki TP, Fox DG, McMahon M. Implementation of nutrient management planning on a dairy farm. *Prof Anim Sci.* 2004;20(1):58–65. doi: 10.15232/S1080-7446(15)31273-0
30. Lao EJ. Scrutinizing the opportunities, challenges and sustainability of Brewers' Spent Grain as a feed source for dairy cattle. *Big Data Agric.* 2021;3(2):56–64.
31. Khan M, Peters K, Uddin M. Feeding strategy for improving dairy cattle productivity in small holder farm in Bangladesh. *Bangladesh J Anim Sci.* 1970;38(1–2):67–85. doi: 10.3329/bjas.v38i1-2.9914
32. Klausner SD, Fox DG, Rasmussen CN, Tylutki TP, Chase LE, Stone WC, et al. Improving dairy farm sustainability I: An approach to animal and crop nutrient management planning. *J Prod Agric.* 1998;11(2):225–233.
33. Meza K, Vanek SJ, Sueldo Y, Olivera E, Ccanto R, Scurrah M, et al. Grass–legume mixtures show potential to increase above-and belowground biomass production for andean forage-based fallows. *Agronomy,* 2022;12(1):142. doi: 10.3390/agronomy12010142
34. Mikuš T, Marzel R, Mikuš O. Early weaning: New insights on an ever-persistent problem in the dairy industry. *J Dairy Res.* 2020;87(S1):88–92. doi: 10.1017/S0022029920000503.
35. Zhong Z, Zhang C, Jia F, Bijman J. Vertical coordination and cooperative member benefits: Case studies of four dairy farmers' cooperatives in China. *J Clean Prod.* 2018;172:2266–2277. doi: 10.1016/j.jclepro.2017.11.184
36. Te Pas MFW, Veldkamp T, de Haas Y, Bannink A, Ellen ED. Adaptation of livestock to new diets using feed components without competition with human edible protein sources—A review of the possibilities and recommendations. *Animals,* 2021;11(8):2293.
37. Khan NM, Qadeer A, Khan A, Nasir A, Sikandar A, Adil M, et al. Alternative sources of proteins in farm animal feeding. *J Microbiol Biotechnol Food Sci.* 2024.
38. Kilpatrick S. Education and training: Impacts on farm management practice. *J Agric Educ Ext.* 2000;7(2):105–116. doi: 10.1080/13892240008438811
39. Kilelu CW, Klerkx L, Leeuwis C. Unravelling the role of innovation platforms in supporting co-evolution of innovation: Contributions and tensions in a smallholder dairy development programme. *Agric Syst.* 2013;118:65–77. doi: 10.1016/j.agry.2013.03.003
40. Karunathilake E, Le AT, Heo S, Chung YS, Mansoor S. The path to smart farming: Innovations and opportunities in precision agriculture. *Agriculture,* 2023;13(8):1593.
41. Dries L, Gorton M, Urutyany V, White J. Supply chain relationships, supplier support programmes and stimulating investment: Evidence from the Armenian dairy sector. *Supply Chain Manag. An Int J.* 2014;19(1):98–107.
42. Van Horn HH, Wilkie AC, Powers WJ, Nordstedt RA. Components of dairy manure management systems. *J Dairy Sci.* 1994;77(7):2008–2030.
43. Petersen SO, Sommer SG, Béline F, Burton C, Dach J, Dourmad JY, et al. Recycling of livestock manure in a whole-farm perspective. *Livest Sci.* 2007;112(3):180–191.
44. Pomar C, van Milgen J, Remus A. 18: Precision livestock feeding, principle and practice. In *Poultry and pig nutrition*, Wageningen Academic Publishers; 2019. p.397–418. doi: 10.3920/978-90-8686-884-1_18.

45. Souza VC, Liebe DM, Price TP, Ellett MD, Davis TC, Gleason CB, et al. Algorithm development for individualized precision feeding of supplemental top dresses to influence feed efficiency of dairy cattle. *J Dairy Sci.* 2022;105(5):4048–4063.
46. Hossain ME, Kabir MA, Zheng L, Swain DL, McGrath S, Medway J. Near-infrared spectroscopy for analysing livestock diet quality: A systematic review. *Heliyon.* 2024.
47. Evangelista C, Basiricò L, Bernabucci U. An overview on the use of near infrared spectroscopy (NIRS) on farms for the management of dairy cows. *Agriculture,* 2021;11(4):296.