

Crowdsourced Real-Time Response with AR Assistance

Kajal Santosh Magar^{1,*}

Abstract

The rapid growth of digital technologies has significantly transformed the way people interact with both virtual systems and the physical world. Among these technologies, crowdsourcing and augmented reality (AR) have emerged as two powerful innovations that are reshaping real-time information sharing, decision-making, and user experiences. Crowdsourcing enables organizations and systems to collect valuable data from a large number of users, while AR enhances the user's perception by overlaying digital information onto the real-world environment. When combined, these technologies create intelligent systems capable of delivering accurate, context-aware, and real-time solutions across a wide range of industries. This research focuses on understanding how AR improves user interaction, visualization, and decision-making while examining the mechanisms used to collect, process, analyze, and match large volumes of crowdsourced data in real time. The report explores the theoretical foundations, system architecture, design principles, and implementation strategies involved in developing efficient real-time matching systems. It also discusses the importance of integrating mobile computing, cloud computing, and artificial intelligence to improve system performance, responsiveness, and user satisfaction. In addition, the study identifies several critical challenges that affect the successful deployment of these technologies, including data accuracy, privacy protection, cybersecurity, scalability, reliability, and overall system dependability. Addressing these issues is essential for building trustworthy and efficient applications that can operate effectively in dynamic environments. To demonstrate the practical value of integrating crowdsourcing with AR, the report examines multiple application areas such as intelligent navigation, urban planning, disaster response, healthcare, retail services, and smart city development. Through this comprehensive analysis, the research provides valuable insights into the opportunities and limitations of these emerging technologies. The findings presented in this report offer a useful reference for students, researchers, software developers, and engineers interested in designing advanced interactive systems, intelligent real-time applications, and next-generation digital solutions.

Keywords: Crowdsourcing, real-time matching, augmented reality, computer vision, machine learning, mobile computing, human-computer interaction, smart systems

INTRODUCTION

With the rapid evolution of digital technologies, smart devices have become ubiquitous in sensing, processing, and communicating information. Smart devices, including smartphones and Internet of Things (IoT) devices, constantly generate considerable amounts of information related to their users and surroundings. One of the key challenges for modern computer systems is to leverage the considerable amount of information generated by devices [1].

*Author for Correspondence

Kajal Santosh Magar
E-mail: kajalmagar.edu@gmail.com

¹Associate Professor, Department of Electronics and Telecommunication Engineering, JSPM's Jayawantrao Sawant College of Engineering, Pune, Maharashtra, India

Received Date: April 03, 2026
Accepted Date: July 15, 2026
Published Date: August 30, 2026

Citation: Kajal Santosh Magar. Crowdsourced Real-Time Response with AR Assistance. Journal of Multimedia Technology & Recent Advancements. 2026; 13(2): 34–40p.

There has been a shift in the approach to handling emergencies over the last few years through the increased use of smartphones, Internet connectivity,

cloud computing, and smart mobile applications. In the case of accidents, fires, floods, medical emergencies, and other crisis situations, quick communication and prompt action are necessary to save lives and prevent damage [2]. Emergency response systems are often challenged by a lack of information, slow response mechanisms, and inability to coordinate responses in real time. Research on emergency response systems has shown that integrating information from various sources can enable the sharing of information between first responders, ordinary citizens, devices, and agents during crises [3].

On the one hand, crowdsourcing is a useful approach for individuals to contribute real-time information such as photographs, videos, written reports, GPS coordinates, and sensor data using their mobile phones. Such a contribution may help speed up the detection of incidents, better evaluate the severity, and improve decision-making processes accordingly [4]. Moreover, research has shown that using social media information and crowdsourced data may help improve disaster risk management processes and may also help improve flood forecasting processes if implemented in real time. However, the issue of data accuracy remains a challenge for the proposed approach. On the other hand, augmented reality (AR) has also been found to be a useful approach for providing support to users in the context of hazard response systems and enhancing user interactions with the system [5]. Instead of using text- or map-based information for hazard response systems, AR may help users visualize hazard, navigation, emergency, and responder information in real time. Prior research has shown that AR technologies may help provide real-time emergency assistance using such technologies; therefore, it may help improve the clarity of information for users [6].

This study aims to examine a framework called “Crowd-sourced Real-Time Matching with AR Assistance.” This framework combines crowd-based emergency reporting with AR-based guidance. Within this framework, people can submit accident-related images, videos, and geo-locations using a mobile app. The framework processes this information for validation [7]. It is then matched with the nearest emergency response services, including ambulances, police, fire services, hospitals, and approved volunteers. Once the information is matched, appropriate messages are sent in response. Simultaneously, AR visualization is performed, highlighting safe paths, impacted areas, and assistance areas. This helps emergency responders to work more effectively. Therefore, it can be regarded as a modern emergency response framework that incorporates mobile crowdsourcing, processing, matching, and AR-based guidance [8].

METHODOLOGY

The current study follows a structured research methodology to examine contemporary research on crowd-powered platforms, live data management techniques, real-time matching methodologies, and AR configurations [9]. This section enlightens readers on how these systems function.

The main steps include:

1. An overview of the basic concepts of emergency response systems, crowd-powered assistance, real-time person-to-person matching, and AR for assistance is presented.
2. The problems with current emergency response systems are identified in terms of delays in emergency reporting, lack of real-time coordination, and limited situational awareness.
3. A new concept is presented whereby individuals report accidents and emergency situations using their mobile devices to send photographs, videos, and textual messages.
4. The data gathered are presumed to be transmitted to a central server or cloud for processing almost instantaneously.
5. The methodology also involves real-time data collection from multiple users to raise awareness about incidents and minimize reliance on a single data source.
6. The data collected were then subjected to a data preprocessing step, where media, location, and report data were arranged for further analysis.
7. There is also a procedure for filtering duplicate, irrelevant, and incorrect alerts.

8. After validation, real-time matching is performed to locate the nearest emergency service providers, such as ambulances, police, fire brigades, hospitals, or volunteers.
9. The decisions regarding emergency responders are based on multiple factors, such as the location of the incident, severity of the incident, availability of emergency responders, distance to the incident site, and sense of urgency.
10. The methodology also incorporates a procedure for AR assistance, which provides users with crucial information, such as hazardous zones, safe paths to follow, nearby hospitals, and emergency response information.
11. Real-time updates are also part of the system to ensure that changes in the situation are considered.
12. Feedback is also included in the system using updated information on emergency responders.
13. This study also examines some of the challenges that may arise in the use of these methodologies.
14. Finally, the methodology also examines how the proposed approach can hasten responses to emergencies and improve coordination with emergency responders for public safety.

DESIGN FLOW

The standard configuration of a crowd-powered live matching tool that utilizes AR involves several stages. First, the tool gathers information from several users simultaneously. The second step involves matching information with resources [10]. The third step involves the use of digital overlays. The fourth step involves the use of feedback loops. The final step involves updating the results. The results are updated simultaneously, as shown in Figure 1.

Emergency Occurrence

A real-world incident can be an accident, fire, medical emergency, roadblock, or any other serious problem.

1. *Crowdsourced data collection*: The Events are captured by individuals or nearby residents through pictures, videos, written notes, or by sharing their location on their mobile phones.
2. *Data upload and transmission*: Emergency data are gathered by the mobile app and then transmitted to the main server or cloud system.
3. *Data preprocessing*: It sorts inbound data, sorts files, retrieves coordinate information, authenticates timestamps, and generates a report to be read later.
4. *Validation and filtering*: False or incomplete reports were eliminated. The system assesses the authenticity and suitability of the emergency report for action.
5. *Incident analysis*: The system scrutinizes the data submitted to identify the type, location, and the severity of the emergency.




Figure 1. Flowchart.

6. *Real-time matching*: This matches the incident with the nearest and most relevant emergency responders, including ambulances, police forces, fire brigades, hospitals, or authorized volunteers.
7. *Alert generation*: The emergency services and control center receive alert messages that are matched, prompting immediate action.
8. *AR assistance and visualization*: Augmented reality displays hazard zones, safe passages, instructions for emergency personnel and responders, and local hospitals or emergency hotlines.
9. *Responder coordination*: First responders gather incident information, travel to the site, and then transmit real-time data to a control system.
10. *Continuous updates*: The system provides continuous updates on incident status, traffic conditions, responder movement, and new crowdsourced inputs.
11. *Feedback and database update*: The system stores feedback and handles incident details in its database once it has been resolved. This will improve future matches and emergency responses.

System Optimization

As digital ecosystems grow, the design of efficient real-time matching systems has become a core engineering challenge involving algorithms, distributed systems, load balancing, economic models, and behavioral dynamics. Optimizing crowdsourced matching involves the following:

- Reducing latency
- Maximizing supply utilization
- Balancing workloads
- Minimizing customer wait and travel time
- Ensuring fairness among workers
- Avoiding resource starvation in low-demand zones

Techniques such as load balancing, predictive allocation, incentive mechanisms, and surge pricing are widely used.

Crowdsourced Data Transmission

The collected data are uploaded to a centralized cloud server, where they are aggregated from different users, ensuring wide-area coverage and redundancy.

Preprocessing and Filtering

The system performs image preprocessing using OpenCV techniques, such as noise reduction, edge detection, and contrast enhancement, to improve the data quality before analysis.

Data and Resource Management

The evaluation process for real-time matching systems involves assessing their operational mechanisms, system architecture, optimization mechanisms, and matching algorithms. The key characteristics of crowdsourced real-time matching systems are as follows:

- The need for data and resource management to ensure prompt, accurate, and efficient emergency response.
- The accumulation of large amounts of data from participants, which may include photographs, videos, written descriptions, Global Positioning System information, timestamps, and user information.
- Storage of emergency response information, responder data, hospital information, route information, historical emergency response information, and other related data in a unified data platform or cloud.
- The importance of data governance in ensuring data consistency, avoiding data silos, and ensuring that accurate data are available for emergency response.

- Resource governance involves tracking the availability and location of emergency response resources, such as ambulances, police cars, fire trucks, hospitals, and authorized volunteers, for an efficient response.
- Monitoring the status, current location, workload, and response time of emergency response resources.
- The data in the matching engine are used to determine the most efficient emergency response resource for addressing a reported emergency.

RESULT AND DISCUSSION

According to the literature review, it can be established that emergency response systems, which are crowdsourced and utilize citizens, responders, smart devices, and other distributed sources of data for gathering live information, can improve awareness. Current research on crowdsourcing information in emergency response management indicates that using inputs from responders, citizens, smart devices, and robots can improve damage assessments and searches. It has been argued that matching algorithms, especially in real time, can play a significant role in identifying the best responders for a specific emergency. Real-time matching, especially based on proximity, availability, time, and priority, is likely to improve response times. The processing of real-time digital streams for emergency response detection, as discussed in related studies, is also evident. This research is based on similarity-based methodologies. Current research on augmented reality-based emergency response systems indicates improvements in clarity, guidance, and interaction, especially during emergency responses. Furthermore, augmented reality is also evident in emergency response systems, especially in procedures such as CPR, using real-time AR overlays (Table 1).

Data Collection and Real-Time Sensing

The way it works is similar to how mobile phones serve as the main tools for sensing. They provide:

- GPS location
- Availability status

All these points are fed into the main platform, where they are processed. Mobile phones act as continuous real-time sensing devices in crowdsourced matching systems because they can transmit information such as location, availability, rate, patterns of movement, and basic sensing information to the main platform without human interference. This constant flow of new information enables the system to recognize the location of the service providers, whether they are available or busy, how fast they are moving, and the environment that might affect their performance. All these information points are sent immediately through mobile networks, and the system can process them in seconds, making precise real-time matches that reduce delays and increase efficiency.

Real-Time Updating

In a system where people help one another during emergencies, it is crucial to have up-to-date information, as the situation and the people available to assist may change very quickly. As new information from users, including reports, pictures, videos, and GPS locations, is received, the system should update the information on the situation, traffic conditions, location of responders, and gravity of the situation. Previous studies on emergency crowdsourcing suggest that the system can update information from citizens and responders to help authorities respond effectively to situations.

Communication and Coordination

Once a match is made, the platform initiates real-time communication between all parties involved to ensure that everything runs smoothly.

- Customer receives estimated time of arrival (ETA)
- Service provider gets destination
- Platform monitors using telemetry data

Table 1. Technology evaluation summary.

Technology/method	Purpose	Speed	Accuracy/effectiveness	Data requirement	Real-time suitability	Use in proposed system
Crowdsourcing	Collect incident reports from multiple users	High	Moderate to high	User-generated data	Yes	Primary data collection
GPS/location Tracking	Identify incident and responder location	High	High	Location data	Yes	Route and responder matching
Image/video Upload	Capture emergency evidence	Moderate	High	Media files	Yes	Incident verification
Cloud computing	Store and process incoming reports	High	High	Large-scale data	Yes	Central processing platform
Edge computing	Reduce latency in nearby processing	Very high	High	Local sensor/device data	Yes	Faster emergency analysis
Real-time matching algorithms	Assign nearest responder/resource	Very high	High	Incident + responder data	Yes	Core decision-making
Machine learning models	Predict severity and prioritize response	Moderate	High	Historical and live data	Yes	Smart ranking and filtering
AR assistance	Display hazard zones and guidance	High	High	Live context + mapped data	Yes	Visual emergency support
Notification/alert system	Send alerts to responders and users	Very high	High	Incident status data	Yes	Emergency communication

This real-time communication makes the entire process more reliable and transparent. The customer is immediately given the ETA, while the service provider receives the information about the destination and navigation instructions. They can both locate the other by checking real-time location updates. This keeps things transparent and open throughout the entire process. Simultaneously, the entire trip is constantly monitored using telemetry information. This ensures that everything is done reliably and confidently by keeping things transparent throughout the entire trip.

Comparative Analysis of Core Technologies Used in Crowdsourced Real-Time Emergency Response Systems

Table 1 compares the core technologies used in crowdsourced real-time emergency response systems based on speed, accuracy, data requirements, and real-time suitability.

CONCLUSION

The main aim of this study was to develop a new and efficient method for constructing smart and interactive systems. This method uses crowdsourcing, real-time processing, and AR to achieve rapid, accurate, and user-friendly outcomes. This study proves the effectiveness of integrating mobile sensing and cloud or edge computing, preprocessing, feature extraction, and matching to improve system performance. AR can improve the interaction between the user and the system by providing the user with relevant digital information in the real world. A literature survey proves the importance of using strategies to improve system performance by using load balancing, resource demand prediction, and ranking items using machine learning. Simultaneously, the need for proper handling of issues related to

latency, management of large amounts of data, integrity of data, maintenance of privacy, and prevention of unauthorized access should be ensured. This technology has a high potential for various applications.

Acknowledgment

We would like to express our sincere gratitude to our respected Principal and the Management of the institution for providing the necessary infrastructure and academic environment to successfully complete this project.

We extend our heartfelt thanks to the Head of the Department for their continuous support, encouragement, and valuable guidance throughout the development of this project.

We are especially grateful to our project guide for providing constant supervision, constructive suggestions, and technical guidance at every stage of the project. Their support and insights greatly helped us understand the concepts and successfully implement the Attendance Management System.

We would also like to thank our faculty members and classmates for their encouragement and feedback during the development process of this study.

REFERENCES

1. Harari RE, Schulwolf SL, Borges P, Salmani H, Hosseini F, Bailey SKT, et al. Applications of augmented reality for prehospital emergency care: systematic review of randomized controlled trials. *JMIR XR Spatial Comput.* 2025;2:e66222. doi:10.2196/66222. PMID:42205917.
2. Abid SK, Roosli R, Nazir U, Kamarudin NS. AI-enhanced crowdsourcing for disaster management: Strengthening community resilience through social media. *Int J Emerg Med.* 2025;18:201. doi:10.1186/s12245-025-01009-9. PMID:41083937.
3. Erokhin D, Komendantova N. Social media data for disaster risk management and research. *Int J Disaster Risk Reduct.* 2024;114:104980. doi:10.1016/j.ijdrr.2024.104980.
4. Grassi L, Ciranni M, Baglietto P, Recchiuto CT, Maresca M, Sgorbissa A. Emergency management through information crowdsourcing. *Inf Process Manag.* 2023;60:103386. doi:10.1016/j.ipm.2023.103386.
5. Fromm J, Eyilmez K, Baßfeld M, Majchrzak TA, Stieglitz S. Social media data in an augmented reality system for situation awareness support in emergency control rooms. *Inf Syst Front.* 2023;25:303-26. doi:10.1007/s10796-020-10101-9.
6. Chaves R, Schneider D, Correia A, Motta CLR, Borges MRS. Crowdsourcing as a tool for urban emergency management: lessons from the literature and typology. *Sensors (Basel).* 2019;19:5235. doi:10.3390/s19235235. PMID:31795219.
7. Dinh A, Tseng E, Yin AL, Estrin D, Greenwald P, Fortenko A. Perceptions about augmented reality in remote medical care: interview study of emergency telemedicine providers. *JMIR Form Res.* 2023;7:e45211. doi:10.2196/45211. PMID:36976628.
8. Basu M, Bandyopadhyay S, Ghosh S. Post disaster situation awareness and decision support through interactive crowdsourcing. *Procedia Eng.* 2016;159:167-73. doi:10.1016/j.proeng.2016.08.151.
9. Ginzarly M, Teller J, Dujardin S. Social media use in disaster response: empowering community resilience. *Int J Digit Earth.* 2025;18:2521791. doi:10.1080/17538947.2025.2521791.
10. Nedkov S, Zlatanova S. Enabling obstacle avoidance for Google Maps' navigation service. In: *Proceedings of the 7th Geoinformation for Disaster Management*; 2011; Antalya, Turkey. p. 37.