



Sustainable Membrane Technologies for Environmental and Industrial Applications: A Review

Tahseen Khan*

Abstract

Membrane-based technologies have become indispensable in addressing global environmental and industrial challenges, including water scarcity, pollution control, and energy efficiency. While conventional membranes provide high selectivity and process efficiency, their sustainability is limited by factors such as fouling, high energy consumption, and end-of-life waste management. Recent advances in material science, nanotechnology, and bio-inspired design have led to the emergence of sustainable membranes with improved durability, lower environmental footprint, and broader application potential. This review explores the fundamental principles of sustainable membrane science, recent innovations in green materials, and their role in environmental and industrial applications. Case studies in water and wastewater treatment, desalination, air purification, and resource recovery highlight the transformative potential of sustainable membranes. Additionally, industrial applications in food, pharmaceuticals, energy, and petrochemicals are critically examined. Finally, limitations, policy considerations, and future research directions are discussed. The review concludes that sustainable membrane technologies are positioned as central solutions in the transition to a circular economy, offering pathways for eco-friendly industrial growth and environmental protection.

Keywords: Sustainable membranes, environmental applications, industrial processes, nanotechnology, resource recovery

INTRODUCTION

Global challenges, such as water scarcity, climate change, population growth, and industrial pollution, are intensifying the demand for sustainable technologies. According to the World Health Organization, nearly 2 billion people lack access to safe drinking water, and industrial discharges continue to pollute rivers and oceans at alarming rates. Traditional treatment methods, including chemical coagulation or thermal distillation, are energy-intensive, expensive, and often produce harmful byproducts [1].

In this context, membrane technologies have emerged as efficient alternatives. Processes, like microfiltration, ultrafiltration, nanofiltration, and reverse osmosis, are widely applied in drinking water purification, wastewater treatment, air pollution control, and various industrial separations. Membranes offer compact modular design, high efficiency, lower chemical use, and flexibility. However, their sustainability is limited. Conventional membranes are mostly fabricated from petroleum-derived polymers such as polyamide, polysulfone, and polyvinylidene fluoride (PVDF). These materials are difficult to recycle, consume large amounts of solvents during production, and are prone to fouling, resulting in short lifespans and frequent replacement [2, 3].

*Author for Correspondence

Tahseen Khan

E-mail: tahsin99khan99@gmail.com

Student, Department of Biomedical Science, University of Delhi, New Delhi, Delhi, India

Received Date: September 24, 2025

Accepted Date: October 15, 2025

Published Date: November 05, 2025

Citation: Tahseen Khan. Sustainable Membrane Technologies for Environmental and Industrial Applications: A Review. International Journal of Membranes. 2025; 2(2): 7–12p.

To align membrane science with the UN Sustainable Development Goals (SDGs), particularly Goal 6 (Clean Water and Sanitation)

and Goal 12 (Responsible Consumption and Production), researchers are exploring sustainable membrane technologies [4]. These aim to integrate environmental responsibility with industrial efficiency. Sustainable membranes focus on:

- *Environmental Sustainability*: Reducing carbon footprint, minimizing waste, and avoiding toxic materials.
- *Economic Sustainability*: Enabling affordable, scalable, and durable membrane solutions.
- *Social Sustainability*: Ensuring access to clean water, clean air, and safe food for communities globally.

Emerging solutions include biopolymer-based membranes, nanocomposite structures, bio-inspired aquaporin membranes, and self-healing materials. These innovations promise longer lifespans, reduced fouling, lower energy consumption, and compatibility with circular economy principles [5, 6].

This review provides a comprehensive examination of sustainable membrane technologies, covering fundamentals, materials, environmental and industrial applications, challenges, and prospects [7, 8].

FUNDAMENTALS OF MEMBRANE TECHNOLOGY

Membranes are selective barriers that regulate the passage of molecules or particles, allowing certain species to permeate while rejecting others. Depending on pore size, membranes are categorized as:

- *Microfiltration (MF)*: Removes suspended solids, bacteria, and some protozoa.
- *Ultrafiltration (UF)*: Targets viruses, colloids, and macromolecules.
- *Nanofiltration (NF)*: Removes divalent and multivalent ions, organics, and hardness.
- *Reverse Osmosis (RO)*: Provides the tightest separation, rejecting salts and most dissolved solutes.

Conventional membranes are usually fabricated from polymers such as polysulfone, polyamide, cellulose acetate, and PVDF. Fabrication techniques, like phase inversion, interfacial polymerization, and electrospinning, enable control over pore size and surface chemistry [9, 10].

While Efficient, These Conventional Membranes Face Several Sustainability Issues

- Use of toxic solvents such as N-methyl-2-pyrrolidone (NMP).
- Non-biodegradability of petroleum-derived polymers.
- High energy demand in pressure-driven processes like RO.
- Frequent replacement due to fouling and chemical degradation.

Sustainable Membranes Attempt to Address These by Adopting

- Renewable feedstocks (e.g., cellulose, chitosan, polylactic acid).
- Green fabrication methods (solvent-free, water-based, or additive manufacturing).
- Extended durability through antifouling coatings, nanomaterials, and bio-inspired designs.
- Recyclability and biodegradability to reduce waste accumulation.

SUSTAINABILITY CHALLENGES IN MEMBRANE SCIENCE

While membranes are central to separation technologies, they face significant sustainability challenges.

High Energy Demand

RO for seawater desalination consumes 3 to 6 kWh/m³, making it energy-intensive compared to natural water sources. This high energy demand contributes to greenhouse gas emissions, especially when powered by fossil fuels [11, 12].

Fouling and Scaling

Fouling occurs when organic matter, microorganisms, or minerals accumulate on membrane surfaces, leading to reduced permeability and increased cleaning needs. Frequent chemical cleaning not only shortens membrane lifespan but also introduces hazardous waste into ecosystems [13, 14].

Waste Management

End-of-life membranes are typically incinerated or landfilled, releasing carbon dioxide and toxic compounds. With millions of square meters of membranes discarded annually, waste management has become a pressing issue [15, 16].

Solvent-Intensive Production

The fabrication of polymer membranes often requires harmful solvents like NMP, dimethylformamide (DMF), or dimethylacetamide (DMAc). These solvents pose health risks to workers and contribute to air and water pollution.

Lifecycle Assessment Gaps

Few studies assess the complete environmental footprint of membranes, including raw material extraction, production, operation, and disposal. Without comprehensive lifecycle data, sustainability claims remain uncertain.

TYPES OF SUSTAINABLE MEMBRANES

Biopolymer-Based Membranes

Derived from renewable sources, biopolymers, such as cellulose, chitosan, alginate, and polylactic acid, are biodegradable and environmentally friendly. They offer good hydrophilicity, reducing fouling tendencies. For instance, cellulose acetate membranes are widely used in desalination and wastewater treatment due to their low cost and biodegradability [17].

Inorganic Membranes

Ceramic and metallic membranes exhibit high thermal, chemical, and mechanical stability. While energy-intensive to produce, they have long lifespans, which offset sustainability concerns. Ceramics are increasingly used in industries requiring high durability such as food and beverage processing and oil–water separation [18].

Hybrid and Nanocomposite Membranes

Hybrid membranes combine polymers with nanomaterials such as graphene oxide, titanium dioxide, and silver nanoparticles. These nanostructures enhance antifouling, antimicrobial activity, and mechanical strength. For example, graphene oxide-incorporated membranes have demonstrated higher water flux and chlorine resistance compared to conventional counterparts.

Bio-Inspired Membranes

Nature provides inspiration for highly efficient membranes. Aquaporin-based membranes, mimicking natural water channels in cell membranes, achieve exceptional water permeability and selectivity. Similarly, mussel-inspired polydopamine coatings provide antifouling and self-healing properties.

D-Printed Membranes

Additive manufacturing allows precise control over pore geometry and material composition. Early studies show promise in producing tailor-made membranes with lower material waste and optimized performance.

APPLICATIONS IN ENVIRONMENTAL FIELDS

Water and Wastewater Treatment

Sustainable membranes are at the forefront of tackling water pollution. Biopolymer membranes are increasingly used for municipal wastewater treatment, removing pathogens and micropollutants. Hybrid membranes with antimicrobial coatings can reduce biofouling, ensuring longer operational stability.

Desalination

Desalination has become essential in arid regions, but its sustainability is questioned due to energy use. Aquaporin membranes and graphene oxide-based NF/RO systems show potential for reducing energy consumption by up to 30%, while also lowering brine discharge volumes.

Air Pollution Control

Membranes are employed in capturing volatile organic compounds (VOCs), particulate matter, and greenhouse gases. Ceramic membranes are particularly suited for flue gas filtration in industrial plants due to their thermal resistance.

Resource Recovery

Membrane bioreactors (MBRs) are increasingly adapted for resource recovery from wastewater, enabling the extraction of nutrients like nitrogen and phosphorus as well as biogas. This aligns with circular economy principles by transforming waste streams into valuable resources.

INDUSTRIAL APPLICATIONS

Food and Beverage Industry

Membranes are essential in milk protein concentration, wine clarification, sugar refining, and beverage sterilization. Sustainable polymer and ceramic membranes reduce chemical additives and maintain the nutritional integrity of food products [19].

Pharmaceutical Industry

Membranes are used for drug purification, protein separation, and sterile filtration. Sustainable approaches focus on using bio-based membranes that avoid residual solvent contamination, ensuring product safety.

Energy and Fuel Cells

In energy storage and conversion, membranes act as ion conductors in fuel cells and batteries. Sustainable proton-exchange membranes (PEMs) incorporating biodegradable polymers and nanofillers enhance conductivity while reducing fluorinated polymer reliance.

Petrochemical Industry

Hybrid and ceramic membranes are applied in oil–water separation, solvent recovery, and hydrocarbon purification. Their durability and solvent resistance make them superior to conventional polymeric membranes in harsh industrial conditions.

Textile Industry

Membranes provide a sustainable solution for dye removal from textile wastewater. Nanocomposite UF/NF membranes remove colorants and heavy metals, reducing the environmental impact of textile effluents.

EMERGING TRENDS AND INNOVATIONS

Digitalization and Smart Monitoring

Integration of sensors, AI, and IoT allows real-time monitoring of membrane fouling, permeability, and performance. Predictive maintenance reduces downtime and chemical cleaning requirements.

Self-Healing Membranes

Inspired by biological systems, self-healing membranes can repair micro-cracks using embedded healing agents or reversible bonds, extending service life.

Circular Economy Integration

Efforts are underway to recycle discarded RO membranes into NF membranes for less demanding applications, significantly reducing waste.

D Printing and Additive Manufacturing

3D printing allows the creation of membranes with customized pore sizes and structures, minimizing material waste and optimizing selectivity.

Nature-Inspired Designs

Mimicking biological systems, such as lotus leaf hydrophobicity or fish scale structures, improves antifouling and water repellency.

LIMITATIONS AND FUTURE DIRECTIONS

Despite promising advances, several challenges remain.

- *High Costs*: Many sustainable membranes (e.g., aquaporin-based) remain costly for large-scale use.
- *Scalability*: Lab-scale innovations often face difficulties in industrial translation.
- *Nanomaterial Risks*: Long-term environmental and health impacts of nanoparticles in membranes are poorly understood.
- *Policy Gaps*: Lack of global regulations for green membrane production and disposal hinders widespread adoption.
- *Lifecycle Data*: Comprehensive assessments from production to disposal are needed to confirm sustainability claims.

Future Directions Include

- Development of low-cost biopolymer composites with industrial-grade durability.
- Greater emphasis on recycling and repurposing of used membranes.
- Policy support for sustainable procurement and green manufacturing.
- Cross-disciplinary collaboration between material scientists, environmental engineers, and policymakers.

CONCLUSION

Sustainable membrane technologies represent a transformative pathway for addressing critical environmental and industrial challenges. By integrating biopolymers, nanocomposites, inorganic hybrids, and bio-inspired designs, these membranes improve durability, efficiency, and environmental compatibility. Their applications in water treatment, air purification, food production, pharmaceuticals, energy, and petrochemicals highlight their versatility.

While challenges remain, particularly cost, scalability, and lifecycle uncertainties, the trajectory is promising. With supportive policies, lifecycle assessments, and continued innovation, sustainable membranes can drive the shift towards a circular economy, ensuring that industries operate responsibly while meeting the needs of future generations.

REFERENCES

1. Baker RW. Membrane technology and applications. 3rd ed. Chichester: Wiley; 2012.
2. Shon HK, Phuntsho S, Chaudhary DS, Vigneswaran S. Nanostructured membranes: Science and applications. Boca Raton: CRC Press; 2019.
3. Mulder M. Basic Principles of membrane technology. 2nd ed. Dordrecht: Springer; 1996.
4. Zhang Y, Wang Z, Lin S. Sustainable membrane materials for water treatment. *Environ Sci Technol*. 2020;54(14):9145–57.
5. Lee KP, Arnot TC, Mattia D. A review of reverse osmosis membrane materials for desalination. *Desalination*. 2011;273(1):1–8.
6. Zhao C, Xu X, Chen J, Yang F. Effect of surface modification on antifouling properties of membrane. *J Membr Sci*. 2014;450:57–70.
7. Liu Y, Mi B. Combined fouling resistance of nanocomposite membranes. *Environ Sci Technol*. 2015;49(11):6529–36.
8. Werber JR, Osuji CO, Elimelech M. Materials for next-generation desalination and water purification membranes. *Nat Rev Mater*. 2016;1:16018.
9. Tang CY, Zhao Y, Wang R, Helix-Nielsen C. Biomimetic membranes: A review. *J Membr Sci*. 2013;425–26:285–301.

10. Madaeni SS, Fane AG, Grohmann GS. Virus removal from water and wastewater using membranes. *J Membr Sci.* 1995;102(1–3):65–75.
11. Elimelech M, Phillip WA. The future of seawater desalination: Energy, technology, and the environment. *Science.* 2011;333(6043):712–7.
12. Zhu N, Ji H, Yu P, Niu Y. Nanofiber membranes for air filtration: A review. *Sep Purif Technol.* 2020;231:115936.
13. Van der Bruggen B, Lejon L, Vandecasteele C. Reuse, treatment, and discharge of wastewater. *J Hazard Mater.* 2003;98(1–3):33–50.
14. Cassano A, Conidi C, Castro-Muñoz R. Current developments in membrane technology for agro-food applications. *Compr Rev Food Sci Food Saf.* 2018;17(3):778–821.
15. Ghosh R, Cui ZF. Protein separation using membrane chromatography. *J Membr Sci.* 2000;167(1):47–53.
16. Li N, Zhang Q, Zhang T. Advances in proton exchange membranes for fuel cells. *Prog Polym Sci.* 2011;36(9):1352–95.
17. Bernardo P, Drioli E, Golemme G. Membrane gas separation: A review. *Ind Eng Chem Res.* 2009;48(10):4638–63.
18. Werber JR, Deshmukh A, Elimelech M. The critical need for low-energy, high-performance membranes. *Environ Sci Technol.* 2017;51(17):10268–75.
19. Marchetti P, Jimenez Solomon MF, Szekely G, Livingston AG. Molecular separation with organic solvent nanofiltration. *Chem Rev.* 2014;114(21):10735–806.