

# Water Quality Testing of Yamuna River at Poiya Ghat (Vaikunth Dham/Swarg Dham), Agra: A Systems Study

Pushpa Sahni<sup>1\*</sup>, Deeksha Varshney<sup>2</sup>

## Abstract

Since pre-historic times, river water has been used as a source of drinking water. River water is now a source of hydropower generation, irrigation, aquaculture, navigation, transportation, socioeconomic activities, human settlements and home for aquatic living forms. Apart from this, river water has very vital role in maintaining soil fertility, wildlife conservation and development of forest resources. Due to increase in industrialization, urbanization, mining, sewage disposal and rampant use of technology, Yamuna River water is becoming polluted day by day. It is threatening the survival of life itself. Due to use of contaminated water, human population suffers from water borne diseases. Water quality is getting affected by organic, inorganic and biological pollutants discharged from industrial effluents, domestic waste and sewage. The problem of pollution in Yamuna River has reached alarming proportions. The present study focuses on physico-chemical analysis of Yamuna River water at Poiya Ghat site, Agra to determine its quality and pollution profile over a period of 8 months. The dangerous values of parameters like Total Hardness, high concentration of TDS, Fluoride content, BOD and COD and presence of heavy metals like Pb, Al and Fe beyond the WHO and BIS permissible limits for drinking water is a cause for alarm. The present study shows the need for a continuous pollution monitoring and treatment programme of Yamuna river water in India. Government should focus on the control of point sources as well as non-point sources of pollution by initiating different programmes like Yamuna Action Plan (YAP) for the improvement of water quality of Yamuna River and restore it as a pious river once again.

**Keywords:** Yamuna River, water quality parameters, water pollution, permissible limits

## INTRODUCTION

River plays very crucial role in lives of Indian people because of its importance in sustenance of life as well as it has a place in Indian religion. There are thousands of rivers in India. River Yamuna is one of the longest tributaries of River Ganges. It is about 1370 km long [1, 19]. In Uttar Pradesh it covers Kairan, Baghpat, Noida, Mathura, Agra, Firozabad, Etawah, Auraiya and Allahabad Figure 1.

### \*Author for Correspondence

Pushpa Sahni  
E-mail: [deipushpasahni@gmail.com](mailto:deipushpasahni@gmail.com)

<sup>1</sup>Assistant Professor, Department of Chemistry, Faculty of Science Dayalbagh Educational Institute (Deemed to be University) Dayalbagh, Agra, Uttar Pradesh, India


<sup>2</sup>Research Scholar, Department of Chemistry, Faculty of Science Dayalbagh Educational Institute (Deemed to be University) Dayalbagh, Agra, Uttar Pradesh, India

Received Date: July 23, 2024  
Accepted Date: August 26, 2024  
Published Date: September 26, 2024

**Citation:** Pushpa Sahni, Deeksha Varshney. Water Quality Testing of Yamuna River at Poiya Ghat (Vaikunth Dham/Swarg Dham), Agra: A Systems Study. Journal of Modern Chemistry & Chemical Technology. 2024; 15(3): 1–13p.

As it is covering most of the northern part of India thousands of people are dependent on River Yamuna for their households, industrial purposes and other things. About 85% of human population relies upon the groundwater for drinking [1–6, 24]. Daily discharge domestic waste, sewage waste, settlements, agriculture and industrial effluents are deteriorating the water quality of River Yamuna.

According to Central Pollution Control Board (CPCB) data Yamuna river water comes under the “E” Category that means it is only useful for irrigation and industrial cooling or controlled waste disposal [12, 13, 19].



**Figure 1.** Map of Yamuna River across the India.

(Source: Comparative analysis of the trends in river water quality parameters A Case study of the Yamuna River (researchgate.net))

In Agra, the main contributing pollution source to Yamuna River water could be discharge of effluents from Petha and Leather industries. Rout and other group studied some physico-chemical parameters of the Yamuna River water from four different stations of Agra city, from May to October 2014. EC, TDS and turbidity were found to be above the permissible limit of BIS. Yamuna River water of Agra is highly polluted and was not suitable for human use [5, 15, 16]. Singh et al. carried out statistical assessment using correlation coefficient and ANOVA method of water quality parameters at six different sites of Yamuna river of Mathura-Agra region. A significant positive correlation was observed amongst temperature-pH, total hardness-total alkalinity, dissolved oxygen-total suspended solids, chemical oxygen demand-electrical conductivity and electrical conductivity-total alkalinity and EC, TSS, Total Hardness, Nitrate, Alkalinity, BOD, chloride and COD and phosphate. All parameters exceeded the permissible limits of WHO and BIS [14, 28, 29, 30, 33]. Parween and others assessed

water quality of Yamuna River at Delhi Region. Conductivity, salinity and sodium content were found within the acceptable levels of drinking water guidelines but chloride, nitrate, and total phosphate concentrations exceeded the acceptable level of water quality standards. Al, Co, Cr, Cd, Fe, Pb, Mn and Ni concentrations were found above the acceptable limits of BIS [20, 21, 22, 29]. Sharma et al. studied physiochemical parameters like pH, BOD, COD, Total Coliform, Temperature, DO, Alkalinity, Chlorides, Calcium, Magnesium, and Hardness as Calcium Carbonate and TDS of Yamuna River at Dehradun on monthly basis for 2017, 2018 and 2019 through mathematical model. Parameters like Temperature, TDS, Total coliform and Hardness increased yearly while pH and DO did not [25, 26]. Singh et al. studied the impact of COVID-19 lockdown period on the water quality of Yamuna River. The water quality parameters such as pH, EC, TSS, BOD, and COD found to be improved during lockdown compared to the pre-lockdown period in 2019 because of the low effluent discharge [27, 28].

The extensive literature survey done on the topic reflects that for the healthier and wealthier livelihood, the regular monitoring of river water quality is essential. Since Yamuna river water at Poiya Ghat (Vaikunth Dham) site of Agra is the only source of irrigation, industries, bathing, immersion of idols and ashes after the cremation of dead bodies for the nearby villagers, this sacred river is now one of the most polluted rivers in India with its water contaminated at an alarmingly high level which is not even fit to bath or drinking purposes. The fertile banks of the river are also availed for the agricultural activities like growing vegetables and cultivating crops. Its contaminated water is a health hazard even in terms of contaminated vegetables, food and fruit grown in its basin. However the problem of pollution in Yamuna River not only prevails but has also reached an alarming plight. This alarming pollution/contamination of the river Yamuna has led to initiatives such as Yamuna Action Plan (YAP) by the Government of India. The present study was aimed to monitor the water quality parameters of Yamuna river water at Poiya Ghat (Vaikunth Dham) site of Agra over a period of 8 months regularly.

## METHODOLOGY

### Sample Collection


The sampling in the present study was done using a purposive and random sampling method. Yamuna River water samples were collected randomly at three different sites for a duration of 8 months i.e., from April 2023 to November 2023. On site measurements were carried out for pH of the river water. Other parameters were measured immediately after the samples were collected.

Standard protocols for water testing were followed. Detailed experimental procedure has been given for the testing of water quality parameters. Replication was done with each sample to avoid errors and to obtain accurate results [7–11] Figure 2 (a, b).

Different water quality parameters were measured as shown in Table 1 below:

**Table 1.** The table shows the water quality monitoring schedule from April to November 2023.

Parameters	Time Period (April 2023-November 2023)
pH	Weekly
Electrical Conductivity	Weekly
Chloride Content	Weekly
Fluoride Content	Weekly
Total Hardness	Weekly
Dissolved Oxygen	Weekly
Biological Oxygen Demand	Fortnightly
Chemical Oxygen Demand	Fortnightly
Total Dissolved Solid	Weekly
Heavy Metals	Monthly




**Figure 2.** (a, b) Yamuna River Water Sample collection site at Agra.

## RESULTS AND DISCUSSION


Various physico-chemical water quality parameters were measured for water quality testing of Yamuna River water at Poiya Ghat (Vaikunth Dham) site of Agra over a period of 8 months regularly. On site measurement of pH of Yamuna River water was done on weekly basis Figure 3.

The pH of river water sample was found in the range 7.3-8.1 which was under the WHO and BIS permissible limits i.e. 7.5-8.5 and was also in the same range as for Kailash Mandir, Agra and Palla Region, Delhi, which is one of the most polluted site of Delhi. The river was slightly basic in the month of May with pH 8.1. With the decrease in temperature in the month of October and November pH started decreasing as there is a positive correlation between pH and temperature of water (Figure 3 and Table 2) [14–17].




**Figure 3.** Trend of pH level in respective months.

The electrical conductance (EC) of river water sample was 1300  $\mu\text{S}/\text{cm}$  in the month of May (in the pre monsoon season) and started increasing in the month of July 1500  $\mu\text{S}/\text{cm}$  (during monsoon) (Table 2). The value of EC increased in the month of August, September, October and November as the temperature starts decreasing in the post-monsoon season. These values are higher than Kailash Mandir, Agra where the EC was about 1100  $\mu\text{S}/\text{cm}$  but it was in same range as in Palla Region, Delhi. EC of samples are under the permissible limits of WHO and BIS Figure 4.




**Figure 4.** Trend of EC level in respective months.

Total Hardness which is the measure of carbonates and bicarbonates in water, came out to be in range of 189-289 mg/L (Table 2), which was higher than the WHO permissible limits i.e. 100 mg/L in every month from May to November but below the BIS limits i.e. 300 mg/L (Figure 5). Total Hardness started increasing in the months of October and November i.e. in the post-monsoon period. Total Hardness of Yamuna River water at Poiya Ghat site was same as in Kailash Mandir, Agra and Palla Region, Delhi [18, 23].




**Figure 5.** Trend of Hardness level in respective months.

Total Dissolved Solid (TDS) which is a measure of the dissolved combined content of all organic and inorganic substances, was observed in the range of 300-420 mg/L (Table 2) at the Poiya Ghat site. It was above the permissible limits of WHO i.e. 300 mg/L and below the permissible limit of BIS i.e. 500 mg/L for every month (Figure 6). It was found that as the temperature decreases in the winter season TDS started increasing as the river water flow was low in post-monsoon season than in monsoon season and pre-monsoon season. The TDS values of Poiya Ghat site were lower than the Kailash Mandir, Agra and Palla Region, Delhi [24] Figure 6.




**Figure 6.** Trend of TDS level in respective months.

The chloride level of Yamuna River water at Poiya Ghat was found under the permissible limits of WHO and BIS for every month i.e. 250 mg/L (Figure 7, Table 2). Chloride level was higher in the post-monsoon season in comparison to monsoon and pre-monsoon season and was found in the same range as in Kailash Mandir, Agra and Palla Region, Delhi [32].




**Figure 7.** Trend of Chloride level in respective months.

As shown in Figure 8, fluoride content of Poiya Ghat site was found to be much higher and was above the permissible limits of WHO and BIS (Table 2). It was because of the presence of rocks containing fluoride in the whole Agra region from where fluoride leaches out and gets dissolved in the river water and increases the fluoride content in the Yamuna river of Agra region. Fluoride content was higher in the post-monsoon season in comparison to the monsoon season and the pre-monsoon season. Fluoride content of Yamuna River water at Poiya Ghat site was same as in Kailash Mandir, Agra but was higher than the Palla Region, Delhi.



**Figure 8.** Trend of Fluoride level in respective months.




**Figure 9.** Trend of BOD and DO level in respective months.

As shown in Figure 9, Dissolved Oxygen (DO) of Yamuna river at Poiya Ghat site was slightly higher in the month of May and July but started decreasing in other months specially in post-monsoon season (Table 2) but it was within the WHO and BIS permissible limit. The dissolved oxygen (DO) values of

Yamuna river water at Poiya Ghat site were in the same range as in Kailash Mandir, Agra and Palla Region, Delhi. Biological Oxygen Demand (BOD) was above the permissible limits of WHO and BIS in all the months and this shows increase in pollution in the Yamuna River at Poiya Ghat site. The BOD was also observed high in the post-monsoon season than in monsoon season because of the decrease of flow current of river water in the post-monsoon season. The BOD values at Poiya Ghat river site were in the same range as in Kailash Mandir, Agra but lower than the Palla Region, Delhi (Table 2).

As shown in Figure 10, Chemical Oxygen Demand (COD) was higher than the permissible limits of WHO and BIS in all the months and shows an increasing curve as the temperature of water decreased in the post-monsoon season (Table 1). COD values at Poiya Ghat river site were in the same range as in Kailash Mandir, Agra and Palla Region, Delhi. Higher COD values shows an increase in pollution in Yamuna River at Poiya Ghat site of Agra.




**Figure 10.** Trend of COD level in respective months.

Estimation of heavy metal concentration of the Poiya Ghat Yamuna water was done on monthly basis using Agilent, ICP-OES-5110 ICP-OES.


The concentration of Zn was 0.2 mg/L in the month of May and was slightly higher in other months (Figure 11, Table 2) but under the permissible limits of WHO and BIS [33] and shows no risk to river water quality. Hence Zn is not a significant source of pollution of Yamuna River water at Poiya Ghat site, Agra.

The Pb concentration was found to be very high in the post monsoon season and was above the WHO and BIS permissible limits for the river water [33] (Figure 12 and Table 3). The sources of Pb pollution could be the prevalent usage of Pb pipes and lead acid batteries manufacturing industries situated in Agra city.

The concentration of Chromium was found in the range of 0.01-0.03 mg/L (Figure 13, Table 3) and was under the permissible limits of WHO and BIS [33] and shows no potential risk to river water quality.



**Figure 11.** Trend of Zn level in respective months.



**Figure 12.** Trend of Pb level in respective months.

In the post-monsoon season the Fe concentration was found to be very high when compared with WHO and BIS permissible limits for the river [33] (Figure 14 and Table 3). The high concentration of Fe in sediments were due to the effluent discharge by the number of Iron Foundries situated in Agra region. As the sediment of river Yamuna was highly alkaline, Fe was precipitated as hydroxide under alkaline pH.

Other heavy metals like Ni, Cd, Mn and Cu were found in some water samples in very low concentration which was not significant to cause pollution in River water.




Figure 13. Trend of Cr level in respective months.




Figure 14. Trend of Fe level in respective months.

Table 2. Trend in different water quality parameters in respective months.

	pH	EC (µS/cm)	TDS (mg/L)	Hardness (mg/L)	Chloride (mg/L)	Flouride (mg/L)	DO (mg/L)	BOD (mg/L)	COD (mg/L)
May	8.1±0.6	1300±14.3	298±1.2	189±9.6	138.88±1.4	2.73±0.2			
July	8.02±0.7	1500±12.5	315±2.7	196±4.2	149.69±1.6	3.1±0.1	4.2±0.8	2.5±1.4	36±8.6
Aug	7.89±0.4	1600±13.2	333.25±1.8	208±8.5	180.62±1.8	3.23±0.3	3.5±0.6	3.2±1.6	40±4.5
Sep	7.76±0.2	1800±11.6	345.1±2.1	210±9.5	210.76±2.1	3.25±0.5	2.68±0.5	4.68±1.7	65±2.9
Oct	7.6±0.7	1900±10.9	387.65±3.2	268±5.8	238.39±2.4	3.5±0.5	1.95±0.4	9.56±1.4	93±8.7
Nov	7.32±0.8	2200±8.3	412.38±1.5	289± 3.2	270.36±1.9	3.89±0.6	1.32±0.9	13.28±1.8	116±9.3
YamunaSites									
Kailash Mandir, Agra	8.1	1100±11.7	826±2.5	352±5.4	130±1.8	4.1±0.7	3.2±0.7	14±1.3	167±7.8
Palla Region, Delhi	7.5	1711±12.8	1100±7.8	225±3.5	110±2.8	0.3±0.1	4.5±0.4	32±1.8	356±5.4
Standar-ds									
WHO	7.5-8.5	2000	300	100	250	1.2	5	2	200
BIS	7.5-8.5	3000	500	300	250	1.5	7	4	250

**Table 3.** Trend in different heavy metals in respective months.

Months	Zn (mg/L)	Pb (mg/L)	Cr (mg/L)	Fe (mg/L)
May	0.2±0.03	0.01±0.01	0.01±0.001	0.4±0.04
July	0.38±0.02	0.1±0.05	0.01±0.001	0.9±0.07
Aug	0.43±0.04	0.25±0.02	0.02±0.001	1.6±0.02
Sep	0.45±0.07	0.3±0.07	0.025±0.007	1.9±0.08
Oct	0.64±0.05	0.4±0.03	0.03±0.005	1.9±0.02
Nov	0.58±0.03	0.5±0.04	0.03±0.002	2.14±0.09
Standards				
WHO	1.0	0.1	0.05	0.5
BIS	1.0	0.1	0.05	0.5

## CONCLUSIONS

Physico-chemical analysis was conducted on Yamuna River at Poiya Ghat site, Agra to determine its quality and pollution profile over a period of 6 months. The results show the high concentration of some parameters like Total Hardness, TDS, Fluoride content, BOD and COD than the WHO and BIS permissible limits for drinking water. While other parameters like pH, EC, Chloride content, DO were under the permissible limits of WHO and BIS. It was found from the result that all the parameters were high in post-monsoon season than the monsoon and pre-monsoon period. Heavy metals like Zn, Cr, Ni, Cd, Mn and Cu were very low in concentration while Pb and Fe were high in concentration as compared to the WHO and BIS permissible limits. This shows the high level of pollution in Yamuna River at Poiya Ghat site of Agra. This may possess a health risk to several rural communities as well as urban localities who rely on the river water primarily as their source of domestic water and irrigation. The present study showed an urgent need for a continuous pollution monitoring and treatment programmes of Yamuna river water in India. The control of point sources as well as non-point sources of pollution are vital to clean the river. Government should focus on the different programmes like Yamuna Action Plan (YAP) run by them for the betterment of water quality of Yamuna River.

## Acknowledgement

The authors are extremely grateful to Revered Prof. P. S. Satsangi, Chairman, Advisory Committee on Education, Dayalbagh Educational Institutions for incessant research guidance and encouragement. We are also grateful to our DST-FIST funded Department of Chemistry for providing us research facility.

## REFERENCES

1. Ali, S., Fakhri, Y., Golbini, M., Thakur, S.K., Alinejad, A., Parseh, I., Shekhar, S., Bhattacharya, P., (2019) "Concentration of fluoride in groundwater of India: A systematic review, meta-analysis and risk assessment", *Groundwater for Sustainable Development*, 10.1016
2. Ali, S., Thakur, S.K., Sarkar, A., Shekhar, S., (2016). "Worldwide contamination of water by fluoride. *Environmental chemistry letters*" 14, 291-315
3. Appavu, A, Thangavelu, S, Muthukannan, S.K., Jesudoss, J. S. and Pandit, B. (2016) "Study of Water Quality Parameters of Cauvery River Water in Erode Region" *Journal of Global Biosciences*, Volume 5, pp. 4556-4567
4. Bhutiani, R., Khanna, D.R., Tyagi, B., Tyagi, P.K. and Kulkarni, D.B (2015) "Assessing environmental contamination of River Ganga using correlation and multivariate analysis" *Pollution*,1(3): 265-273
5. Rout, Chadetrik & Arun, Lavaniya & Prakash, Divakar. (2015). Assessment of Physico-chemical Parameters of River Yamuna at Agra Region of Uttar Pradesh, India. *International Research Journal of Environment Sciences*. 4. 2319-1414.
6. Damle, N.M., Deolia, D.K. and Tignath, S., Jha, M. (2022) "Assessment of water quality index for the groundwater in and around Jabalpur city, Madhya Pradesh, INDIA" *IJIERM-VII-III*, VOLUME: 07 Issue 03

7. Dohare D, Deshpande S and Kotiya A (2014) "Analysis of Ground Water Quality Parameters: A Review" Research Journal of Engineering Sciences Vol. 3(5), 26-31
8. Farago M.E., Mehra A. and Banerjee D.K. (2010) "A preliminary investigation of pollution in the River Yamuna, Delhi, India: metal concentrations in river bank soils and plants" Environmental Geochemistry and Health, volume 11, pages 149–156
9. Gholizadeh M. H, Melesse A. M. and Reddi L. (2016) "A Comprehensive Review on Water Quality Parameters Estimation Using Remote Sensing Techniques" Sensors, 16, 1298
10. Gorde S. P. and Jadhav M. V. (2013) "Assessment of Water Quality Parameters: A Review" Int. Journal of Engineering Research and Applications, Vol. 3, Issue 6, pp.2029-2035
11. Gupta, N., Pandey, P. and Hussain, J. (2017) "Effect of physicochemical and biological parameters on the quality of river water of Narmada, Madhya Pradesh, India" WaterScience 31,11–23
12. Gupta, N., Yadav, K.K., Kumar, V. and Singh, D. (2013), "Assessment of Physicochemical Properties of Yamuna River in Agra City", International Journal of ChemTech Research, Vol.5, No.1, pp 528-531
13. Gupta, V., Kumar, D., Dwivedi, A., Vishwakarma, U., Malik, D.S., Paroha, S., Mohan, N., Gupta, N. (2023) "Heavy metal contamination in river water, sediment, groundwater and human blood, from Kanpur, Uttar Pradesh, India" Environ Geochem Health 45:1807–1818.
14. Hamid, A, Dar, N.A, Bhat, S.U, Pandit, A.K. (2013), "Water Quality Index: A Case Study of Vishav Stream, Kulgam, Kashmir", International Journal of Environment and Bioenergy, 2013, 5(2): 1-15
15. Jagtap, S.; Yenkie, M.K.; Labhsetwar, N.; Rayalu, S. (2012) "Fluoride in Drinking Water and Defluoridation of Water" Chem. Rev., 112, 2454–2466
16. Kharake, A.C. and Raut, V.S. (2021) "An assessment of water quality index of Godavari river water in Nashik city, Maharashtra" Appl Water Sci 11, 101
17. Kumar, M., Gupta, N., Ratn, A., Awasthi, Y., Prasad, R., Trivedi, A., & Trivedi, S. P. (2019). "Biomonitoring of heavy metals in river Ganga water, sediments, plants and fishes of different trophic levels". Biological Trace Element Research.
18. Martin, K.E., & Currie, S. (2020). Hydrogen sulphide sensitivity and tolerance in genetically distinct lineages of a selfing mangrove fish (*Kryptolebias marmoratus*). Journal of Comparative Physiology B, 190(6), 761– 770
19. Misra, A.K. (2010), "A River about to Die: Yamuna" J. Water Resource and Protection 2, 489-500
20. Naithani. R., Dr. Pande, I.P., (2015) "Comparative analysis of the trends in river water quality parameters: A Case study of the Yamuna River", International Journal of Scientific Research Engineering & Technology (IJSRET), ISSN 2278 – 0882 Volume 4, Issue 12
21. Parween M., Ramanathan A.L., Raju N. J. (2017) "Waste water management and water quality of river Yamuna in the megacity of Delhi" Int. J. Environ. Sci. Technology.
22. Rout, C. (2017) "Assessment of Water Quality: A Case Study of River Yamuna" International Journal of Earth Sciences and Engineering, 10(02), 398-403
23. Sabeeh, N.N., Alabdraba, W.M. Sh., Mohamed, G.H, Zainab, M.B. (2018) "Water Quality Monitoring of Tigris River by Using (GIS)-Based Physicochemical Parameters in Baghdad, Iraq" International Journal of Engineering & Technology, 7 (4.37) 57-62
24. Sawyer, C.N., McCarty, P.L., and Parkin, G.F. (2000). Chemistry for Environmental Engineering 4 th Edition. Tata McGraw-Hill Publishing Company Limited.
25. Sharma C., Jindal R., Singh U. B., Ahluwalia A. S. (2017) "Assessment of water quality of river Sutlej, Punjab (India)" Sustain. Water Resour. Manag.
26. Sharma, R, Kumar, R, Satapathy, S.C., Ansari, N.A., Singh, K.K, Mahapatra, R.P, Agarwal, A.K., Le, H.V. and Pham, B.T. (2020) "A Study of Yamuna River" Front. Environ. Sci. 8:581591
27. Singh, B.P., Rana, P., Mittal, N., Kumar, S, Athar, M., Abduljaleel. Z. and Rahman, S (2022) "Variation of Water Quality During Lockdowns" Front. Environ. Sci. 10:940640
28. Singh, R., Manglik, M., Srivastava, A. (2015) "Physico-chemical and Statistical Assessment of Water Quality of River Yamuna in Mathura-Agra Region" International Journal on Environmental Sciences 6 (2) : 217-225
29. Uddin, M. N., Alam, M. S., Mobin M. N., and Miah M. A., (2014) "An Assessment of the River Water Quality Parameters: A case of Jamuna River" J. Environ. Sci. & Natural Resources, 7(1):

253 – 260

30. Vasconcelos, A.B., Mendes, A., Martins, F., Lopes, E., Machado, A., Bordalo, A.A., Pires, P.V., Vieira, N., da Costa, P.M. and Bessa, L.J. (2018) “River water analysis using a multiparametric approach: Portuguese river as a case study” *Journal of Water and Health* 16.6
31. Wikurendra, E.A., Syafiuddin, A., Nurika, G., Elisanti, A.D. (2022), “Water quality analysis of pucang river, sidoarjo regency to control water pollution” *Environ Qual Manage.* ;32(1):133–144.
32. World Health Organization (WHO), 1984. *Guidelines for drinking water quality*. Vol. 1. WHO. Geneva, p.129.