

Physical Modeling of Mass Transport Processes in Extraterrestrial Landscapes

Gizachew Diga Milki^{1,*}

Abstract

Currently the progress in physical models based on mass transport in both the Earth's surface and extraterrestrial landscape has been growing. It is a frame work involving different natural and made processes including aeline process, fluid flow process, magmal movement, Geomagnetic stroms, and clould flow modesl etc. These process encorporates Physical models and approaches which help to simulate, compute and experiment in order to reduce complexity. However, their operating principles, design and applicability is the still the questions of many researcher and scholars due to several reasons including scaling, instability, variable alien environmental conditions, high feasibility, and multivariant computational result due to emerging technology. It is also expensive as design and makeup of such models need intelligent instrument, skilled human power, and infrastructures. For this reason, this research delves in to the assessment of some of the process involving in extraterrestrial landscape, using experimental, numerical, and theoretical models. It also inculcates the modeling approach relivant to such physical process and their applicability in medical, engineering and environmental management. such physical processes and their applicability in medical, engineering, and environmental management. Furthermore, the study highlights the importance of integrating remote sensing data, machine learning techniques, and high-resolution laboratory analogs to improve prediction accuracy and reduce uncertainties. By examining the interactions between environmental forcing and mass-transport dynamics, the research contributes to a deeper understanding of planetary evolution and supports the development of innovative technologies for future space exploration missions.

Keywords: Aeolian process, cloud process, extraterrestrial landscape, geomagnetic strom, magmal movement, mass transport, physical models.

INRODUCTION

Extraterrestrial Landscapes refeing to refer to regions that appear unfamiliar to the Earth or alien with unusula feature, evolutions and color. These kind of regions have unique landscapes including bizarre environments on Earth such as Dallol hydrothermal fields, in Ethiopia, the Darvaza Gas Crater (door to hell) etc. Mass flow models are used to simulate and predict the movement of mass in various systems, such as in engineering, geology, and biology. Physical models designed for mass transport in Extraterrestrial Landscapes involve computational fluid dynamics (CFD), advection-dispersion equations, and

*Author for Correspondence

Gizachew Diga Milki
E-mail: Phygidg@gmail.com

¹Assistant Professor, Department of Physics, Jimma University, Ethiopia.

Received Date: October 10, 2025

Accepted Date: November 20, 2025

Published Date: December 10, 2025

Citation: Gizachew Diga Milki. Physical Modeling of Mass Transport Processes in Extraterrestrial Landscapes. International Journal of Universe. 2025; 1(2): 47–54p.

specific models for phenomena like debris avalanches, hydrothermal plumes, and glacial movement. Physical modeling of mass transport processes in extraterrestrial landscapes involves using laboratory simulations and numerical models that help to understand the way massive material system alien world. Physical models for mass transport in ringed planet such as saturn primarily focus on viscosity, driven by inter-particle collisions and self-gravity, which causes the rings to spread radi-

ally. These models incorporate a blend of hydrodynamic principles, N-body simulations, and specific collisional theories to explain observed ring structures and evolution. According to, Esposito L. W., 2014 [1], N-body simulation are necessary for accurate treatment of many aspects of dense, flattened rings, that includes self gravity of the particles. Physical models accounted for extreme conditions such as high pressure, temperature, and concentration. The models range from simple single-phase models to complex multi-phase models that account for different physical properties and interactions between materials. Computational, experimental and theoretical models have been developed for a variety of physical processes including atmosphere, cloud flow, fluid flow, Geomagnetic storms, and magma flow, mechanics of solid bodies in general. Specifically, Geomagnetic storms for example are fundamental processes involving mass and energy transport between the sun and the Earth's magnetosphere. On the other hand, cloud flow and magmal movements are another extremes involving mass transport, which can be modelled.

However, although several models are developed, research into potential role of physical models for mass transport in extraterrestrial landscape is not take standard form. This is due to scaling, instability, duplicated alien environmental conditions, high feasibility, and dynamics of computational models due to emerging technology. It is also expensive as design and make of such models need intelligent instrument, skilled human power, and infrastructures. For example astronaut relying on asbestos for flights away from Earth had passed the time from Asbestos to modern light weighed nanomaterial. This is due to its severe health risks, it is no longer used in modern spaceflight, replaced with safer materials including Aluminium alloys, Titanium alloys, carbon nanocomposites and carbon nanofibers. For this reason, this research is aimed at assessing the suitable physical models that best fits the questions science, engineering and medical requirement from the perspective of its current and future applications.

Mass transport model has variety of applications in engineering, bioconservations, agriculture, and metrology. In engineering, these models are applied in a wide range of fields like separation processes, optimizations and system engineering. In systems engineering, these models are critical for the analysis, design, and optimization of chemical reactions, biomedical engineering as blood flow measurements, bio mass energy, monitoring volcanic eruption, environmental protection. As Hansen K. B., et al. 2018 [2] verified, cardiovascular mass transport problems are typically characterized by high Péclet numbers which can be determine numerical method of finite element analysis. As Rizzello, S. 2024 [3] revealed, estimating pollution using physical models in rivers involves fundamental concepts of fluid mechanics, mass transport, and chemical interactions to simulate and predict the future outcome.

In the subsetting section, some of the key process models, mass transport modeling approaches and potential applications are presented.

MAJOR PROCESS INVOLVING MASS TRANSPORT

Scientists model several types of mass transport processes in extraterrestrial landscape;

Aeolian Processes

Aeolian Processes involves the transport of sediment by wind (e.g., dust, sand, ripples). Aeolian Processes are common on Mars and Titan. Aeolian process is studied on Mars due to its carbon dioxide freezing condition at the poles in winter season and significant drop in atmospheric pressure and leading to massive dust storms. On the other hand Physical modeling mass transport is Titan which is the largest moon of Saturn, characterized by a dense atmosphere and liquid methane lakes that are even hazardous. Usually, wind tunnels, including the Titan Wind Tunnel at NASA Ames Research Center are employed to simulate this kind of emergence conditions under atmospheric densities and gravity. Mechanisms of Aeolian mass transport.

- *Creeping*: The rolling or sliding of large particles along the ground that are too heavy to be lifted by the wind. It influence the rate and efficiency of other mass transport processes. The specific

effects creeping depend greatly on geology, fluid dynamics, and materials science .

- *Saltation process*: Particles are lifted, travel in a short, bouncing arc, and then land, dislodging other particles. This is the most common form of aeolian transport and moves sand-sized grains. Hong C. et al. 2013 [4] had studied a ladder sampler and instrumentation method to study the relation between mass transport and the velocity of creeping sand grains.
- *Suspension*: Suspension is one of the three main aeolian mass transport methods, where very fine particles like aerosol, dust and silt are lifted high into the air by wind. The wind lifts and carries such very fine particles over long distances. It is responsible for the landforms such as dunes and loess deposits. In the this process, particles are kept overhead by the turbulent, swirling motion against gravity.

Capillary Processes

This process is directly related to visualizing the surface properties such as the movement of liquids droplets and bubbles due to surface tension. It is caused by the combined effect of adhesion and cohesion which is significantly present in a liquid phase on planetary surfaces, such as the sub-zero brines on Mars or the hydrocarbon lakes/ rivers on Titan, and tidal waves on the earth. Physical models and facilities like the Planetary Environmental Liquid Simulator (PELS) are used to study the dynamics of droplets, cloud formation and movement of liquids in porous media including soil.

Mass Movements (Landslides/Slope Processes)

The stability of slopes and the occurrence of landslides are modeled to understand how landscapes evolve on bodies like Mars or the Moon, where low gravity can affect the mechanics of granular materials.

Aqueous Processes (Past and Present)

For bodies like early Mars, where liquid water was once present, or icy moons with subsurface oceans, physical and numerical models simulate water flow, sediment transport, and depositional processes to understand channel migration and the formation of past landscapes.

Magma and Lava Flow

The dynamics of lava flows are complex phenomenon due to its heterogeneous structure and dynamics of many process that takes place at a time. As Einat Lev et. al. 2012 [5] verified, Lava is a multiphase fluid containing liquid melts, gas bubbles, and solid crystals. It may contain silicates, magnetites, and many more substance.

A simple scenario for Lava model: A simple model for a volcano eruption uses the chemical reaction between baking soda and vinegar. To create it, build a volcano cone around a small plastic bottle using materials like clay, paper mâché, or paper. Then, fill the bottle with a mixture of baking soda, dish soap, and red food coloring, and pour vinegar into the opening to trigger the eruption of lava.

These models are the consequence of mass and energy conservation principles involving 2D and complex flow dimension. Most importantly the physical models involving melting of glaciers, crystals dynamics, and gas bubbles in relation to rheological conditions are primary models. These models inherently articulate changes in environmental conditions such as temperature, pressure, composition, and concentration gradient, radiation fields and external fields. The governing equations are typically variations of the Navier-Stokes equations and the continuity equation, which are designed for distinct features of magma upflow and surface transport.

Surface Diffusion in Ices

Astrochemical models are used to study molecular mobility and surface diffusion within extraterrestrial ices, which plays a pivotal role in the formation of complex molecules in space and potentially the origins of life. These process involves physical dynamics typically gravity-driven collapse in massive core techniques of computing physical parameters.

Cloud Flow and Formation Process

Cloud formation and flow process are direct consequence of thermodynamics and fluid dynamics. It is concerned with adiabatic cooling, condensation on atmospheric particles, and air parcel dynamics concept.

Geomagnetic Stroms

The sun ejects continuously a bundles of particle forming solar wind. The solar wind formed in this way is steady. However, It also release a large amounts random of ionized particles called plasma via Geomagnetic strom. As the studies including, Kirkham H ., et al. 2011 [6] Indicate such process have negative impact on powers and transformers. Several models have been used to model Geomagnetic strom. Particularly empirical and physics-based models, often involving sets of coupled partial differential equations, are used to predict different aspects of Geomagnetic storm dynamics. As Jordanova V. K., et al. 2007 [7] published, Currents induced in the ionosphere and Earth's surface during large geomagnetic storms disturb and even damage telecommunication and navigation satellites, telecommunication cables, and power grids.

Experimental models for geomagnetic storms include both physics-based simulations such as the Global Ionosphere-Thermosphere Model and empirical/machine learning models (such as the KASI Geomagnetic Storm Forecast Model and models developed by NASA/IBM). These models use various data sources to predict storm parameters like intensity (Dst or Kp index), arrival time, and potential impacts.

Water Flow and Dynamic Models

Water flow and dynamics are modeled using computational fluid dynamics (CFD), which involves solving the governing mathematical equations numerically and physical models, which use simulations and sensors in a controlled environment. CFD breaks down the problem into small cells and uses algorithms like the finite volume method (FVM) to solve equations that represent fluid movement. Physical models often involve experimental setups like wind tunnels and use methods like capacitance probes or laser techniques to gather real-world data that can be used to validate CFD model.

In practical applications, mathematical models including Darcy's law, the continuity equation, and the Navier-Stokes equations are widely used modeling the transport of ground water, incompressible flow, and for highly viscous fluid or turbulent flow, respectively. As IAEA, 1999 [8] published, in the near field, fluid flow and mass transport may occur under elevated temperatures and variably water-saturated condition.

MODELING APPROACHES

Experimental Model

Experimental Physical Modeling of Mass Transport Processes in Extraterrestrial Landscapes is concerned with the laboratory experiments to understand how materials move across surfaces on other planets and moons. It involves a systematically simulating physical phenomena such as quantum gravity, absence of gravity, lack of atmosphere, or biomass flow.

Laboratory Analogues

There are several research facilities used for demystifying the extraterrestrial conditions. Such experimental tools are simulators which are sensitive to environmental stimuli including pressure, temperature, gas composition, and radiation fields which can take place in controlled laboratory. These models involving transport of mass particularly, oxygen, nutrients, drugs via biological systems is the current need of biomedical engineering. They are also used in dental labs to replicate the precise position of implants and with minimum error.

Numerical and Computational Models

Mathematical models are developed and calibrated using data from laboratory experiments and space missions. These models use general physical principles to predict erosion, accretion, and landscape evolution, even under extreme conditions. As Taras Geyra 2022 [9] studied, the frontier of modern Earth Science research revealed the potential of numerical modeling in 12 key open topic of interest including 4D dynamics of subduction zone, Geochemical transport, magmatism, and crustal growth, Topography and landscape evolution etc. Tristan Salles, 2018 [10] had developed a computer program based parallel global-scale landscape evolution model to simulate Earth's surface changes over millions of years and tectonic forces, erosions etc. Moreover, Khain A. P., & Pinsky M., 2018 [11] had presented numerical method for modeling cloud and cloud physics.

A computer programs such as Python program and can also help to simulate geomagnetic storms and galactic noise. However, unlike to geomagnetic storm, galactic noise does not depend on mass transport. Instead, it depends primarily on simulating diffuse radio emissions including synchrotron radiations and solar radiation etc. from the galaxy. This simulation is acceptable and can be extended for modeling coupled physical problems as well as advanced Physical problems on the basis of mass transport because Python is suited with variety of symbols, formulas, functions and libraries. As B. Thorne, et al. 2027 [12], published, the possibility of simulating the Galactic microwave sky in polarization and intensity by using Python program code. Moreover, A. Rajaneesh et al. 2013 [13] has used machine learning & Multiple Discriminant Analysis approach to model and simulate extra-terrestrial landslides on the basis of thermal, and volume deposits to classify landslides.

Theoretical Physical Model

In theoretical physics, the absence of gravity can be modeled mathematically. For instance, in general relativity, an observer in freefall is considered to be on a geodesic and locally experiences no gravity (equivalence principle). One can also model hypothetical scenarios, such as the exact center of a hollow, uniform sphere, where all gravitational forces would theoretically cancel out.

Fick's law is a primary example of physical law that describes the process of diffusion based on mass transport. It provides a fundamental theoretical framework that enable us to understand the movement of continuous mass system from a region of high concentration to the region of low concentration.

Fick's law has two components; namely Fick's first law and second law which are partial differential equations.

$$J = -D \cdot \frac{dC}{dx} \quad (1)$$

J is the mass flux in ($\text{kg}/\text{m}^2 \cdot \text{s}$), D is the diffusion coefficient, and dC/dx is the concentration gradient.

$$\frac{dC}{dt} = D \frac{d^2C}{dx^2} \quad (2)$$

Fick's law is formulated to describe the non-steady state diffusion process in turbulent flow as concentration changes as a function of time. It predicts how concentration of continuous mass system varies over time at some instant of time in space due to diffusion.

Modeling

Mathematical and numerical modelling based on Fick's law is quite used in biomedical engineers, construction engineers, and Aerospace engineers, and material scientists for mass transfer process. By integrated Fick's laws with a Python program, it is possible to model mass transfer for dense fluids. This is because Python's program language are suited for solving the partial differential equations on the basis mathematical algorithm. As Siepmann J. et al. 2021 [14], published, Fick's law is quite important and applicable for modelling diffusion controlled drug delivery system.

Navier-Stokes equations in conjunction with the continuity equation is based on the law of mass conservation, the law of energy conservation, and servation of momentum. The Navier–Stokes equations, for compressible Newtonian like fluid is given by;

$$\rho (\partial u/\partial t + u \cdot \nabla u) = -\nabla p + \nabla \cdot [\mu (\nabla u + (\nabla u)^T)] + \nabla \cdot [\lambda (\nabla \cdot u) I] + \rho g \quad (3)$$

The body force has been decomposed into density and external acceleration, that is, $f = \rho g$. The associated mass continuity equation is:

$$\partial \rho/\partial t + \nabla \cdot (\rho u) = 0 \quad (4)$$

Where, ρ is density, μ is the first coefficient of viscosity, λ is the second coefficient of viscosity & I is the identity matrix. However, Navier-Stokes equations can be applicable for Newtonian fluids and incompressible fluid.

WHY IS MASS TRANSPORT MODEL IS IMPORTANT?

Mass transport models are important in terrestrial landscapes for several key reasons, primarily due to their role in simulating and understanding the movement of materials (like water, sediment, nutrients, and pollutants) across and through the environment. Mass transport models are important because they are essential for understanding, predicting, and optimizing the movement of substances in both natural and engineered systems, which is critical for applications ranging from biology to chemical engineering and environmental science. These models help in designing processes, managing environmental impact, and improving efficiency in various fields like biological system, separation processes, and climate modeling.

In biomedical engineering, the design and operation of the cardiovascular system is based on the mass transport (nutrient), metabolic waste, and diffusion mechanism. As Pittman RN. 2011 [15] revealed, cardiovascular system perform two functions namely movement of material (blood) to movement of tissues to generate heat.

Physical models are the need of personal medicine. They are digital twins which are integrated with research in order to adaptation application. Physical models involving mass transport are used for familiarizing individual relaying in research, improving their adaptation with space, harsh weather conditions. This adaptations are and variations are current focus of astronauts in personal medicine. Hence, physical models based mass transporta inherently to predicat, diagnosis, monitor and manage health in extraterrestrial landscape.

Predicting Global Change

Physical Models are essentially used to estimate natural phenomenon including land degradations, Volcanic eruptions and magma flow, weather change, melting of Glaciers, flooding, population density, urbanizations and settlement irregularities. It is also used to foster bioresource conservations, and serve as a test map for sustainability. Physical modeling of mass transport is a vital testament in predicting weather conditions including rain fall, temperature change, floodings, and help to prevent hazardous including drought, deforestations, and Global warming. It is also basis for Geographical information system (GIS), satiliet navigations, and metrology. The physical models adapted for mass transport is

also found practical applications in construction such as Vona construction in order to understand and predict mass movement and its consequence. Eventually, it is used to build and manage natural environment that critically important for safety, aging and living in harsh condition. In automotive engineering, it is used to reduce crumple zone and for safety of passengers by reducing angular momentum transfer.

CONCLUSION.

In general, mass transport models are virtually a good test map for predicting the mechanism of interactions and flow of physical, chemical, and biological components of a landscape. These models are an ideal for mitigating and combating environmental and climatic changes. Physical models that are the frame work of experimental, computational (or numerical) and theoretical models applicable to solve real world problems in nature and extraterrestrial landscape. They preferred for modelling biological process such as viscous fluids (bloods, atmosphere, clouds, magma), Geomagnetic storms, hurricanes, and Galactic noises. These flow types are usually non-steady state (turbulent) flow and characterized by high viscosity. Hence, the physical models are critically important to investigate the nature of mass transport in such process. In general, physical models and strategies based on mass transport are enables bioconservations, ecological balance, and foster Sustainability. They are also used in biomedical engineering, material engineering, and health care such as blood flow measurements, cardiovascular disease control, and personal medicine. Moreover, physical Models designed for Mass transport in Extra terrestrial landscapes are quite important in the future global dynamics and in VONA-constructions for making comfort, for living beyond the Earth in an harsh conditions.

Conflict of Interest

The author declares that there is no conflict of interest. Besides, it is declared that it is the original work of the author and statements that are taken from others in framing such work is properly acknowledged.

REFERENCE

1. Esposito L. W., (2014). N-body simulations. In: Planetary Rings: A Post-Equinox View. Cambridge Planetary Science. Cambridge University Press; 2014:101–110.
2. Hansen K. B., et al. (2018). Finite element modeling of near-wall mass transport in cardiovascular flows. International Journal for numerical Methods in Biomedical engineering. Volume-35, Issue 1, e3148. <https://doi.org/10.1002/cnm.3148>
3. Rizzello, S., Vitolo, R., Napoli, G. et al. Master equation model for solute transport in river basins: part II basin fluvial scale. Stoch Environ Res Risk Assess 38, 751–760 (2024). <https://doi.org/10.1007/s00477-023-02599-7>
4. Hong C. et al. (2013). Transport mass of creeping sand grains and their movement velocities. Journal of Geophysical Research and Atmosphere, Volume 118, Issue 12, Page 6374–6382. <https://doi.org/10.1002/jgrd.50439>.
5. Einat Lev et. al. (2012). Investigating lava flow rheology using video analysis and numerical flow models. Journal of Volcanology and Geothermal Research. Volume. 247–248, 1, December 2012, Pages 62–73.
6. Kirkham H., et al. (2011). Geomagnetic Storms and Long-Term Impacts on Power Systems. U.S. Department of Energy, PNNL-21033.
7. Gerya, T., 2022, Numerical modeling of subduction: State of the art and future directions: Geosphere, V. 18, no. 2, p. 503–561, <https://doi.org/10.1130/GES02416.1>.
8. IAEA, (1999). Use of natural analogues to support radionuclide transport models for deep geological repositories for long lived radioactive waste. SSN 1011–4289
9. Jordanova V. K., et al. (2007). Modeling geomagnetic storm dynamics: New results and challenges. Journal of Atmospheric and Solar Terrestrial Physics. Volume 69, Issues 1–2, February 2002, Pages 56–66.
10. Salles, T. (2018). eSCAPE: parallel global-scale landscape evolution model. Journal of Open Source Software, 3(30), 964. <https://doi.org/10.21105/joss.00964>

-
11. Khain A. P., & Pinsky M., (2018). *Physical Processes in Cloud and Cloud Modeling*. Cambridge University Press. 978-0-521-76743-9, DOI: 10.1017/9781139049481.
 12. B. Thorne, J. Dunkley, D. Alonso, S. Næss, The Python Sky Model: software for simulating the Galactic microwave sky, *Monthly Notices of the Royal Astronomical Society*, Volume 469, Issue 3, August 2017, Pages 2821–2833, <https://doi.org/10.1093/mnras/stx949>
 13. A. Rajaneesh et al. (2022). Machine learning as a tool to classify extra-terrestrial landslides: A dossier from Valles Marineris, Mars. *Icarus*. Volume. 376, 114886, <https://doi.org/10.1016/j.icarus.2022.114886>
 14. Siepman J. et al. (2021). Modeling of diffusion controlled drug delivery. *Journal of controlled release*. Volume 161, Issue 2, pages 351–362.
 15. Pittman RN. Regulation of Tissue Oxygenation. San Rafael (CA): Morgan & Claypool Life Sciences; 2011. Chapter 2, The Circulatory System and Oxygen Transport. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK54112/>