Journal of
Thin Films, Coating Science
Technology and Application

ISSN: 2455-3344
Volume 11, Issue 1, 2024
January–June
DOI (Journal): 10.37591/JoTCSTA

http://engineeringjournals.stmjournals.in/index.php/JoTCSTA/index

Review JoTCSTA

A Comprehensive Study on IOT Based Smart Street Light Management System Using Dynamic Brightness Control

Ajay V G[1,*], Tejashwini N[2], Bhuvan P[3], V. Sai Likhith[3], Prajwal Skanda S[3], Vaibhav Kulkarni[3]

Abstract

Street lighting is vital in urban centers for ensuring public safety, enhancing security, and promoting energy efficiency. However, traditional lighting systems often lack adaptability and responsiveness, leading to increased energy consumption and higher operational costs. To address these challenges, this preliminary report introduces an innovative IoT-driven smart lighting control system utilizing Bolt WiFi module technology. This smart lighting system marks a significant advancement in urban lighting management. By integrating IoT capabilities, the system offers dynamic control over street lighting, allowing for real-time adjustments based on environmental conditions and human activity. This adaptability ensures that lighting is used only when necessary, optimizing energy consumption and reducing waste. The Bolt WiFi module is crucial in this setup, providing reliable connectivity for the smart lighting network. This technology enables seamless communication between streetlights and central control systems, facilitating immediate responses to environmental changes or usage patterns. For instance, the system can dim lights during low-traffic periods or brighten them in response to increased pedestrian activity, enhancing both safety and energy efficiency. Implementing this smart lighting solution can lead to substantial cost savings. By reducing unnecessary energy use, cities can lower their electricity bills and maintenance costs associated with traditional lighting systems. Additionally, data collected by IoT sensors can be analyzed to optimize lighting schedules and maintenance routines, contributing to long-term sustainability. In conclusion, the IoT-driven smart lighting control system with Bolt WiFi module technology offers a promising solution to the challenges of conventional street lighting, supporting urban centers in their pursuit of safety, security, and sustainability.

***Author for Correspondence**
Ajay V G
E-mail: ajay.vg@saividya.ac.in

[1]Associate Professor, CSE Department, Sai Vidya Institute of Technology, CSE Department, Bengaluru, Karnataka, India
[2]Associate Professor, CSE Department, Sai Vidya Institute of Technology, CSE Department, Bengaluru, Karnataka, India
[3]Student, CSE Department, Sai Vidya Institute of Technology, CSE Department, Bengaluru, Karnataka, India
[4]Student, CSE Department, Sai Vidya Institute of Technology, CSE Department, Bengaluru, Karnataka, India
[5]Student, CSE Department, Sai Vidya Institute of Technology, CSE Department, Bengaluru, Karnataka, India
[6]Student CSE Department, Sai Vidya Institute of Technology, CSE Department, Bengaluru, Karnataka, India

Received Date: June 25, 2024
Accepted Date: June 28, 2024
Published Date: July 09, 2024

Citation: Ajay V G, Tejashwini N, Bhuvan P, V. Sai Likhith, Prajwal Skanda S, Vaibhav Kulkarni. A Comprehensive study on IOT based smart street light management system using Dynamic Brightness control. Journal of Thin Films, Coating Science Technology and Application. 2024; 11(1): 10–15p.

Keywords: smart lighting control system, bolt wi-fi module technology, innovative approach, revolutionize, urban lighting management

INTRODUCTION

This paper presents a streetlamp control system based on the Bolt IoT platform. Sk Mahammad sofif et al proposed a project about the conservation of energy by reducing electricity wastage and to minimize the manpower [1]. Street Lighting is an important factor for ensuring safety in the city and instilling a sense of security in the mind of the citizens. But the cost associated with it is quite high which is borne by the local municipalities [2].

Smart technologies in street lighting systems create a healthy and safe environment for citizens around the world. The smart street lighting system can adapt to the movement of bicycles, cars and pedestrians [3]. the deployment of IoT sensors and networked communication protocols, street lights can autonomously adapt their luminosity levels in response to real-time environmental cues. For instance, ambient light sensors can gauge natural light levels, triggering adjustments in artificial illumination intensity to align with prevailing conditions.

Almost all luminaires that are used in street lighting system does not have communication, control and management infrastructure. Moreover, the artificial lighting system is responsible for the consumption of approximately 30% of all electricity generated in the world [4]. Moreover, by harnessing machine learning algorithms, IoT-enabled street lighting systems can continuously refine their operational parameters.

As urbanization continues to accelerate, the demand for energy-efficient and sustainable urban infrastructure has become paramount. Street lights are an elemental part of any city because they facilitate better night visibility, secured roads, and luminescence in public areas [5].

In essence, the convergence of urbanization, technological innovation, and environmental stewardship mandates a departure from traditional paradigms toward more agile and adaptive approaches to street lighting management. By embracing the potential of IoT technologies.

SMART STREET LIGHT MANAGEMENT

Dynamic Control

Dynamic control mechanisms represent a pivotal advancement in the realm of urban infrastructure management, particularly within the domain of street lighting systems. Unlike static or predetermined control schemes, dynamic mechanisms harness real-time data and intelligent algorithms to adjust lighting parameters dynamically, optimizing energy consumption, enhancing operational efficiency, and improving overall system performance.

At the heart of dynamic control mechanisms lies the integration of sophisticated sensors capable of capturing diverse environmental inputs. These sensors encompass a range of functionalities, including ambient light sensors, motion detectors, temperature sensors, and even sound sensors. By continuously monitoring the surrounding environment, these sensors provide crucial data points that inform the decision-making process of the lighting system [6].

Ambient light sensors serve as the eyes of the system, measuring the intensity of natural light in the vicinity. This data allows the system to modulate the brightness of artificial lighting accordingly, ensuring that illumination levels remain optimal while minimizing unnecessary energy usage. For instance, during daylight hours or in well-lit areas, the system can dim or even deactivate street lights to conserve energy without compromising safety.

Motion detectors play a complementary role by detecting the presence of pedestrians, vehicles, or other moving objects within the vicinity of the street lights. Upon detecting motion, the system can activate or increase the brightness of the lights in the vicinity, illuminating the path of pedestrians and ensuring the safety of both pedestrians and motorists. This dynamic response not only enhances safety but also contributes to energy conservation by focusing illumination where and when it is most needed.

In essence, dynamic control mechanisms empower street lighting systems to adapt and respond to changing environmental conditions in real-time, optimizing energy usage, enhancing safety, and improving overall efficiency. By leveraging advanced sensors and intelligent algorithms, these mechanisms represent a cornerstone of smart city initiatives aimed at creating more sustainable, resilient, and livable urban environments.

Bolt WiFi module technology

The Bolt WiFi module technology represents a cutting-edge advancement in the realm of Internet of Things (IoT) devices, designed to empower developers and innovators with seamless connectivity and robust functionality. Developed by Bolt IoT, the Bolt WiFi module serves as a compact and versatile hardware component, facilitating the integration of WiFi capabilities into a diverse array of electronic devices and applications [7].

At its core, the Bolt WiFi module harnesses the power of WiFi connectivity to enable seamless communication between devices and the internet. This connectivity enables real-time data transmission and remote control capabilities, laying the foundation for a myriad of IoT applications across various industries.

Moreover, the Bolt WiFi module offers robust security features to safeguard data transmission and protect against potential cyber threats. Built-in encryption protocols and secure communication protocols ensure the integrity and confidentiality of data transmitted between devices, providing users with peace of mind in an increasingly interconnected world.

The versatility of the Bolt WiFi module extends beyond its hardware capabilities, with comprehensive software support and cloud integration options. Developers can leverage Bolt IoT's cloud platform to seamlessly manage and monitor their IoT devices, enabling remote diagnostics, over-the-air updates, and data analytics capabilities.

In conclusion, the Bolt WiFi module technology represents a pivotal advancement in the realm of IoT devices, offering developers a powerful and user-friendly platform to create innovative solutions thatleverage the power of WiFi connectivity. With its ease of use, robust security features, and comprehensive software support, the Bolt WiFi module is poised to drive the next wave of IoT innovation across industries.

Conventional Lighting Methodologies

Conventional lighting methodologies, entrenched within urban infrastructure for decades, represent the foundational framework upon which municipal illumination systems have historically operated. These methodologies predominantly encompass rudimentary mechanisms reliant upon fixed schedules or photocell sensors to govern the activation and deactivation of street lights. Fixed schedules dictate predetermined times for lighting activation and deactivation, irrespective of fluctuating environmental conditions or varying levels of pedestrian and vehicular activity. Photocell sensors, on the other hand, detect ambient light levels and trigger lighting adjustments based on perceived changes in natural illumination [8].

While these conventional methodologies have served as the cornerstone of urban lighting management, their inherent limitations have become increasingly apparent in the face of evolving urban landscapes and technological advancements. One glaring limitation lies in their static nature, which renders them ill-equipped to respond dynamically to the ebb and flow of urban activity. Consequently, street lights often remain illuminated during periods of low demand, needlessly consuming energy and contributing to excessive light pollution.

Moreover, the reliance on fixed schedules or rudimentary sensors fails to account for the nuanced nuances of urban environments, such as sudden fluctuations in foot traffic or vehicular congestion. This lack of adaptability compromises both the efficiency and effectiveness of conventional lighting systems, resulting in suboptimal illumination levels and diminished public safety outcomes.

Another notable drawback of conventional lighting methodologies is their limited capacity for data collection and analysis. Traditional systems typically lack the advanced sensor technologies necessary to gather real-time environmental data or monitor the performance of individual lighting fixtures. As a result, municipalities are often left in the dark regarding the operational status of their lighting infrastructure, hindering proactive maintenance efforts and exacerbating operational inefficiencies [9].

Furthermore, the static nature of conventional lighting methodologies impedes the implementation of energy-saving measures and sustainability initiatives. Without the ability to dynamically adjust lighting levels in response to changing conditions, municipalities miss out on opportunities to optimize energy consumption, reduce carbon emissions, and minimize their environmental footprint [10]. Figure 1, 2

A smart street light model incorporating a Light Dependent Resistor (LDR) and Bolt WiFi Module to simulate adaptive lighting control. Figure 1

A graphical representation of light intensity monitored over time using an online interface. Figure 2



Figure 1. Smart street light model



Figure 2. Light intensity monitor

CONCLUSION

The proposed IoT-enabled Smart Street Light Management System project offers a comprehensive solution to the limitations of conventional street lighting infrastructures. By integrating IoT, cloud computing, and machine learning technologies, the system enhances operational efficiency, cost-effectiveness, and safety. However, further research and development are necessary to fine-tune its implementation and confirm its effectiveness in practical urban settings.

This innovative Smart Street Light Management System represents a significant departure from traditional methods, leveraging interconnected IoT devices to revolutionize urban lighting management.

Through cloud computing infrastructure, the system facilitates real-time data processing and analytics, enabling informed decision-making and proactive maintenance. This real-time capability allows for the immediate adjustment of lighting based on current conditions, ensuring optimal performance and efficiency.

The inclusion of machine learning algorithms adds another layer of sophistication to the system. These algorithms enable the smart street lights to autonomously adapt and optimize lighting configurations in response to changing environmental conditions and usage patterns. This adaptive intelligence ensures that lighting is maximized when needed and minimized during low-activity periods, significantly boosting energy efficiency and reducing operational costs.

Moreover, the system's ability to collect and analyze data continuously allows for ongoing improvements and adjustments, ensuring that the lighting infrastructure remains efficient and effective over time. Proactive maintenance, informed by real-time data, reduces downtime and extends the lifespan of lighting components, contributing to overall cost savings and sustainability.

In conclusion, the IoT-enabled Smart Street Light Management System, by combining IoT, cloud computing, and machine learning, offers a groundbreaking approach to urban lighting. This system promises to enhance efficiency, reduce costs, and improve safety in urban environments, though additional research is essential to perfect its deployment and validate its practicality.

Moreover, the enhanced safety features inherent in the system serve as a pivotal asset in urban environments, where well-lit thoroughfares are paramount for public security and vehicular safety. Through the deployment of motion sensors and predictive analytics algorithms, the system can detect anomalies and potential hazards in real-time, enabling swift response protocols to ensure uninterrupted illumination and mitigate potential risks.

In conclusion, while the IoT-enabled Smart Street Light Management System holds immense promise for revolutionizing urban lighting infrastructure, continued research and development efforts are indispensable to refine its implementation and validate its performance in diverse real-world scenarios. By fostering collaboration between stakeholders and investing in ongoing innovation initiatives, cities can unlock the full potential of this transformative technology to create safer, more sustainable urban environments for all residents.

REFERENCES

1. Sorif SK, Saha D, Dutta P. Smart street light management system with automatic brightness adjustment using Bolt IoT platform. Electronics and Mechatronics Conference (IEMTRONICS); 2021 Apr 21-24; Toronto, ON, Canada. p. 1-4.
2. Prasad R. Energy efficient smart street lighting system in Nagpur Smart City using IoT - A case study. Fifth International Conference on Fog and Mobile Edge Computing (FMEC); 2020 Apr 20-23; Paris, France. p. 1-4.
3. Sadri S, Fereidunian A. Design and development of a prototype maquette for smart adaptive street lighting system. 12th Smart Grid Conference (SGC); 2022 Dec 13-15; Kerman, Iran, Islamic Republic. p. 1-4.
4. Pinto MF, Mendonça TRF, Coelho F, Braga HAC. Economic analysis of a controllable device with smart grid features applied to LED street lighting system. IEEE 24th International Symposium on Industrial Electronics (ISIE); 2015 Jun 03-05; Buzios, Brazil. p. 1-4.
5. Naware V, Gupta A, Mogadali U, Vattem A, Hussain AM. Smart street light system using Wi-SUN and oneM2M. IEEE Applied Sensing Conference (APSCON); 2024 Jan 22-24; Goa, India. p. 1-4.
6. Sayyad L. IoT-based alcohol detector using Blynk. Journal of Electronics Design and Technology; 2024;1(1):10-15.
7. Mishra SB, et al. Review of the literature and methodological structure for IoT and PLM integration in the manufacturing sector. Journal of Advancement in Machines; 2024;9(1):1-5.
8. Magadum PK. Machine learning for predicting wind turbine output power in wind energy conversion systems. Grenze International Journal of Engineering and Technology; 2024 Jan;10(1):2074-80.

Grenze ID: 01.GIJET.10.1.4_19.
9. Sayyad L. Impact of solar penetrations in conventional power systems and generation of harmonic and power quality issues. Advance Research in Power Electronics and Devices. 2024;1(1):10-16.
10. Gopinath T, John PM. IoT based smart street light system. Int International advanced research Journal in Science, Engineering and Technology. 2024 May;11(5):541-90. DOI: 10.17148/iarjset.2024.11580.

