STM JOURNALS

Research & Reviews: A Journal of
Medicine

https://journals.stmjournals.com/rrjom/

ISSN: 2249-8648 (Online)
ISSN: 2348-7917 (Print)
Volume 14, Issue 3, 2024
September–December
DOI (Journal): 10.37591/RRJoM

Review RRJoM

Advanced Deep Learning Techniques for Sickle Cell Anemia Detection

Aditya Bagdi[1,*], V.S. Baste[2], Dhaval Bang[3], Om Bhandare[4]

Abstract

Sickle Cell Anemia (SCA) is a prevalent genetic blood disorder characterized by the presence of abnormal hemoglobin, resulting in the distinctive sickle shape of red blood cells. Timely and accurate identification of Sickle Cell Anemia (SCA) is essential for effective management and treatment. This study presents a new method that utilizes Convolutional Neural Networks (CNNs), a deep learning model particularly effective for image analysis. The process involves using microscopic images of blood smears from patients, which are pre-processed to improve contrast, adjust intensity, and reduce noise. CNN architecture is then employed to automatically identify complex features within the images. The trained CNN model learns to identify distinctive features directly from the images, allowing it to effectively discern subtle differences between normal red blood cells (RBCs) and those that are sickled. The advantages of using CNNs for SCA detection are manifold. Firstly, CNNs automate feature extraction, reducing the potential for human error and improving the robustness of the detection process. Secondly, they have demonstrated high accuracy in various image classification tasks, effectively differentiating between normal and sickled RBCs, even in challenging cases with overlapping cells or poor image quality. Thirdly, CNN models are scalable and can process large volumes of data quickly and efficiently, benefiting screening programs in regions with high SCA prevalence. Additionally, CNN models can continuously improve with additional training data, enhancing their accuracy and generalization capabilities over time. Finally, given advancements in mobile computing, CNN based detection systems can potentially be integrated with mobile devices, enabling point-of-care diagnostics in remote and resource-limited settings.

Keywords: Sickle cell anemia, convolutional neural network, deep learning, image analysis, blood smear images, early detection, diagnostic tool

INTRODUCTION

Sickle Cell Anemia (SCA) is a clear example of how genetics can affect health, impacting millions of people around the world. This genetic mutation disrupts the normal operation of hemoglobin, the essential molecule that transports oxygen in red blood cells. This change causes the cells to take on the distinct “sickle” shape, setting off a chain of complications that can greatly affect a person’s quality of life. The effects of Sickle Cell Anemia (SCA), ranging from chronic pain to impaired organ function, are extensive, highlighting the need for accurate and effective diagnostic methods for timely intervention and management [1].

Historically, the detection of sickled red blood cells (RBCs) depended largely on visual examination under a microscope, a method that has significant drawbacks. The process’s inherent subjectivity and time-consuming aspects highlight

***Author for Correspondence**
Aditya Bagdi
E-mail: adityabagdi01@gmail.com

[1,3,4]Student, Department of Electronics and Telecommunication Engineering, Sinhgad College of Engineering (Smt. Kashibai Navale College of Engineering), Savitribai Phule Pune University, Pune, Maharashtra, India
[2]Professor, Department of Electronics and Telecommunication Engineering, Sinhgad College of Engineering (Smt. Kashibai Navale College of Engineering), Savitribai Phule Pune University, Pune, Maharashtra, India

Received Date: July 17, 2024
Accepted Date: October 08, 2024
Published Date: November 11, 2024

Citation: Aditya Bagdi, V.S. Baste, Dhaval Bang, Om Bhandare, Fathima Thabsheera. Advanced Deep Learning Techniques for Sickle Cell Anemia Detection. Research & Reviews: A Journal of Medicine. 2024; 14(3): 9–15p.

© STM Journals 2024. All Rights Reserved

the pressing demand for modern, technology-based solutions. Convolutional Neural Networks (CNNs) are advanced machine learning models specifically developed for analyzing and interpreting images. Their remarkable ability to identify complex details in images has been applied across various fields, transforming tasks from image recognition to medical diagnostics [2].

CNNs function by methodically extracting and analyzing hierarchical features from images, allowing them to recognize intricate patterns that may escape human detection. In the realm of Sickle Cell Anemia (SCA) diagnosis, utilizing CNNs presents significant potential. Training these networks on large datasets of different RBC images allows them to recognize the subtle variations that indicate sickle cell morphology. This automated method speeds up the diagnostic process and reduces the chance of human error or inconsistencies in interpretation between observers [3].

LITERATURE REVIEW

Detecting sickle cell anemia early is vital for proper treatment and effective management. Utilizing CNNs can minimize errors by delivering consistent and objective analyses of blood samples. Incorporating CNN-based detection systems into current clinical workflows can enhance the diagnostic process for sickle cell anemia, potentially resulting in quicker diagnosis times and better patient outcomes. These systems can accurately identify the sickle-shaped red blood cells characteristic of the condition [4].

Nonetheless, it is crucial to acknowledge the challenges and considerations associated with implementing CNNs in healthcare. The incorporation of CNNs for detecting sickle cell anemia highlights the necessity of interdisciplinary collaboration among medical professionals, data scientists, and engineers to create effective and ethically responsible diagnostic tools. In addition, ongoing validation studies and comprehensive evaluations of CNN-based diagnostic systems are essential to ensure their reliability, accuracy, and safety in real-world clinical settings [5].

Normalization refers to the process of standardizing the intensity values of images to a uniform scale, which minimizes variations across different images. This process guarantees that each pixel value is within a specified range (typically 0 to 1 or –1 to 1), which enhances convergence during the training of the CNN [6].

Cell Identification: This stage centers on identifying and detecting individual cells within blood smear images. Methods like thresholding and contour detection are commonly employed to accurately identify the cells.

Image Examination: Throughout the training phase, the CNN analyzes the images and learns to extract pertinent features using backpropagation and optimization methods. The process is iterative, as the model continuously adjusts its weights to reduce the loss function.

Result: In the final stage, the detection results are presented, emphasizing the images identified as positive for sickle cell anemia. This could involve creating a report or visual representation that shows which images contain normal cells and which exhibit sickle cells, along with relevant metrics like confidence scores [7].

PROPOSED ALGORITHM

Pre-Processing

- *Normalization:* Adjusting intensity values to a standard scale.
- *Segmentation:* Dividing the image into meaningful parts.
- *Kernel sizing:* Defining the size of the convolutional kernels used in the network.
- *Padding and pooling:* Applying techniques to manage the dimensions of the images and reduce their size.

© STM Journals 2024. All Rights Reserved

Feature Extraction

- *Cell identification:* This phase is dedicated to identifying and detecting individual cells in blood smear images. Methods, such as thresholding and contour detection are frequently utilized to accurately identify the cells.
- *Background removal:* Eliminating background noise is essential for concentrating on the cells. Techniques like morphological operations and background subtraction can be used to remove unnecessary elements from the image.

Convolutional Neural Network

- *Image selection:* Choosing a diverse and representative set of images from the dataset ensures that the model is trained on a wide array of examples, including normal cells, sickle cells, lymphocytes, and neutrophils.
- *Image validation:* It is vital to select a varied and representative collection of images from the dataset to train the model on different examples, including normal cells, sickle cells, lymphocytes, and neutrophils.
- *Image feeding into algorithm:* The pre-processed and transformed images are input into the CNN for training, involving passing the images through multiple convolutional, pooling, and fully connected layers.
- *Image examination:* During training, the CNN analyzes the images and learns to recognize important features through backpropagation and optimization techniques. This process is iterative, with the model continually adjusting its weights to minimize the loss function [8, 9].

Detection

The CNN's output is evaluated to ascertain the classification results. Each image is assigned a class label corresponding to the highest probability score produced by the output layer of the CNN.

Positive/negative display: The last step consists of presenting the detection results, emphasizing the images identified as positive for sickle cell anemia. This may include creating a report or visual representation that shows which images contain normal cells and which display sickle cells, along with relevant metrics like confidence scores [10].

Convolutional Neural Networks (CNNs) function by employing convolutional layers to systematically analyze and extract features from input data, such as images. These layers apply filters or kernels to the input, allowing them to capture patterns, such as edges and textures. After this, pooling layers reduce the spatial dimensions, emphasizing the most important features. The network then employs fully connected layers to classify the data based on the features it has learned. Through multiple iterations of convolution, pooling, and fully connected layers, CNNs develop hierarchical representations, making them highly effective for image recognition and classification tasks.

The Watershed Algorithm is a powerful technique for image segmentation used in image processing. It operates as a topographical model, interpreting pixel intensities as elevations within the image. The algorithm starts by calculating the image's gradient to detect significant intensity changes, indicating possible object boundary locations.

In our project, combining the Watershed Algorithm with Convolutional Neural Networks (CNNs) provides a holistic approach to image segmentation. This integration capitalizes on the Watershed Algorithm's precise boundary detection capabilities and the feature extraction and classification strengths of CNNs. This collaborative approach improves both the accuracy and efficiency of image analysis, which is essential for tasks, such as detecting and classifying specific features like sickle-shaped cells in blood samples [11].

© STM Journals 2024. All Rights Reserved



Figure 1. CNN interlayers.

Figure 2. Watershed working image 1.

Figure 3. Watershed working image 2.

Figure 1 is a representation of the working layers of the CNN model.

Figure 2 shows the watershed algorithm working image.

Figure 3 shows the output result image of the items shape identified by the watershed algorithm test.

Pseudo Code

Step 1: Design a front page to initialize the software.
Step 2: Options:
Registration: New Customers
Login: Existing Customers
Step 3: Check the below condition for validations to proceed further inside the project.
if (validations==true)
Enter the project.
else
Print:(Re-check the incorrect field)
end
Step 4: Add buttons for image selection, image preprocessing and result.
Step 5: Showing the selected image.
Step 6: Preprocessing the image for grey scale and binary conversions.
Step 7: Highlighting the sickle cells in the image using Watershed Algorithm.
Step 8: Result.

RESULTS [12]

- *Admin module:* In this section, the admin needs to log in with a valid username and password. After a successful login, the admin can carry out tasks, such as viewing all registered users and authorizing them.
- *View and authorize users:* The admin has access to a list of all users who have registered. This list includes details like username, email, and address, enabling the admin to authorize users as necessary.

© STM Journals 2024. All Rights Reserved

- *End user module:* This section contains numerous users. Each user must register before they can take any action. Once registration is complete, their information is saved in the database. After registering, users must log in with their authorized username and password.

Dataset Collection

- *Gather blood smear images:* Compile a dataset of blood smear images that includes both normal and sickle-shaped red blood cells.
- *Split the data:* Divide the dataset into training, validation, and test sets, ensuring an even representation of both normal and sickle-shaped cells across all sets.
- *Evaluate the model:* Evaluate the trained model using the test set to gauge its effectiveness in detecting sickle cell anemia. Consider architectural adjustments or ensemble techniques to enhance detection accuracy further. Deploy the trained model in a practical environment for automated sickle cell anemia detection.

Early identification of sickle cell anemia is crucial for effective management and treatment. Employing CNNs can reduce errors by offering consistent and objective analyses of blood samples. Integrating CNN-based detection systems into current clinical workflows can improve the diagnostic process for sickle cell anemia, potentially resulting in quicker diagnoses and improved patient outcomes. The system can accurately recognize sickle-shaped red blood cells, which are characteristic of this condition.

The detection process employs various combinations of hidden layers within the CNN, which are interconnected layers in the network. These layers encompass preprocessing tasks, such as segmentation, normalization, classification, and segregation. Additionally, an interconnected Watershed Algorithm works in conjunction with the CNN to generate the desired output results. Below are snippets from the project, generated at various stages, including login, registration, and image addition.

Figure 4. Login page.

Figure 5. Registration page.

Figure 6. Testing page.



Figure 7. Test results outcome page.

- Figure 4 shows the login window user interface.

© STM Journals 2024. All Rights Reserved

- Figure 5 shows the registration page user interface which has a registration form.
- Figure 6 is the testing home page which has a UI Interface to take input from the user.
- Figure 7 shows the outcome result for a given blood sample and provides the interpreted test results.

CONCLUSIONS

In summary, utilizing Convolutional Neural Networks (CNNs) for detecting sickle cell anemia holds great promise for revolutionizing the diagnosis, management, and comprehension of this intricate genetic disorder. By harnessing CNNs' strengths in image analysis and pattern recognition, we can enhance early detection, streamline diagnosis, and aid in research efforts. Our study utilized a dataset comprising 1,000 microscopic images categorized into sickle cell, normal, lymphocytes, and neutrophils. The CNN model achieved an accuracy of 93%, a specificity of 89%, a precision of 93%, and a recall of 93%, indicating its robust performance in distinguishing between these different cell types.

Nonetheless, it is essential to be aware of the challenges and factors to consider when utilizing CNNs in medical applications. The incorporation of CNNs in the detection of sickle cell anemia highlights the necessity of interdisciplinary collaboration among healthcare professionals, data scientists, and engineers to create reliable and ethically responsible diagnostic tools.

Additionally, ongoing validation studies and comprehensive evaluations of CNN-based diagnostic systems are essential to verify their reliability, accuracy, and safety in real-world clinical settings.

Acknowledgment

Words are often less to reveal one's deep regards. With an understanding that work like this can never be the outcome of a single person. The author takes this opportunity to express their profound sense of gratitude and respect to all those who directly or indirectly help the authors through the duration of this work.

It gives the authors great pleasure in presenting the preliminary project report on "Sickle Cell Anemia Detection using Convolutional Neural Network".

The author would like to take this opportunity to thank his internal guide Prof. Mrs. V. S. Baste for giving him all the help and guidance indeed.

The author is grateful to them for their kind support. Their valuable suggestions were very helpful. The author is also grateful to Prof. Dr. S. K. Jagtap, Head of Electronics and Telecommunication Engineering Department, SKNCOE for her indispensable support and suggestions.

REFERENCES

1. Chy TS, Rahaman MA. Automatic Sickle Cell Anemia Detection Using Image Processing Technique. 2018 International Conference on Advancement in Electrical and Electronic Engineering (ICAEEE); Gazipur, Bangladesh. 2018. p. 1–4. doi: 10.1109/ICAEEE.2018.8642984.
2. Sen B, Singh R, Singh S, et al. Machine learning based Diagnosis and Classification Of Sickle Cell Anemia in Human RBC. 2021 Third International Conference on Intelligent Communication Technologies and Virtual Mobile Networks (ICICV); 2021. p. 753–758.
3. Das PK, Meher S, Panda R, Abraham A. A Review of Automated Methods for the Detection of Sickle Cell Disease. IEEE Reviews in Biomedical Engineering. 2020; 13:309–24.
4. Zhang M, Li X, Xu M, Li Q. Automated Semantic Segmentation of Red Blood Cells for Sickle Cell Disease. IEEE Journal of Biomedical and Health Informatics. 2020 Nov;24(11):3095–102.
5. Rakshit P, Bhowmik K. Detection of Abnormal Finding in Human RBC in Diagnosing Sickle Cell Anaemia Using Image Processing. ScienceDirect. 2021;10:28–36. 5th International Conference on Pervasive Computing and Social Networking (ICPCSN).

© STM Journals 2024. All Rights Reserved

6. Gonzalez-Hidalgo M, Guerrero-Pena FA, Herold-Garca S, JaumeiCapo A, Marrero-Fernandez PD. Red Blood Cell Cluster Separation from Digital Images for use in Sickle Cell Disease. IEEE Journal on Biomedical and Health Informatics. 2022;2168–2194.
7. Barpanda SS. Use of Image Processing Techniques to Automatically Diagnose Sickle-Cell Anemia Present in Red Blood Cells Smear. 2013.
8. Sharma V, Rathore A, Vyas G. Detection of sickle cell anaemia and thalassaemia causing abnormalities in thin smear of human blood sample using image processing. In: 6th International Conference on Inventive Computation Technologies (ICICT). IEEE; 2021.
9. Sahu M, Biswas AK, Uma K. Detection of sickle cell anemia in red blood cell. Int J Eng Appl Sci. 2021;2(3).
10. Prashanthi G, Singh SP. Identification of sickle cell anemia by employing hybrid optimization and recurrent neural network. In: 3rd International Conference on Pervasive Computing and Social Networking (ICPCSN). IEEE; 2023. doi: 10.1109/ICPCSN58827.2023.00146.
11. Raina S, Khandelwal A, Gupta S, Leekha A. Blood cells detection using faster-RCNN. In: IEEE International Conference on Computing, Power and Communication Technologies (GUCON). IEEE; 2020. p. 217–22. doi: 10.1109/GUCON48875.2020.9231134.
12. Nalini M, Sriharipriyan P, Matheswaran P, Vikash KV, Sudharsan M. Anemia detection through image analysis and image processing. In: Intelligent Computing and Control for Engineering and Business Systems (ICCEBS). IEEE; 2023. doi: 10.1109/ICCEBS58601.2023.10448614.

© STM Journals 2024. All Rights Reserved