

# Impact of Anxiety and Affect on Quality of Life among Youth

Ananya Rana<sup>1\*</sup>, Smriti Sethi

## Abstract

Youth well-being is an important phenomenon comprising physical, psychological, and social health, where the psychological factors such as anxiety and affect play an essential role in determining Quality of Life (QOL). Young people experience multiple transitions and they are at risk of anxiety disorders that in turn can have adverse effects on academic achievement, physical health, emotional well-being and relationships. Furthermore, affect has a role in the management of emotions and well-being. Positive affect leads to satisfaction, interest and happiness while negative affect is associated with sadness, gloom and maladjustment. Thus, the study aimed to investigate the impact of anxiety and affect on the life quality (QOL) among youth. Hypotheses were formed on the basis of objectives. Random sampling method was used to select 130 youth (65 males and 65 females), and standardized psychological instruments were used to collect data. Descriptive statistics (*t*-test), regression analysis and Pearson's correlation were the statistical techniques utilized. Results revealed that substantial gender differences were present in anxiety and negative affect, with females scoring higher. Anxiety was negatively correlated with all QOL domains; and positive affect had a strong positive correlation with all the dimensions of QOL in youth. Negative affect was seen to be negatively correlated with psychological and social QOL. Regression analysis established that anxiety and affect are important predictors of QOL. Positive affect significantly predicts life quality, explaining 24–39% variance in the different domains. These results showcased the importance of having support systems and mental health programs that seek to lessen anxiety, increase positive affect, and build emotional strength in youth. Significantly, through the improvement of these psychological factors, the life quality of youth can be enhanced, emphasizing the need for organized counseling services and support initiatives from families, peers, and society as a whole.

**Keywords:** Anxiety, negative affect, positive affect, quality of life, well-being, youth

## INTRODUCTION

The paper aims to explore the effect of Anxiety and Affect on the Life Quality of Youth. Youths' well-being is a complex phenomenon that includes their physical, psychological, and social status.

Research shows that well-being has a direct impact on the academic achievement, life quality and interpersonal relationships of youth (Arslan, 2023). Furthermore, anxiety disorders can affect a young person's social abilities, mental stability, and physical health, among other areas of their life (Chiu et al., 2016). In addition, affect is involved in emotional regulation, resilience, and general psychological health (Tugade and Fredrickson 2004). Thus, it is important to understand the interaction between anxiety, affect, and life quality to improve the availability of support systems to boost the well-being of young individuals.

### \*Author for Correspondence

Ananya Rana

E-mail: [ananya12rana34@gmail.com](mailto:ananya12rana34@gmail.com)

<sup>1</sup>Student, BA (Hons), Applied Psychology, Amity institute of Psychology and Allied Sciences, Amity University, Noida, Uttar Pradesh, India

<sup>2</sup>Assistant Professor, Amity institute of Psychology Allied Sciences, Amity University, Noida, Uttar Pradesh, India

Received Date: June 13, 2025

Accepted Date: August 14, 2025

Published Date: January 15, 2026

**Citation:** Ananya Rana, Smriti Sethi. Impact of Anxiety and Affect on Quality of Life among Youth. Journal of Education Sciences. 2026; 3(1): 10–22p.

---

“Quality of Life” refers to an individual's view and evaluation of where they stand in life with regard to his/her goals, pretensions, directives, prospects, and enterprises along with the values and culture he/she is part of. It pertains to the overall state of well-being experienced by a person or population, encompassing both positive and negative aspects of their lives at a specific time. According to the APA, a person's quality of life is determined by how satisfied they are with their life (APA Definition of Psychology, n.d.).

According to APA, anxiety is described as a feeling of fear and physical symptoms of tension and is the expectation of danger or tragic events or other adverse situations (APA Dictionary of Psychology, n.d.). Adolescence is a time of important developmental and environmental changes whereby youth are at higher risk of adverse life outcomes and often exhibit anxiety symptoms. Youth anxiety manifestations and disorders are also associated with negative coping strategies, relational issues, a negative school environment, and lower academic achievement and attendance (Povey et al., 2022; Raknes et al., 2017).

Affect can be broadly defined as any feeling or emotion, from pain to joy, from the simplest to the most complex felt feelings, and from the healthiest to the most pathological emotional responses (APA Dictionary of Psychology, n.d.). Following Wilhelm Wundt's concept, affect can be considered as one of the basic components of the human mind and regarded as a ‘direct and irreducible psychological experience’. Negative affect (NA) can be understood as the integral feeling of an individual when they are unable to achieve their goals, or are not happy with their environment and the situations prevailing in their lives, and/or when they feel threatened (APA Dictionary of Psychology, n.d.). Positive affect (PA) is the subjective experience of pleasant mood or feeling good, say happiness, curiosity, and alertness. Positive affect facilitate success and assist people in doing things that are right and what leads to their goals. High positive affecters are in a position to use their resources, make friends, learn skills, and leisurely engage in activities.

## REVIEW OF LITERATURE

The perception of life quality among juvenile care service users was investigated by Swerts et al. (2023). The highest QOL was reported by adolescents in the areas of self-determination, material well-being, and personal growth; however, being elderly, female, and receiving residential care were associated with lower life quality in a number of areas.

*Novianti et al. (2020)* explored the associations between quality of life, happiness, and life satisfaction. Happiness and life satisfaction were both explained by the two categories of the life quality, the psychological and physiological ones. The mental domain explained the happiness today, current life satisfaction, and satisfaction with life five years later.

*Bastiaansen et al. (2019)* aimed to investigate predictors of life quality in people with Psychiatric Disorders. The results showed that variations in psychopathology, social skills and self-esteem were the significant predictors of QOL in adolescents in a one-year follow-up.

*Young et al. (2019)* did a cross-sectional study to examine positive and negative affect regulation and its relationship with Anxiety and Depression. Emotion dysregulation is highly correlated with adolescent anxiety and depression through self-report studies.

## METHODOLOGY

*Aim:* The primary objective of the study is at exploring the impact of anxiety and affect on quality of life among youth.

### Objectives

1. To assess the gender difference on the basis of anxiety, affect, and domains of quality of life among youth

2. To study the relationship between anxiety and domains of quality of life among youth
3. To study the relationship between positive affect and domains of quality of life among youth
4. To study the relationship between negative affect and domains of quality of life among youth
5. To study anxiety as predictor of domains of quality of life among youth
6. To study positive affect as predictor of domains of quality of life among youth
7. To study negative affect as predictor of domains of quality of life among youth

### **Hypothesis**

*H1:* There will be no significant gender difference on the basis of anxiety, affect, and domains of quality of life among youth

*H2:* There will be no significant relationship between anxiety and domains of quality of life among youth

*H3:* There will be no significant relationship between positive affect and domains of quality of life among youth

*H4:* There will be no significant relationship between negative affect and domains of quality of life among youth

*H5:* Anxiety will not significantly predict domains of quality of life among youth

*H6:* Positive affect will not significantly predict domains of quality of life among youth

*H7:* Negative affect will not significantly predict domains of quality of life among youth

*Research Design and Sample:* The current study has used a correlational combined quantitative method. Descriptive statistics, Pearson's correlation and regression analyses was conducted. The sample includes 130 participants (65 males and 65 females), aged 15–24 years, collected via random sampling.

*The Variables:* The independent variables are anxiety and affect and the dependent variable is life quality.

### **Tools Used**

*WHOQOL-BREF:* The WHO developed 26-items “World Health Organization Quality of Life-BREF” to measure four dimensions: psychological, social relationships, physical health and environment. It has adequate content, construct, and predictive validity (p-values < 0.05) and satisfactory internal consistency (Cronbach's  $\alpha = “0.87”$ ,  $p < 0.01$ ) in Indian adolescents (Agnihotri et al., 2010).

*PANAS:* “Watson, Clark, and Tellegen's” (1988) Positive and Negative Affect Schedule is a self-report tool used to gauge: Positive Affect (PA) and Negative Affect (NA). It is composed of 20 items and has strong internal consistency (Cronbach's  $\alpha = “0.85”$  for PA and 0.83 for NA) as well as criterion validity for Indian youth (Kumar et al., 2025).

*HAM-A:* Hamilton created the 14-items “Hamilton Anxiety Rating Scale” in 1959 as a psychological tool to gauge the severity of anxiety symptoms. Its internal consistency is strong (Cronbach's  $\alpha = “0.92”$ ), and the inter-rater reliability is also high (“0.91”) (Santos et al., 2023).

### **Results**

Table 1 (see appendix) shows that females have a higher mean score ( $M = 29.14$ ) than males ( $M = 24.12$ ), which clearly indicates that gender has a major impact on negative affect among the youth. The

effect size (Cohen's  $d = -0.62$ ), indicates a moderate effect. With respect to Anxiety, females ( $M = 22.32$ ) have a higher average score than males ( $M = 17.32$ ), indicating significant gender differences. The effect size (Cohen's  $d = -0.43$ ) here reflects a small-to-moderate impact of gender on anxiety.

**Table 1.** Mean, Standard Deviation and t-value for Anxiety, Affect, and Domains of Quality of Life (QOL) Among Youth.

	Gender	Mean	S.D.	t (128)	p	Cohen's d
Physical health	1	3.374	.6666			0.25
	2	3.229	.4992	1.404	.163	
Psychological	1	3.538	.7088			0.17
	2	3.423	.6306	.981	.329	
Social Relationships	1	3.692	1.0612			0.20
	2	3.508	.7798	1.130	.261	
Environment	1	3.540	.7946			-0.25
	2	3.723	.6613	-1.425	.157	
Positive Affect	1	35.18	8.333			0.13
	2	34.20	6.985	.730	.467	
Negative Affect	1	24.12	8.219			-0.62
	2	29.14	8.033	-3.518	<.001	
Anxiety	1	17.32	11.674			-0.43
	2	22.32	11.709	-2.438	.016	

Table 2 (see appendix) reveals that "physical health" has a strong positive correlation with "psychological" domain (0.66) and moderate correlation with "social relationships" (0.48) and "environment" (0.42). Anxiety has strong negative correlations with all domain of QOL, i.e., "physical health" (-0.30), "psychological" (-0.29), "social relationships" (-0.27) and "environment" (-0.25). Positive affect shows strong positive correlations with all areas of QOL, i.e., "physical health" (0.492), "psychological" (0.622), "social relationships" (0.527) and "environment" (0.501). Positive affect is negatively correlated with Anxiety (-0.33), suggesting a moderate negative relationship. Negative affect has a moderately negative correlation with "psychological" (-0.27) and "social relationships" (-0.24) and is moderately positively correlated with Anxiety (0.38).

**Table 2.** Correlation between anxiety, affect, and domains of quality of life (QOL) among youth.

Variable	1	2	3	4	5	6	7
Physical health	-	.657**	.479**	.418**	.492**	-.211*	-.301**
Psychological		-	.546**	.491**	.622**	-.270**	-.285**
Social relationships			-	.452**	.527**	-.240**	-.273**
Environment				-	.501**	-.165	-.248**
Positive affect					-	-.167	-.331**
Negative affect						-	.380**
Anxiety							-

$p < .05$ ;  $p < .01$ .

Tables 3 through Table 13 show that Anxiety negatively predicts all aspects of QOL, For instance: "environment" ( $R^2 = 0.06$ ,  $p = 0.004$ , 6%), "social relationships" ( $R^2 = 0.08$ ,  $p = 0.002$ , 8%), "psychological" ( $R^2 = 0.08$ ,  $p = 0.001$ , 8%), and "physical health" ( $R^2 = 0.09$ ,  $p < 0.001$ , 9%). It is evident that positive affect is a strong predictor of all QOL domains, including "physical health" ( $R^2 =$

0.24,  $p < 0.001$ , 24%), “psychological” ( $R^2 = 0.39$ ,  $p < 0.001$ , 39%), “social relationships” ( $R^2 = 0.28$ ,  $p < 0.001$ , 28%), and “environment” ( $R^2 = 0.25$ ,  $p < 0.001$ , 25%). Negative affect significantly predicts the QOL domains of “psychological” ( $R^2 = 0.07$ ,  $p = 0.002$ , 7%) and “social relationships” ( $R^2 = 0.06$ ,  $p = 0.006$ , 6%), but not the “environment” ( $p = 0.060$ ), indicating a weaker relationship for the latter domain.

**Table 3.** Regression between positive affect and physical health among youth.

Model Summary						
Model	R	R Square	Adjusted R square		Std. error of the estimate	
1	.492 <sup>a</sup>	.243	.237		.5165	
a. Predictors: (Constant), Positive Affect						
ANOVA						
Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	10.931	1	10.931	40.983	<.001 <sup>b</sup>
	Residual	34.141	128	.267		
	Total	45.072	129			
a. Dependent Variable: Physical health						
b. Predictors: (Constant), Positive Affect						
Coefficients						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1.985	.210		9.431	<.001
	Positive Affect	.038	.006	.492	6.402	<.001
a. Dependent Variable: Physical health						

**Table 4.** Regression between negative affect and physical health among youth.

Model Summary						
Model	R	R Square	Adjusted R Square		Std. Error of the Estimate	
1	.211 <sup>a</sup>	.044	.037		.5801	
a. Predictors: (Constant), negative affect						
ANOVA						
Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1.999	1	1.999	5.940	.016 <sup>b</sup>
	Residual	43.073	128	.337		
	Total	45.072	129			
a. Dependent Variable: Physical health						
b. Predictors: (Constant), negative affect						
Coefficients						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	3.692	.168		21.935	<.001
	Negative affect	-.015	.006	-.211	-2.437	.016
a. Dependent variable: physical health						

**Table 5.** Regression between anxiety and physical health among youth.

Model summary						
Model	R	R Square	Adjusted R square	Std. error of the estimate		
1	.301 <sup>a</sup>	.091	.084	.5659		
a. Predictors: (Constant), Anxiety						
ANOVA						
Model		Sum of squares	df	Mean square	F	Sig.
1	Regression	4.086	1	4.086	12.760	<.001 <sup>b</sup>
	Residual	40.986	128	.320		
	Total	45.072	129			
a. Dependent variable: Physical health						
b. Predictors: (Constant), Anxiety						
Coefficients						
Model		Unstandardized coefficients		Standardized coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	3.597	.097		37.230	<.001
	Anxiety	-.015	.004	-.301	-3.572	<.001
a. Dependent variable: Physical health						

**Table 6.** Regression between positive affect and psychological among youth.

Model summary						
Model	R	R Square	Adjusted R square	Std. error of the estimate		
1	.622 <sup>a</sup>	.387	.382	.5273		
a. Predictors: (Constant), Positive Affect						
ANOVA						
Model		Sum of Squares	df	Mean square	F	Sig.
1	Regression	22.439	1	22.439	80.688	<.001 <sup>b</sup>
	Residual	35.596	128	.278		
	Total	58.035	129			
a. Dependent Variable: Psychological						
b. Predictors: (Constant), Positive Affect						
Coefficients						
Model		Unstandardized coefficients		Standardized coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1.595	.215		7.423	<.001
	Positive affect	.054	.006	.622	8.983	<.001
a. Dependent Variable: Psychological						

**Table 7.** Regression between negative affect and psychological among youth.

Model summary				
Model	R	R Square	Adjusted R square	Std. error of the estimate
1	.270 <sup>a</sup>	.073	.066	.6483

a. Predictors: (Constant), Negative Affect						
<b>ANOVA</b>						
<i>Model</i>		<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
1	Regression	4.233	1	4.233	10.070	.002 <sup>b</sup>
	Residual	53.802	128	.420		
	Total	58.035	129			
a. <i>Dependent Variable:</i> Psychological						
b. Predictors: (Constant), Negative affect						
<b>Coefficients</b>						
<i>Model</i>		<i>Unstandardized coefficients</i>		<i>Standardized coefficients</i>	<i>t</i>	<i>Sig.</i>
		<i>B</i>	<i>Std. Error</i>	<i>Beta</i>		
1	(Constant)	4.050	.188		21.528	<.001
	Negative affect	-.021	.007	-.270	-3.173	.002
a. <i>Dependent variable:</i> Psychological						

**Table 8.** Regression between anxiety and psychological among youth.

<b>Model Summary</b>						
<i>Model</i>	<i>R</i>	<i>R square</i>	<i>Adjusted R square</i>	<i>Std. error of the estimate</i>		
1	.285 <sup>a</sup>	.081	.074	.6454		
a. Predictors: (Constant), Anxiety						
<b>ANOVA</b>						
<i>Model</i>		<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
1	Regression	4.719	1	4.719	11.330	.001 <sup>b</sup>
	Residual	53.316	128	.417		
	Total	58.035	129			
a. <i>Dependent variable:</i> Psychological						
b. Predictors: (Constant), Anxiety						
<b>Coefficients</b>						
<i>Model</i>		<i>Unstandardized coefficients</i>		<i>Standardized coefficients</i>	<i>t</i>	<i>Sig.</i>
		<i>B</i>	<i>Std. Error</i>	<i>Beta</i>		
1	(Constant)	3.799	.110		34.474	<.001
	Anxiety	-.016	.005	-.285	-3.366	.001
a. <i>Dependent Variable:</i> Psychological						

**Table 9.** Regression between positive affect and social relationships among youth.

<b>Model summary</b>						
<i>Model</i>	<i>R</i>	<i>R Square</i>	<i>Adjusted R square</i>	<i>Std. error of the estimate</i>		
1	.527 <sup>a</sup>	.278	.272	.7953		
a. Predictors: (Constant), Positive affect						
<b>ANOVA</b>						
<i>Model</i>		<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
1	Regression	31.131	1	31.131	49.219	<.001 <sup>b</sup>
	Residual	80.958	128	.632		

	Total	112.089	129			
a. Dependent variable: social relationships						
b. Predictors: (Constant), Positive affect						
Coefficients						
Model		Unstandardized coefficients		Standardized coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1.379	.324		4.256	<.001
	Positive affect	.064	.009	.527	7.016	<.001
a. Dependent variable: social relationships						

**Table 10.** Regression between negative affect and social relationships among youth.

Model summary						
Model	R	R Square	Adjusted R square	Std. error of the estimate		
1	.240 <sup>a</sup>	.058	.050	.9084		
a. Predictors: (Constant), negative affect						
ANOVA						
Model		Sum of Squares	df	Mean square	F	Sig.
1	Regression	6.468	1	6.468	7.838	.006 <sup>b</sup>
	Residual	105.621	128	.825		
	Total	112.089	129			
a. Dependent variable: social relationships						
b. Predictors: (Constant), negative affect						
Coefficients						
Model		Unstandardized coefficients		Standardized coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	4.303	.264		16.327	<.001
	Negative affect	-.026	.009	-.240	-2.800	.006
a. Dependent variable: Social relationships						

**Table 11.** Regression between anxiety and social relationships among youth.

Model summary						
Model	R	R Square	Adjusted R square	Std. error of the estimate		
1	.273 <sup>a</sup>	.075	.067	.9002		
a. Predictors: (constant), anxiety						
ANOVA						
Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	8.359	1	8.359	10.314	.002 <sup>b</sup>
	Residual	103.730	128	.810		
	Total	112.089	129			
a. Dependent variable: social relationships						
b. Predictors: (constant), anxiety						
Coefficients						
Model		Unstandardized coefficients		Standardized coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	4.024	.154		26.176	<.001
	Anxiety	-.021	.007	-.273	-3.212	.002
a. Dependent Variable: Social Relationships						

**Table 12.** Regression between positive affect and environment among youth.

Model Summary						
Model	R	R Square	Adjusted R square	Std. error of the estimate		
1	.501 <sup>a</sup>	.251	.246	.6375		
a. Predictors: (constant), positive affect						
ANOVA						
Model		Sum of squares	df	Mean square	F	Sig.
1	Regression	17.465	1	17.465	42.979	<.001 <sup>b</sup>
	Residual	52.014	128	.406		
	Total	69.478	129			
a. Dependent Variable: Environment						
b. Predictors: (Constant), Positive affect						
Coefficients						
Model		Unstandardized coefficients		Standardized coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1.968	.260		7.577	<.001
	Positive affect	.048	.007	.501	6.556	<.001
a. Dependent variable: environment						

**Table 13.** Regression between negative affect and environment among youth.

Model summary						
Model	R	R square	Adjusted R square	Std. error of the estimate		
1	.165 <sup>a</sup>	.027	.020	.7266		
a. Predictors: (Constant), Negative affect						
ANOVA						
Model		Sum of squares	df	Mean square	F	Sig.
1	Regression	1.902	1	1.902	3.604	.060 <sup>b</sup>
	Residual	67.576	128	.528		
	Total	69.478	129			
a. Dependent variable: Environment						
b. Predictors: (Constant), Negative affect						
Coefficients						
Model		Unstandardized coefficients		Standardized coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	4.013	.211		19.035	<.001
	Negative affect	-.014	.008	-.165	-1.898	.060
a. Dependent variable: Environment						

**Table 14.** Regression between anxiety and environment among youth.

Model Summary				
Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.248 <sup>a</sup>	.062	.054	.7137
a. Predictors: (Constant), Anxiety				

ANOVA						
Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	4.285	1	4.285	8.413	.004 <sup>b</sup>
	Residual	65.194	128	.509		
	Total	69.478	129			
a. Dependent variable: Environment						
b. Predictors: (Constant), Anxiety						
Coefficients						
Model		Unstandardized coefficients		Standardized coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	3.935	.122		32.292	<.001
	Anxiety	-.015	.005	-.248	-2.901	.004
a. Dependent variable: Environment						

## DISCUSSION

The results show that anxiety and negative affect differ significantly by gender. However, no relevant differences in positive affect or the four domains of life quality. This is potentially because factors that determine these such as environmental conditions, social relationships and personal resilience may have been equally distributed across the genders in the sample studied. These findings align with previous studies, such as Thibaut (2017), which report higher anxiety prevalence in females due to biological, hormonal, and psychosocial factors. Thus, hypothesis 1 is challenged.

Every QOL measure showed a negative correlation with anxiety, which proves that a lower life quality is correlated with higher anxiety levels. Possible explanation for this is that anxiety exacerbates emotional distress, which leads to escape-like behaviors, a decline in social interactions, and inefficient stress-reduction techniques. This is supported by studies of Dickson et al. (2024) and Ak and İlhan (2023) which found that anxiety impairs functioning and negatively impacts well-being. Furthermore, Ma et al. (2021) discovered that anxiety symptoms are negatively linked to QOL at various stages in time. As a result, hypothesis 2 is rejected.

All of the QOL dimensions showed positive correlations with positive affect, which may be the case due to the fact that positive emotions are linked to more social support and adaptive coping mechanisms, both of which improve wellbeing. This is in concurrence with the results by Kim et al. (2024) who established that positive affect improves the psychological and physical long-term health results. Hence, hypothesis 3 is rejected.

Negative affect was negatively associated with QOL, as NA disrupts emotional regulation and social interaction, thus detrimental to overall QOL. Geng et al. (2020) reported that negative affect such as stress and sadness worsen the quality of life. Freire and Ferreira (2016) established that negative psychological variables deter HRQOL. Therefore, hypothesis 4 is also rejected.

All of the QOL domains were impacted by anxiety, likely because anxiety negatively impacts QOL by increasing emotional distress, limiting social interactions, and preventing the individual from engaging in activities that would otherwise improve their well-being. Haile et al. (2024) provided evidence for this as they reported that anxiety and stress were the major factors that contributed to the lower HRQOL. Hypothesis 5 is rejected.

All QOL dimensions were found to be significantly predicted by positive affect, which accounted for up to 39% variance in QOL. Kim et al. (2024) provided evidence that positive affect enhances long-term well-being. Therefore, hypothesis 6 is rejected.

Negative affect significantly predicted “psychological” and “social relationships” QOL. As pointed out by Morgan et al. (2016), youth with anxiety show variations in positive affect, thus confirming the relationship between negative feelings and social and psychological welfare. Thus, hypothesis 7 is rejected.

## CONCLUSION

The findings revealed that females were reported to have higher anxiety and negative affect than males. Anxiety was inversely related with QOL and also strongly predicted lower QOL. Positive affect was positively associated with and was a strong predictor of all QOL domains. Negative affect was adversely related with QOL and also found to substantially predict it. Therefore, all null hypotheses are rejected.

### Implications and Recommendations of the Study:

- Emotional regulation training can be incorporated into the schools and colleges to support young people, improve their motivation and increase their level of positive affect (Theodorou et al., 2024; Nesayan et al., 2017).
- Mental health programs that offer psychological care, for example in the management of anxiety and general mental health, can be offered.
- Counseling services (like CBT) offered to youth who are distressed to a high degree (Karukivi et al., 2021).
- Resilience building initiatives can be used to prevent mental health issues such as anxiety and increase self-efficacy in youth with NA (McGovern et al., 2024; Sabin et al., 2021).
- Policymakers can focus on youth mental health initiatives that are aimed at improving quality of life such as the Tele MANAS and Kerala's Jeevani Mental Health Program (Ministry of Health and Family Welfare, GOI, n.d.).

However, the study sample was confined to a certain population, namely youth. Self-report measures were used to collect the data, and they are susceptible to response bias. Study examines relationships at one time (cross-sectional), which prevents making causal inferences. Thus, future researches should focus on being longitudinal to track changes in variables over time, focus on cultural and socioeconomic influences on QOL and test intervention strategies aimed at decreasing anxiety and improving positive affect among youth.

## REFERENCES

1. Advancing Mental Healthcare in India | Ministry of Health and Family Welfare, GOI. (n.d.). <https://mohfw.gov.in/?q=pressrelease-206&>
2. Agnihotri K, Awasthi S, Chandra H, Singh U, Thakur S. Validation of WHO QOL-BREF instrument in Indian adolescents. *The Indian Journal of Pediatrics*. 2010; 77(4): 381–386. <https://doi.org/10.1007/s12098-010-0041-1>
3. Ak T, İlhan N. The Effect of Mental Health on Health-Related Quality of Life in Adolescents. *Clinical and Experimental Health Sciences*. 2023; 13(3): 460–469. <https://doi.org/10.33808/clinexphealthsci.947603>
4. APA Dictionary of Psychology. (n.d.). <https://dictionary.apa.org/quality-of-life>
5. APA Dictionary of Psychology. (n.d.). <https://dictionary.apa.org/anxiety>
6. APA Dictionary of Psychology. (n.d.). <https://dictionary.apa.org/affect>
7. APA Dictionary of Psychology. (n.d.). <https://dictionary.apa.org/negative-affect>
8. Arslan G. Psychological Well-Being and Mental Health in Youth: Technical adequacy of the Comprehensive Inventory of Thriving. *Children*. 2023; 10(7): 1269. <https://doi.org/10.3390/children10071269>
9. Bastiaansen D, Ferdinand RF, Koot HM. Predictors of Quality of Life in Children and Adolescents with Psychiatric Disorders. *Child Psychiatry & Human Development*. 2019; 51(1): 104–113. <https://doi.org/10.1007/s10578-019-00914-4>

10. Chiu A, Falk A, Walkup JT. Anxiety disorders among children and adolescents. *FOCUS the Journal of Lifelong Learning in Psychiatry*. 2016; 14(1): 26–33. <https://doi.org/10.1176/appi.focus.20150029>
11. Dickson SJ, Oar EL, Kangas M, Johnco CJ, Lavell CH, Seaton AH, McLellan LF, Wuthrich VM, Rapee RM. A Systematic Review and Meta-Analysis of Impairment and Quality of Life in Children and Adolescents with Anxiety Disorders. *Clinical Child and Family Psychology Review*. 2024; 27(2): 342–356. <https://doi.org/10.1007/s10567-024-00484-5>
12. Freire T, Ferreira G. Health-related quality of life of adolescents: Relations with positive and negative psychological dimensions. *International Journal of Adolescence and Youth*. 2016; 23(1): 11–24. <https://doi.org/10.1080/02673843.2016.1262268>
13. Geng Y, Gu J, Zhu X, Yang M, Shi D, Shang J, Zhao F. Negative emotions and quality of life among adolescents: A moderated mediation model. *International Journal of Clinical and Health Psychology*. 2020; 20(2): 118–125. <https://doi.org/10.1016/j.ijchp.2020.02.001>
14. Haile SR, Peralta GP, Raineri A, Rueegg S, Ulytè A, Puhan MA, Radtke T, Kriemler S. Determinants of health-related quality of life in healthy children and adolescents during the COVID-19 pandemic: Results from a prospective longitudinal cohort study. *European Journal of Pediatrics*. 2024; 183(5): 2273–2283. <https://doi.org/10.1007/s00431-024-05459-w>
15. Karukivi J, Herrala O, Säteri E, Tornivuori A, Salanterä S, Aromaa M, Kronström K, Karukivi M. The Effectiveness of individual mental health interventions for depressive, anxiety, and conduct disorder symptoms in school environment for adolescents aged 12–18 – A Systematic Review. *Frontiers in Psychiatry*. 2021; 12. <https://doi.org/10.3389/fpsy.2021.779933>
16. Kim ES, Wilkinson R, Okuzono SS, Chen Y, Shiba K, Cowden RG, VanderWeele TJ. Positive affect during adolescence and health and well-being in adulthood: An outcome-wide longitudinal approach. *PLoS Medicine*. 2024; 21(4): e1004365. <https://doi.org/10.1371/journal.pmed.1004365>
17. Kumar M, Yanjana N, Kumar M, Rajan A. Psychometric properties of the Positive and Negative Affect Schedule (PANAS) among Indian youth. *Indian Journal of Psychological Medicine*. 2025. <https://doi.org/10.1177/02537176251315988>
18. Ma Z, Chen X, Wang T, Xu S, Jiang M, Fan F. Trajectories of mental health symptoms predict long-term quality of life among Wenchuan adolescent survivors: A 10-year follow-up study. *Chinese Journal of Traumatology*. 2021; 24(4): 214–220. <https://doi.org/10.1016/j.cjtee.2021.03.006>
19. McGovern R, Balogun-Katung A, Artis B, Bareham B, Spencer L, Alderson H, Brown E, Brown J, Lingam R, McArdle P, Newham JJ, Wojciechowska A, Rankin J, Redgate S, Thomason P, Kaner E. The Effectiveness of Preventative Interventions to Reduce Mental Health Problems in at-risk Children and Young People: A Systematic Review of Reviews. *Journal of Prevention*. 2024; 45(4): 651–684. <https://doi.org/10.1007/s10935-024-00785-z>
20. Morgan JK, Lee GE, Wright AGC, Gilchrist DE, Forbes EE, McMakin DL, Dahl RE, Ladouceur CD, Ryan ND, Silk JS. Altered Positive Affect in Clinically Anxious Youth: the Role of Social Context and Anxiety Subtype. *Journal of Abnormal Child Psychology*. 2016; 45(7): 1461–1472. <https://doi.org/10.1007/s10802-016-0256-3>
21. Nesayan A, Hosseini B, Gandomani RA. The Effectiveness of Emotion Regulation Skills Training on anxiety and emotional regulation strategies in adolescent students. *Practice in Clinical Psychology*. 2017; 5(4): 263–270. <https://doi.org/10.29252/nirp.jpcp.5.4.263>
22. Novianti LE, Wungu E, Purba FD. Quality of life as a predictor of happiness and life satisfaction. *Jurnal Psikologi*. 2020; 47(2): 93. <https://doi.org/10.22146/jpsi.47634>
23. Povey J, Plage S, Huang Y, Gramotnev A, Cook S, Austerberry S, Western M. Adolescence a Period of Vulnerability and Risk for Adverse Outcomes across the Life Course: The Role of Parent Engagement in Learning. In: *Life Course Research and Social Policies*. Edition 1. City, Country: Publisher; 2022. pp. 97–131. [https://doi.org/10.1007/978-3-031-12224-8\\_6](https://doi.org/10.1007/978-3-031-12224-8_6)
24. Raknes S, Pallesen S, Himle JA, Bjaastad JF, Wergeland GJ, Hoffart A, Dyregrov K, Håland ÅT, Haugland BSM. Quality of life in anxious adolescents. *Child and Adolescent Psychiatry and Mental Health*. 2017; 11(1). <https://doi.org/10.1186/s13034-017-0173-4>

25. Sabin C, Bowen AE, Heberlein E, Pyle E, Lund L, Studts CR, Shomaker LB, Simon SL, Kaar JL. The Impact of a Universal Mental Health Intervention on Youth with Elevated Negative Affectivity: Building Resilience for Healthy Kids. *Contemporary School Psychology*. 2021. <https://doi.org/10.1007/s40688-021-00388-z>
26. Santos ERPD, Coelho JCF, Ribeiro I, Sampaio F. Translation, cultural adaptation and evaluation of the psychometric properties of the Hamilton Anxiety Scale among a sample of Portuguese adult patients with mental health disorders (2023). *BMC Psychiatry*. 23(1). <https://doi.org/10.1186/s12888-023-05010-5>
27. Swerts C, Gómez LE, Dewitte M, De Maeyer J, Vanderplasschen W. Quality of life outcomes for adolescents in youth care. *Child Indicators Research*. 2023; 16(5): 1987–2011. <https://doi.org/10.1007/s12187-023-10053-x>
28. Theodorou C, Karekla M, Panayiotou G. Enhancing emotion regulation skills in High-Risk adolescents due to the existence of psychopathology in the family: Feasibility and uncontrolled pilot study of a group intervention in a naturalistic school setting. *International Journal of Environmental Research and Public Health*. 2024; 21(6): 738. <https://doi.org/10.3390/ijerph21060738>
29. Thibaut F. Anxiety disorders: a review of current literature. *Dialogues in Clinical Neuroscience*. 2017; 19(2): 87–88. <https://doi.org/10.31887/dens.2017.19.2/fthibaut>
30. Tugade MM, Fredrickson BL. Resilient individuals use positive emotions to bounce back from negative emotional experiences. *Journal of Personality and Social Psychology*. 2004; 86(2): 320–333. <https://doi.org/10.1037/0022-3514.86.2.320>
31. Young K, Sandman C, Craske M. Positive and negative emotion regulation in Adolescence: Links to anxiety and depression. *Brain Sciences*. 2019; 9(4): 76. <https://doi.org/10.3390/brainsci9040076>