STM JOURNALS

Journal of
Materials & Metallurgical Engineering

ISSN: 2231-3818 (Online)
ISSN: 2321-4236 (Print)
Volume 16, Issue 3, 2026
September–December
DOI (Journal): 10.37591/JoMME

https://journals.stmjournals.com/jomme

Review JoMME

Quantum Computing for Crystal Design: Accelerating the Discovery and Optimization of Advanced Functional Materials

Ravuri Hema Krishna

Abstract

Quantum computing is emerging as a transformative computational paradigm capable of solving complex quantum mechanical problems that remain computationally prohibitive for classical computers. Crystal design, which involves the prediction, optimization, and characterization of crystalline materials with tailored physical and chemical properties, relies heavily on accurate electronic structure calculations. Conventional computational approaches such as Density Functional Theory (DFT), Molecular Dynamics (MD), and Monte Carlo simulations provide valuable insights but face significant limitations when dealing with strongly correlated electron systems, large crystal lattices, and high-dimensional optimization problems. Quantum algorithms such as the Variational Quantum Eigen solution (VQE), Quantum Phase Estimation (QPE), Quantum Approximate Optimisation Algorithm (QAOA), and Quantum machine learning (QML) provide intriguing alternatives. These methods enable more efficient calculations of molecular energies, electronic band structures, crystal defects, lattice dynamics, and materials optimization. This review presents a comprehensive overview of quantum computing applications in crystal design, highlighting recent developments in quantum hardware, hybrid quantum-classical algorithms, and AI-assisted materials discovery. The paper discusses quantum computational methods for crystal structure prediction, defect engineering, electronic property evaluation, and high-throughput materials screening. Furthermore, challenges such as quantum decoherence, limited qubit availability, error correction, scalability, and software development are critically examined. Finally, future research directions involving fault-tolerant quantum computers, digital twins, autonomous laboratories, and quantum-enhanced generative AI for crystal engineering are explored. Quantum computing is expected to revolutionize computational materials science by significantly reducing computational cost while improving prediction accuracy for next-generation functional materials.

Keywords: Quantum Computing, Crystal Design, Materials Informatics, Density Functional Theory, Quantum Algorithms, Quantum Machine Learning, Electronic Structure, Defect Engineering, Quantum Chemistry, Materials Discovery.

***Author for Correspondence**
Ravuri Hema Krishna
E-mail: hkravuri32@gmail.com

Professor, Department of Chemistry, Amrita Sai Institute of Science and Technology, Bathinapadu, Andhra Pradesh, India

Received Date: August 11, 2026
Accepted Date: October 08, 2026
Published Date: October 29, 2026

Citation: Ravuri Hema Krishna. Quantum Computing for Crystal Design: Accelerating the Discovery and Optimization of Advanced Functional Materials. Journal of Materials & Metallurgical Engineering. 2026; 16(3): 1–24p.

INTRODUCTION

Crystal engineering is an interdisciplinary field focused on the rational design, synthesis, and characterization of crystalline materials with predetermined structures and properties [1]. It combines principles of chemistry, physics, materials science, and engineering to manipulate atomic and molecular arrangements within crystals to achieve desired mechanical, electrical, optical, magnetic, catalytic, and thermal properties. The performance of advanced materials such as semiconductors, catalysts, pharmaceuticals,

© STM Journals 2026. All Rights Reserved

batteries, and optoelectronic devices is nic configuration [2]. Computational materials science has become an indispensable tool in crystal engineering by strongly influenced by their crystal structure, lattice symmetry, defect distribution, and electron bling researchers to model, predict, and optimize material properties before experimental synthesis. Advanced computational methods such as Density Functional Theory (DFT), Molecular Dynamics (MD), Monte Carlo (MC) simulations, and finite element modelling provide valuable insights into atomic interactions, crystal stability, electronic band structures, phonon dynamics, and defect behaviour [3]. These approaches significantly reduce the time and cost associated with traditional trial-and-error experimental methods while accelerating the discovery of novel crystalline materials. The integration of computational techniques with experimental characterization has led to the development of high-throughput materials discovery platforms, allowing researchers to screen thousands of candidate materials efficiently. Despite these advances, accurately modelling complex quantum interactions in large crystalline systems remains computationally demanding, particularly for strongly correlated electron systems and large-scale crystal lattices [4].

Over the past few decades, computational crystal design has seen significant change. Early studies of crystal structure mainly used experimental techniques including electron microscopy, spectroscopy, and X-ray diffraction (XRD). These methods are still crucial, but they are frequently costly, time-consuming, and have a limited capacity to forecast unknown crystal structures [5]. The introduction of quantum mechanical theories and the rapid growth of computational power revolutionized materials research. During the 1960s and 1970s, Hartree–Fock methods provided the first practical quantum mechanical descriptions of molecular systems. Subsequently, Density Functional Theory (DFT) emerged as one of the most widely used computational techniques due to its favourable balance between computational efficiency and predictive accuracy [6].

With increasing computational capabilities, Molecular Dynamics simulations enabled researchers to investigate atomic motion, phase transitions, and crystal growth mechanisms over time, while Monte Carlo methods became valuable tools for studying thermodynamic equilibrium and statistical behaviour in crystalline systems. More recently, artificial intelligence (AI), machine learning (ML), and materials informatics have transformed computational crystal design by enabling data-driven prediction of crystal structures, phase stability, electronic properties, and synthesis conditions [7]. Although classical computational methods have dramatically advanced materials discovery, they often struggle with exponentially increasing computational complexity when simulating large quantum systems. The investigation of quantum computing as a next-generation computer platform has been spurred by this constraint [8].

Utilising the concepts of quantum mechanics, such as superposition, entanglement, and quantum interference, quantum computing is a radically different computational paradigm. Quantum computers use quantum bits (qubits), which can exist in several states at once, in contrast to classical computers, which encode information as binary bits (0 or 1). Many problems encountered in crystal engineering—including electronic structure calculations, strongly correlated electron systems, optimization of crystal lattices, and prediction of excited-state properties are inherently quantum mechanical. Classical algorithms require exponentially increasing computational resources as system size grows, making accurate simulations of complex crystals extremely challenging [9].

Promising methods for more effectively resolving these issues include quantum algorithms like the Variational Quantum Eigen solution (VQE), Quantum Phase Estimation (QPE), and Quantum Approximate Optimisation Algorithm (QAOA). Hybrid quantum–classical methods have already demonstrated potential for computing molecular energies, optimizing crystal geometries, simulating lattice vibrations, and predicting electronic properties with improved accuracy [10]. Furthermore, quantum computing has the potential to accelerate the discovery of advanced functional materials for energy storage, catalysis, photonics, quantum information technologies, and sustainable manufacturing.

© STM Journals 2026. All Rights Reserved

As quantum hardware continues to mature, its integration with artificial intelligence and high-performance computing is expected to reshape computational materials science [11].

The increasing demand for high-performance materials in renewable energy, semiconductor technology, aerospace engineering, biomedical devices, and environmental remediation has intensified the need for efficient crystal design methodologies. Conventional experimental approaches are often expensive, labour-intensive, and require extensive trial-and-error optimization, while classical computational methods face limitations in simulating complex quantum interactions within large crystalline systems [12]. Recent advances in quantum computing have created new opportunities for overcoming these computational bottlenecks. Although current quantum processors remain in the Noisy Intermediate-Scale Quantum (NISQ) era, continuous improvements in quantum hardware, algorithms, and software ecosystems suggest that practical quantum-enabled materials discovery is becoming increasingly feasible [13].

Simultaneously, the emergence of AI-assisted materials informatics and autonomous laboratories has highlighted the importance of integrating quantum computing into multidisciplinary research workflows [14]. Such integration could significantly accelerate inverse crystal design, optimize synthesis pathways, and enable the rapid identification of materials with targeted functionalities [15]. This review is motivated by the need to critically examine the current state of quantum computing in crystal engineering, summarize recent advances, identify existing challenges, and highlight future research opportunities.

FUNDAMENTALS OF QUANTUM COMPUTING

Quantum computing is an emerging field of computation that utilizes the principles of quantum mechanics to process information in ways that are fundamentally different from classical computing. Unlike classical computers, which use binary bits (0 or 1), quantum computers use quantum bits (qubits) that can exist in multiple states simultaneously through superposition**.** Additionally, entanglement enables qubits to exhibit strong correlations, allowing complex computations to be performed more efficiently. Quantum operations are executed using quantum gates organized into quantum circuits**,** while specialized approaches such as quantum annealing solve optimization problems. Current quantum computers operate in the Noisy Intermediate-Scale Quantum (NISQ) era, where hardware is limited by noise and errors. Future fault-tolerant quantum computers**,** equipped with advanced quantum error correction, are expected to solve complex scientific and engineering challenges beyond the capabilities of classical supercomputers. These advancements have significant potential to accelerate crystal design, materials discovery, molecular simulations, and electronic structure calculations [16].

Quantum Bits (Qubits)

Quantum bits, or qubits, are the fundamental units of information in quantum computing. Unlike classical bits that exist only in either 0 or 1, qubits can exist in a combination of both states simultaneously due to the principle of superposition. Qubits can be physically realized using superconducting circuits, trapped ions, photons, neutral atoms, quantum dots, and spin-based systems. Their ability to encode multiple states enables quantum computers to process vast amounts of information in parallel. However, qubits are highly sensitive to environmental disturbances, leading to decoherence and computational errors. Improving qubit stability, coherence time, and scalability remains one of the primary challenges in developing practical quantum computers for scientific and engineering applications [17].

Superposition

Superposition is one of the fundamental principles of quantum mechanics that enables a qubit to exist in multiple states simultaneously until it is measured. While a classical bit is restricted to either 0 or 1, a qubit can represent both states at the same time with different probability amplitudes. This property allows quantum computers to evaluate many possible solutions simultaneously, providing significant

© STM Journals 2026. All Rights Reserved

computational advantages for optimization, simulation, and materials modeling problems. Superposition forms the foundation of quantum parallelism, enabling exponential increases in computational efficiency for certain tasks. Maintaining superposition requires isolating qubits from external noise, as interactions with the environment can rapidly collapse quantum states and reduce computational accuracy [18].

Entanglement

Entanglement is a unique quantum phenomenon in which two or more qubits become strongly correlated, such that the quantum state of one qubit instantly influences the state of another regardless of the physical distance between them. This correlation has no classical equivalent and serves as a key resource for quantum computation, communication, and cryptography. Entangled qubits enable highly coordinated information processing, allowing quantum algorithms to solve certain computational problems more efficiently than classical methods. In computational materials science, entanglement facilitates accurate simulations of complex many-body quantum systems. Creating, maintaining, and manipulating entangled states remains a major focus of ongoing quantum hardware research [19].

Quantum Gates

Quantum gates are the basic logical operations used to manipulate qubits in a quantum computer. Similar to logic gates in classical computing, quantum gates perform mathematical transformations on quantum states. However, unlike classical gates, quantum gates are reversible and operate on probability amplitudes rather than fixed binary values. Common single-qubit gates include the Pauli-X, Pauli-Y, Pauli-Z, Hadamard, Phase, and T gates, while multi-qubit gates such as the Controlled-NOT (CNOT) gate create entanglement between qubits. By combining multiple quantum gates, researchers construct complex quantum algorithms capable of solving optimization, simulation, and quantum chemistry problems relevant to crystal design [20].

Quantum Circuits

Quantum circuits are computational models composed of qubits connected through sequences of quantum gates that perform specific quantum algorithms. Each circuit begins by initializing qubits into known quantum states, followed by a series of gate operations that manipulate their probability amplitudes. Finally, measurement converts quantum information into classical output. Quantum circuits provide the framework for implementing algorithms such as the Variational Quantum Eigensolver (VQE), Quantum Phase Estimation (QPE), and Quantum Approximate Optimization Algorithm (QAOA). Efficient quantum circuit design aims to minimize circuit depth and gate count to reduce computational errors caused by decoherence and hardware imperfections in current quantum processors [21].

Quantum Annealing

Quantum annealing is a specialized quantum optimization technique designed to solve complex combinatorial optimization problems. It exploits quantum tunneling, allowing a system to escape local energy minima and move toward the global minimum of an optimization landscape more efficiently than many classical approaches. Unlike universal gate-based quantum computers, quantum annealers are specifically optimized for solving optimization tasks involving large numbers of variables and constraints. Applications include logistics, scheduling, portfolio optimization, protein folding, and materials discovery. In crystal engineering, quantum annealing can assist in identifying stable crystal structures, optimizing atomic arrangements, and exploring complex energy landscapes that are difficult to analyze using conventional computational techniques [22].

Quantum Supremacy

Quantum supremacy refers to the milestone at which a quantum computer performs a computational task that is practically impossible for the most powerful classical supercomputers within a reasonable timeframe. This achievement demonstrates the potential computational advantage of quantum

© STM Journals 2026. All Rights Reserved

processors rather than immediate practical usefulness. In 2019, Google reported quantum supremacy by executing a sampling task significantly faster than classical systems. Although the selected benchmark had limited practical application, it represented a major technological breakthrough. Quantum supremacy motivates continued investment in quantum hardware, software, and algorithms that may eventually enable transformative applications in chemistry, materials science, artificial intelligence, and crystal engineering [23].

NISQ Computing

Noisy Intermediate-Scale Quantum (NISQ) computing describes the current generation of quantum computers containing tens to several hundred qubits without full quantum error correction. These devices are characterized by noise, limited coherence times, gate errors, and restricted computational depth. Despite these limitations, NISQ systems can execute hybrid quantum–classical algorithms such as the Variational Quantum Eigensolver (VQE) and Quantum Approximate Optimization Algorithm (QAOA), which have shown promise for molecular simulations and materials optimization. NISQ computing serves as an important transitional stage toward scalable quantum computing, enabling researchers to develop algorithms and explore practical applications before the arrival of fully fault-tolerant quantum computers [24].

Fault-Tolerant Quantum Computing

Fault-tolerant quantum computing represents the long-term goal of quantum technology, where quantum processors can perform reliable computations despite the presence of noise and hardware imperfections. This is achieved through quantum error correction techniques that encode logical qubits using multiple physical qubits to detect and correct errors without destroying quantum information. Fault-tolerant systems are expected to execute deep quantum circuits and large-scale algorithms with high accuracy, enabling precise simulations of complex molecules, crystalline solids, and strongly correlated materials. Although current quantum computers remain in the NISQ era, ongoing advances in hardware design, error correction codes, and scalable architectures are steadily moving the field toward practical fault-tolerant quantum computing [25].

FUNDAMENTALS OF CRYSTAL DESIGN

Crystal design, also known as crystal engineering, is the scientific process of designing and controlling the arrangement of atoms, ions, or molecules within a crystalline solid to obtain desired physical, chemical, electrical, optical, and mechanical properties. It combines principles of crystallography, solid-state chemistry, materials science, and computational modeling to understand how atomic arrangements influence material performance. Advances in computational techniques, artificial intelligence, and quantum computing have significantly improved the prediction of crystal structures, stability, and functional properties. A thorough understanding of crystal structures, lattice systems, symmetry, electronic structures, crystal growth, phase stability, defect chemistry, and polymorphism forms the foundation of modern crystal design [26].

Crystal Structures

A crystal structure describes the three-dimensional periodic arrangement of atoms, ions, or molecules within a solid. This arrangement determines many material properties, including hardness, electrical conductivity, optical behavior, thermal stability, and catalytic activity. Every crystal structure consists of a repeating unit called the unit cell, which is defined by lattice parameters and atomic positions. Crystal structures are classified into different types such as simple cubic, body-centered cubic (BCC), face-centered cubic (FCC), and hexagonal close-packed (HCP). Understanding crystal structures enables researchers to predict material behavior and design advanced functional materials for applications in electronics, energy storage, pharmaceuticals, and nanotechnology [27].

Lattice Systems

A lattice is an infinite periodic arrangement of points representing identical atomic environments in a crystal. The geometry of a lattice is described by its lattice parameters, including edge lengths (a, b,

© STM Journals 2026. All Rights Reserved

c) and interaxial angles (α, β, γ). Based on these parameters, crystals are classified into seven crystal systems: cubic, tetragonal, orthorhombic, hexagonal, trigonal (rhombohedral), monoclinic, and triclinic. These systems form the basis of the 14 Bravais lattices that describe all possible periodic crystal arrangements. Lattice systems determine crystal symmetry, packing efficiency, and physical properties, making them fundamental to computational crystal design and materials engineering.

Crystal Symmetry

Crystal symmetry refers to the orderly and repetitive arrangement of atoms that remains unchanged after specific geometric operations. These symmetry operations include rotation, reflection, inversion, and translational symmetry. High crystal symmetry often results in improved mechanical strength, optical uniformity, and isotropic physical properties, whereas lower symmetry can produce anisotropic behavior. Symmetry simplifies crystal structure analysis and reduces computational complexity during materials modeling. It also plays a vital role in determining electronic band structures, diffraction patterns, and phase transformations. Understanding symmetry is essential for designing crystals with targeted physical and functional properties.

Space Groups

Space groups mathematically describe the complete symmetry of crystalline materials by combining lattice translations with rotational, mirror, inversion, and screw-axis symmetry operations. There are 230 unique space groups that classify all possible three-dimensional crystal symmetries. Space groups provide a standardized framework for identifying crystal structures and predicting material properties. They are extensively used in X-ray diffraction analysis, crystallographic databases, computational modeling, and crystal structure prediction. Knowledge of space groups enables researchers to determine atomic arrangements accurately and supports the rational design of new crystalline materials with desired structural and functional characteristics [28].

Electronic Structures

Electronic structure describes the distribution and energy levels of electrons within a crystalline material. It determines important properties such as electrical conductivity, optical absorption, magnetism, thermal transport, and chemical reactivity. Electronic structure calculations commonly employ computational methods such as Density Functional Theory (DFT), Hartree–Fock theory, and many-body quantum mechanics. Parameters including the band structure, density of states (DOS), band gap, and Fermi level help classify materials as conductors, semiconductors, or insulators. Accurate prediction of electronic structures is crucial for designing advanced semiconductors, photovoltaic materials, photocatalysts, superconductors, and quantum materials.

Crystal Growth Mechanisms

Crystal growth is the process through which atoms, ions, or molecules are incorporated into an ordered crystal lattice. Growth mechanisms include nucleation, surface growth, layer-by-layer growth, spiral growth, and dendritic growth. Crystal growth is influenced by factors such as temperature, pressure, supersaturation, solution concentration, and impurities. Controlled crystal growth produces materials with fewer defects, improved purity, and enhanced functional performance. Understanding growth mechanisms is essential in semiconductor manufacturing, pharmaceutical crystal production, optical materials, and nanotechnology, where crystal quality directly affects material performance and reliability.

Phase Stability

Phase stability refers to the ability of a crystal structure to remain thermodynamically stable under specific environmental conditions such as temperature, pressure, and chemical composition. Stable phases possess the lowest Gibbs free energy, whereas metastable phases may transform into more stable structures over time or under external stimuli. Computational methods such as Density Functional Theory, CALPHAD, and molecular simulations are widely used to predict phase diagrams and stability.

© STM Journals 2026. All Rights Reserved

Understanding phase stability is essential for developing high-performance structural materials, battery electrodes, catalysts, and electronic materials with long-term operational reliability.

Defect Chemistry

Defect chemistry studies imperfections present within crystal lattices and their influence on material properties. Common defects include vacancies, interstitial atoms, substitutional impurities, dislocations, grain boundaries, and stacking faults. Although defects disrupt perfect crystal periodicity, they often enhance desirable properties such as electrical conductivity, ionic diffusion, catalytic activity, and mechanical strength. Controlled defect engineering has become an important strategy for optimizing semiconductors, photocatalysts, batteries, and quantum materials. Advanced characterization techniques and computational simulations enable researchers to understand defect formation, migration, and interactions at the atomic scale.

Polymorphism

Polymorphism is the ability of a substance to exist in two or more distinct crystalline forms while maintaining the same chemical composition. Different polymorphs possess unique atomic arrangements that produce variations in density, melting point, solubility, hardness, optical behavior, and chemical stability. Polymorphism is particularly important in pharmaceutical sciences because different crystal forms can significantly influence drug bioavailability and therapeutic performance. It also plays a critical role in minerals, pigments, energetic materials, and functional ceramics. Computational crystal structure prediction combined with experimental techniques enables researchers to identify stable polymorphs and design materials with optimized performance [29]. The Fundamental Aspects of Crystal Engineering and Materials Design has shown in Figure1.




Figure 1. Fundamental Aspects of Crystal Engineering and Materials Design.

© STM Journals 2026. All Rights Reserved

ROLE OF QUANTUM COMPUTING FOR CRYSTAL DESIGN

Quantum computing is transforming crystal design by providing computational capabilities beyond those of conventional computers. Crystal engineering requires accurate prediction of atomic arrangements, electronic structures, lattice stability, and material properties, which often involve solving highly complex quantum mechanical problems. Classical computational methods such as Density Functional Theory (DFT), Molecular Dynamics (MD), and Monte Carlo simulations are effective for small and moderately sized systems but become computationally expensive for large crystals and strongly correlated materials. Quantum computing utilizes quantum mechanical principles such as superposition and entanglement to simulate atomic interactions more naturally and efficiently. Consequently, it offers significant advantages in crystal structure prediction, defect engineering, electronic property analysis, materials optimization, and accelerated discovery of advanced functional materials.

Computational Bottlenecks

Computational bottlenecks are major limitations that slow down the simulation and optimization of crystalline materials using classical computers. Electronic structure calculations, crystal structure prediction, molecular dynamics, and defect simulations require enormous computational resources as the number of atoms increases. Classical algorithms often demand high memory capacity and long processing times, making large-scale crystal simulations impractical. Quantum computing addresses these bottlenecks by directly representing quantum states and performing parallel computations using qubits. Quantum algorithms such as the Variational Quantum Eigensolver (VQE) can efficiently estimate ground-state energies and optimize crystal structures, significantly reducing computational costs while improving simulation accuracy.

Exponential Complexity

Many crystal design problems exhibit exponential computational complexity because the number of possible atomic configurations and electronic interactions increases exponentially with system size. Classical computers must evaluate a vast number of possible states, resulting in excessive computational time for large crystalline systems. This limitation becomes particularly severe when studying complex materials, phase transitions, or large supercells containing defects. Quantum computers naturally process multiple quantum states simultaneously through superposition, enabling more efficient exploration of large configuration spaces. Consequently, quantum algorithms can potentially solve optimization and simulation problems that are computationally infeasible for classical high-performance computing systems.

Strongly Correlated Systems

Strongly correlated materials contain electrons whose behavior cannot be accurately described by treating each electron independently. In these systems, electron interactions significantly influence conductivity, magnetism, superconductivity, and catalytic activity. Examples include transition metal oxides, high-temperature superconductors, quantum magnetic materials, and certain battery materials. Classical computational methods often struggle to accurately simulate these interactions because of their computational complexity. Quantum computers naturally model quantum correlations and many-electron interactions, providing more accurate electronic structure calculations. This capability enables improved understanding and design of advanced functional materials with enhanced electrical, magnetic, and catalytic properties [30].

Electronic Interactions

Electronic interactions determine many fundamental properties of crystalline materials, including band structure, density of states, conductivity, optical absorption, and chemical reactivity. Accurate modeling of electron–electron interactions is essential for predicting the behavior of semiconductors, photocatalysts, photovoltaic materials, and quantum devices. Although Density Functional Theory provides useful approximations, it may become less accurate for complex materials with significant

© STM Journals 2026. All Rights Reserved

electron correlation. Quantum computing simulates electronic wavefunctions directly using quantum mechanical principles, allowing more precise calculation of electronic structures, excited states, charge transfer processes, and chemical bonding. These improvements support the rational design of next-generation electronic and energy materials.

Large-Scale Optimization

Crystal design involves optimizing numerous variables simultaneously, including atomic positions, lattice parameters, defect concentrations, dopant distributions, and synthesis conditions. These optimization problems often contain millions of possible configurations and multiple local minima, making them computationally difficult for classical optimization algorithms. Quantum computing employs algorithms such as the Quantum Approximate Optimization Algorithm (QAOA) and quantum annealing to search large solution spaces more efficiently. These methods improve the identification of globally optimized crystal structures and material compositions while reducing computational time. Large-scale quantum optimization is expected to accelerate materials discovery for batteries, catalysts, semiconductors, and functional nanomaterials [31].

Multi-Body Quantum Systems

Crystalline materials consist of many interacting atoms and electrons that collectively form complex multi-body quantum systems. The quantum behavior of these particles determines material properties such as superconductivity, magnetism, ferroelectricity, and thermal conductivity. Simulating many-body quantum interactions using classical computers requires exponentially increasing computational resources, limiting the size and accuracy of simulations. Quantum computers represent and manipulate many-body quantum states directly, making them well suited for studying collective electronic behavior in complex crystals. This capability enables more accurate prediction of material properties and facilitates the discovery of novel crystalline materials with tailored functionalities for advanced technological applications. The Role of Quantum Computing in Advanced Crystal Design and Materials Discovery has shown in Figure 2.

QUANTUM ALGORITHMS USED IN CRYSTAL ENGINEERING

Quantum algorithms are specialized computational methods that exploit the principles of quantum mechanics to solve complex materials science problems more efficiently than classical algorithms. In crystal engineering, algorithms such as the Variational Quantum Eigensolver (VQE)**,** Quantum Phase Estimation (QPE)**,** Quantum Approximate Optimization Algorithm (QAOA)**,** and Quantum Annealing enable accurate electronic structure calculations, crystal structure prediction, defect analysis, and large-scale materials optimization, thereby accelerating the discovery and design of advanced functional crystalline materials [32].

(a) Variational Quantum Eigensolver (VQE)
(b) Quantum Phase Estimation (QPE)
(c) Quantum Approximate Optimization Algorithm (QAOA)
(d) Quantum Annealing
(e) Hamiltonian Simulation
(f) Quantum Monte Carlo
(g) Quantum Neural Networks
(h) Quantum Support Vector Machines

QUANTUM COMPUTING APPLICATIONS IN CRYSTAL DESIGN

Quantum computing is emerging as a transformative technology for crystal design by enabling accurate simulation of complex quantum mechanical interactions that are computationally challenging for classical computers. Through advanced quantum algorithms such as the Variational Quantum Eigen solver (VQE), Quantum Phase Estimation (QPE), and Quantum Approximate Optimization Algorithm (QAOA), quantum computing significantly enhances crystal structure prediction, electronic structure calculations, defect engineering, and materials optimization. Its ability to efficiently explore large

© STM Journals 2026. All Rights Reserved

configurational spaces and model many-body quantum systems accelerates the discovery of novel functional materials with tailored properties. Consequently, quantum computing is expected to play a pivotal role in the development of next-generation semiconductors, energy storage materials, photocatalysts, pharmaceuticals, and metal–organic frameworks, thereby advancing computational materials science and crystal engineering.




Figure 2. Role of Quantum Computing in Advanced Crystal Design and Materials Discovery.

Crystal Structure Prediction

Crystal structure prediction (CSP) is one of the most important applications of quantum computing in crystal design. It involves determining the most stable three-dimensional arrangement of atoms in a crystalline material using only its chemical composition. Accurate prediction of crystal structures is essential because the physical, chemical, electrical, optical, and mechanical properties of a material are directly influenced by its atomic arrangement. Conventional computational methods, including Density Functional Theory (DFT), molecular dynamics, and evolutionary algorithms, have significantly advanced crystal structure prediction but often require extensive computational resources when dealing with large systems or complex materials. Quantum computing provides a promising alternative by employing quantum algorithms capable of efficiently solving the quantum mechanical equations that govern atomic interactions. Algorithms such as the Variational Quantum Eigensolver (VQE), Quantum

© STM Journals 2026. All Rights Reserved

Phase Estimation (QPE), and Quantum Approximate Optimization Algorithm (QAOA) enable rapid exploration of the potential energy surface, allowing researchers to identify energetically favorable crystal configurations with greater accuracy. Unlike classical computers, quantum processors exploit superposition and entanglement to evaluate multiple structural configurations simultaneously, substantially reducing computational complexity.

Energy Landscape Exploration

The potential energy landscape of a crystalline material contains numerous local minima representing different atomic arrangements. Classical optimization algorithms may become trapped in local minima, preventing identification of the global minimum corresponding to the most stable crystal structure. Quantum computing overcomes this limitation by utilizing quantum superposition and quantum tunneling to explore multiple regions of the energy landscape simultaneously. Quantum annealing and hybrid quantum-classical optimization techniques efficiently search vast configurational spaces, enabling faster identification of thermodynamically favorable crystal structures. This capability is particularly valuable for complex materials such as metal–organic frameworks, high-entropy alloys, perovskites, and pharmaceutical crystals, where the number of possible atomic configurations is extremely large.

Stable Phase Prediction

Stable phase prediction aims to determine the crystal structure with the lowest Gibbs free energy under specific temperature, pressure, and compositional conditions. Accurate prediction of stable phases is essential for designing materials with long-term structural stability and optimal functional performance. Classical phase prediction methods become computationally demanding as the complexity of the crystal increases. Quantum computing improves phase prediction by providing highly accurate electronic structure calculations and efficient optimization of atomic arrangements. Hybrid quantum-classical algorithms can evaluate thermodynamic stability more effectively, allowing researchers to predict phase transitions, equilibrium crystal structures, and phase diagrams with greater precision. Such capabilities are particularly important for battery materials, semiconductor crystals, catalysts, and quantum materials.

Metastable Crystal Discovery

In addition to stable phases, many technologically important materials exist as metastable crystal structures, which possess higher free energy than the equilibrium phase but remain stable under specific conditions. Metastable materials often exhibit exceptional electrical, magnetic, optical, catalytic, and mechanical properties that are not present in their stable counterparts. Discovering these structures is challenging because they occupy shallow local minima within complex energy landscapes. Quantum computing enables efficient exploration of these regions through advanced quantum optimization algorithms and accurate quantum simulations. By identifying previously unknown metastable phases, quantum computing accelerates the discovery of novel functional materials for photovoltaics, photocatalysis, superconductors, energy storage systems, and next-generation electronic devices. Consequently, quantum-assisted crystal structure prediction represents a transformative approach for accelerating materials discovery and reducing reliance on costly experimental trial-and-error methods [33-34].

Electronic Structure Calculations

Electronic structure calculations are fundamental to crystal design because they determine how electrons are distributed within a material and how they influence its physical and chemical properties. Characteristics such as electrical conductivity, optical absorption, magnetism, catalytic activity, and chemical reactivity are governed by the electronic structure. Classical computational techniques, particularly Density Functional Theory (DFT), have been widely used to investigate these properties; however, their computational cost increases rapidly for complex crystalline systems and strongly

© STM Journals 2026. All Rights Reserved

correlated materials. Quantum computing offers a more natural framework for solving the quantum mechanical equations governing electron behavior. Algorithms such as the Variational Quantum Eigensolver (VQE) and Quantum Phase Estimation (QPE) enable more accurate determination of ground-state energies and electronic wavefunctions. These capabilities allow researchers to predict electronic properties with higher precision while reducing computational complexity. Consequently, quantum computing has the potential to accelerate the development of advanced semiconductors, photovoltaic materials, superconductors, photocatalysts, and quantum materials by providing deeper insights into electron interactions and material functionality [35].

Band Gap Prediction

The band gap is the energy difference between the valence band and conduction band of a material and determines whether a crystal behaves as a conductor, semiconductor, or insulator. Accurate band-gap prediction is essential for designing electronic, optoelectronic, and photovoltaic devices. Classical DFT often underestimates band-gap values due to exchange-correlation approximations. Quantum computing provides more accurate simulations of electronic wavefunctions and excited states, improving the prediction of band gaps in complex crystalline materials such as perovskites, transition metal oxides, and two-dimensional semiconductors.

Density of States (DOS)

The density of states describes the number of electronic energy levels available for occupation at each energy value. DOS analysis provides valuable information about electrical conductivity, optical transitions, and chemical bonding. Quantum algorithms enable precise calculations of electronic energy distributions, allowing researchers to better understand the electronic characteristics of crystalline materials and optimize them for specific applications [36].

Electron Density Mapping

Electron density mapping visualizes the spatial distribution of electrons within a crystal lattice. It reveals chemical bonding, charge transfer, polarization, and electron localization. Quantum computing enables accurate reconstruction of electron density distributions by directly simulating many-electron wavefunctions, providing detailed insights into atomic interactions and facilitating the rational design of advanced functional materials.

Defect Engineering

Defect engineering involves the intentional creation, modification, or control of imperfections within crystal lattices to improve material performance. Although ideal crystals possess perfectly periodic atomic arrangements, real materials contain various structural defects that significantly influence electrical conductivity, optical behavior, mechanical strength, ionic transport, and catalytic activity. Controlled defect engineering has become a powerful strategy for enhancing photocatalysts, semiconductors, batteries, superconductors, and quantum materials. Classical computational methods often require extensive resources to model defect formation energies and atomic interactions, especially in large supercells. Quantum computing enables more accurate simulations of defect structures by efficiently modeling electron correlation and lattice distortions. Hybrid quantum-classical algorithms can predict defect stability, migration pathways, and defect-induced electronic states with greater accuracy. These capabilities accelerate the development of high-performance materials through atomic-level optimization of defect concentration and distribution [37].

Vacancy Defects

Vacancy defects occur when atoms are missing from their normal lattice positions. These vacancies alter local electronic structures, enhance ionic diffusion, and improve catalytic activity. Quantum computing enables precise calculations of vacancy formation energies and their influence on electronic properties, supporting the design of improved catalysts, battery electrodes, and photocatalysts.

© STM Journals 2026. All Rights Reserved

Interstitial Defects

Interstitial defects arise when additional atoms occupy spaces between regular lattice sites. They modify lattice strain, ionic conductivity, and mechanical properties. Quantum simulations provide detailed insights into the stability, migration, and interactions of interstitial atoms within complex crystal structures.

Dopants

Doping involves introducing foreign atoms into a crystal lattice to tailor material properties. Dopants modify band gaps, carrier concentrations, magnetic behavior, and catalytic performance. Quantum computing enables accurate prediction of dopant locations, electronic interactions, and optimal concentrations, reducing the need for extensive experimental optimization.

Grain Boundaries

Grain boundaries are interfaces separating crystals with different orientations in polycrystalline materials. They strongly influence mechanical strength, electrical conductivity, corrosion resistance, and diffusion. Quantum simulations provide atomistic understanding of grain boundary structures and their impact on material performance, enabling improved microstructural engineering [38].

Catalytic Crystal Design

Catalytic crystal design aims to develop crystalline materials with superior catalytic efficiency, selectivity, and long-term stability for chemical reactions. The catalytic performance of crystalline materials depends on crystal facets, electronic structures, defect concentrations, surface energies, and active sites. Classical computational techniques provide valuable insights into catalytic mechanisms but often struggle with accurately simulating complex surface reactions involving multiple interacting electrons. Quantum computing enables precise modeling of catalytic reaction pathways, adsorption energies, transition states, and electron transfer processes. By accurately predicting catalyst behavior before synthesis, quantum computing significantly accelerates catalyst discovery while reducing experimental costs. This approach supports the development of efficient catalysts for environmental remediation, renewable energy, hydrogen production, carbon dioxide reduction, and sustainable chemical manufacturing [39].

TiO_2

Titanium dioxide is one of the most widely studied photocatalysts because of its stability, low toxicity, and strong oxidation capability. Quantum computing enables optimization of oxygen vacancies, surface structures, and dopants that enhance visible-light absorption and photocatalytic efficiency.

ZnO

Zinc oxide possesses excellent optoelectronic properties and photocatalytic activity. Quantum simulations facilitate band-gap engineering, defect optimization, and surface modification to improve pollutant degradation and solar energy conversion.

WO_3

Tungsten trioxide exhibits excellent visible-light absorption for photocatalysis and photoelectrochemical water splitting. Quantum computing supports optimization of oxygen vacancies, electronic structures, and charge transport characteristics to maximize catalytic performance.

$BiVO_4$

Bismuth vanadate is an attractive photoanode material due to its narrow band gap and visible-light response. Quantum simulations improve charge separation efficiency, carrier mobility, and defect engineering strategies for enhanced photocatalytic activity.

© STM Journals 2026. All Rights Reserved

Perovskites

Perovskite materials possess highly tunable crystal structures and exceptional optoelectronic properties. Quantum computing enables prediction of phase stability, defect formation, electronic structures, and catalytic active sites, accelerating the design of efficient perovskite catalysts [40-41].

Energy Storage Materials

The growing demand for renewable energy technologies has intensified research into advanced energy storage materials with improved capacity, safety, and durability. Crystal structure plays a critical role in determining ionic conductivity, electron transport, structural stability, and electrochemical performance. Quantum computing enables accurate simulation of ion migration, electronic interactions, and phase transformations that occur during charging and discharging processes. Compared with classical simulations, quantum algorithms provide more efficient analysis of complex battery materials and solid-state electrolytes. These capabilities support the development of next-generation batteries, hydrogen storage materials, and energy conversion technologies with higher efficiency and longer operational lifetimes [42].

Solid Electrolytes

Solid electrolytes replace flammable liquid electrolytes in all-solid-state batteries, improving safety and energy density. Quantum simulations predict ionic diffusion pathways, defect formation, and lattice stability, enabling the discovery of highly conductive solid electrolyte materials.

Battery Materials

Battery performance depends strongly on crystal structure, ion diffusion, and electronic conductivity. Quantum computing accelerates optimization of lithium-ion, sodium-ion, magnesium-ion, and solid-state battery materials by accurately modeling electrochemical reactions and atomic-scale transport mechanisms [43].

Hydrogen Storage Crystals

Hydrogen storage materials are essential for future hydrogen-based energy systems. Quantum computing enables detailed investigation of hydrogen adsorption, diffusion, and desorption processes in crystalline materials such as metal hydrides, porous materials, and complex alloys, supporting the development of efficient hydrogen storage technologies.

Semiconductor Crystal Engineering

Semiconductor crystal engineering focuses on designing crystalline materials with precisely controlled electronic and optical properties for electronic devices. Material performance depends on crystal quality, defect concentration, carrier mobility, and band-gap characteristics. Quantum computing enables accurate electronic structure calculations and defect optimization, accelerating the discovery of advanced semiconductor materials for integrated circuits, power electronics, optoelectronics, and quantum technologies [44].

Silicon

Silicon remains the dominant semiconductor material due to its abundance and mature manufacturing technology. Quantum simulations improve understanding of impurity behavior, defect formation, and carrier transport, enabling continued advancement of silicon-based electronics.

GaN

Gallium nitride exhibits a wide band gap, high electron mobility, and excellent thermal stability. Quantum computing supports optimization of crystal defects, electronic properties, and interface engineering for high-frequency electronics and light-emitting devices.

© STM Journals 2026. All Rights Reserved

SiC

Silicon carbide combines high thermal conductivity with exceptional electrical performance under extreme conditions. Quantum simulations facilitate optimization of crystal quality, defect reduction, and electronic structures for power electronics and aerospace applications.

Perovskites

Halide perovskites have emerged as highly promising semiconductor materials for solar cells and optoelectronic devices. Quantum computing enables prediction of crystal stability, defect tolerance, charge transport, and phase transitions, accelerating commercialization of high-efficiency perovskite technologies.

Pharmaceutical Crystal Design

Pharmaceutical crystal design aims to optimize the crystal form of active pharmaceutical ingredients (APIs) to improve drug stability, solubility, dissolution rate, manufacturability, and therapeutic performance. Different crystal structures of the same compound may exhibit significantly different physical and pharmaceutical properties. Quantum computing provides highly accurate simulations of intermolecular interactions, hydrogen bonding, lattice energies, and crystal packing, enabling rapid identification of optimal crystal forms. These computational capabilities reduce experimental screening while accelerating drug development and regulatory approval processes.

Polymorphism

Polymorphism refers to the existence of multiple crystal forms of a single chemical compound. Different polymorphs exhibit distinct melting points, solubility, stability, and bioavailability. Quantum simulations improve prediction of polymorphic stability and phase transformations during pharmaceutical development.

Drug Crystal Optimization

Optimizing drug crystals involves selecting crystal forms with improved pharmaceutical performance. Quantum computing predicts molecular interactions, lattice energies, and crystal growth behavior, enabling rational optimization of drug formulations.

Molecular Packing

Molecular packing describes how molecules are arranged within a crystal lattice. Packing influences mechanical properties, dissolution behavior, and stability. Quantum simulations provide atomistic understanding of intermolecular forces, facilitating the design of optimized pharmaceutical crystals.

Metal–Organic Frameworks (MOFs)

Metal–Organic Frameworks (MOFs) are highly porous crystalline materials composed of metal ions connected by organic ligands. Their exceptionally large surface area, tunable pore structures, and chemical versatility make them attractive for gas storage, catalysis, sensing, drug delivery, and environmental remediation. Designing MOFs requires optimization of pore size, topology, adsorption sites, and framework stability. Quantum computing enables accurate modeling of adsorption mechanisms, electronic interactions, and framework flexibility, accelerating the discovery of high-performance MOFs for industrial applications.

Gas Adsorption

Gas adsorption is one of the primary applications of MOFs. Quantum simulations predict adsorption energies, diffusion pathways, and host–guest interactions, enabling the rational design of materials with superior gas storage capacities.

CO_2 Capture

MOFs are promising materials for carbon dioxide capture due to their tunable pore chemistry and high adsorption capacity. Quantum computing facilitates optimization of adsorption sites, framework stability, and gas selectivity, supporting the development of sustainable carbon capture technologies.

© STM Journals 2026. All Rights Reserved

Hydrogen Storage

Hydrogen storage is critical for clean energy systems. Quantum simulations enable accurate prediction of hydrogen adsorption, binding energies, and storage capacity in MOFs, guiding the development of lightweight, high-capacity hydrogen storage materials for future fuel-cell technologies [45]. The Quantum Computing Applications in Crystal Design and Their Key Advantages Has shown in Table 1.

Table 1. Quantum Computing Applications in Crystal Design and Their Key Advantages.

Application Area	Material/System	Role of Quantum Computing	Major Benefits	Industrial Applications
Catalytic Crystal Design	General Catalysts	Simulates reaction pathways, adsorption energies, transition states, and electron transfer mechanisms.	Accelerates catalyst discovery and improves catalytic efficiency.	Green chemistry, hydrogen production, CO_2 reduction, environmental remediation
	TiO_2	Optimizes oxygen vacancies, dopants, and surface structures.	Enhanced visible-light absorption and photocatalytic efficiency.	Water purification, self-cleaning surfaces, photocatalysis
	ZnO	Performs band-gap engineering and defect optimization.	Improved pollutant degradation and solar energy conversion.	Environmental cleanup, UV sensors, photocatalysis
	WO_3	Optimizes electronic structure and charge transport.	Improved visible-light photocatalysis and water splitting.	Hydrogen production, photoelectrochemical cells
	$BiVO_4$	Enhances charge separation and carrier mobility through defect engineering.	Increased photocatalytic activity.	Solar water splitting, environmental remediation
	Perovskites	Predicts phase stability, electronic properties, and catalytic active sites.	Highly efficient catalyst development.	Solar fuels, photocatalysis
Energy Storage Materials	General Energy Materials	Simulates ion migration, electronic interactions, and phase transformations.	Faster development of efficient energy storage materials.	Batteries, fuel cells, renewable energy
	Solid Electrolytes	Predicts ionic conductivity and lattice stability.	Improved battery safety and energy density.	Solid-state batteries
	Battery Materials	Models electrochemical reactions and atomic-scale ion transport.	Longer battery life and higher energy density.	Lithium-ion, sodium-ion, magnesium-ion batteries
	Hydrogen Storage Crystals	Simulates hydrogen adsorption, diffusion, and desorption.	Efficient hydrogen storage capacity.	Hydrogen fuel technologies
Semiconductor Crystal Engineering	General Semiconductors	Optimizes electronic structure, carrier transport, and defects.	Improved semiconductor performance.	Microelectronics, quantum devices
	Silicon (Si)	Studies impurities, defects, and charge transport.	Enhanced device reliability and efficiency.	Integrated circuits, electronics
	Gallium Nitride (GaN)	Optimizes crystal defects and interfaces.	High-frequency and high-power performance.	LEDs, RF electronics
	Silicon Carbide (SiC)	Optimizes crystal quality and electronic properties.	Excellent thermal and electrical performance.	Electric vehicles, aerospace electronics
	Halide Perovskites	Predicts stability, defect tolerance, and charge transport.	High-efficiency photovoltaic materials.	Solar cells, optoelectronics
Pharmaceutical	Active	Simulates intermolecular	Faster drug crystal	Drug development,

© STM Journals 2026. All Rights Reserved

Application Area	Material/System	Role of Quantum Computing	Major Benefits	Industrial Applications
Crystal Design	Pharmaceutical Ingredients (APIs)	interactions, lattice energy, and crystal packing.	optimization and reduced experimental screening.	pharmaceutical manufacturing
	Polymorphism	Predicts stable polymorphic forms and phase transformations.	Improved drug stability and bioavailability.	Pharmaceutical formulations
	Drug Crystal Optimization	Optimizes crystal growth and molecular interactions.	Enhanced dissolution rate and manufacturability.	Drug formulation
	Molecular Packing	Models intermolecular forces and crystal packing.	Improved crystal stability and therapeutic performance.	Pharmaceutical crystals
Metal–Organic Frameworks (MOFs)	General MOFs	Simulates framework flexibility, adsorption mechanisms, and electronic interactions.	Accelerates MOF discovery and optimization.	Gas storage, catalysis, sensing
	Gas Adsorption	Predicts adsorption energies and diffusion pathways.	Improved gas storage capacity.	Natural gas and hydrogen storage
	CO_2 Capture	Optimizes adsorption sites and gas selectivity.	Efficient carbon capture technologies.	Carbon sequestration
	Hydrogen Storage	Predicts hydrogen binding energies and storage mechanisms.	Lightweight, high-capacity hydrogen storage materials.	Hydrogen fuel cells

EXPERIMENTAL VALIDATION

Experimental validation is an essential step in crystal design to verify the predictions obtained from computational modelling and quantum computing simulations. While computational methods can accurately predict crystal structures, electronic properties, defect distributions, and phase stability, experimental characterization confirms these predictions using advanced analytical techniques. Structural, morphological, chemical, optical, and electronic properties of crystalline materials are evaluated through various characterization methods. Techniques such as X-ray Diffraction (XRD), Scanning Electron Microscopy (SEM), Transmission Electron Microscopy (TEM), Atomic Force Microscopy (AFM), Raman Spectroscopy, Fourier Transform Infrared Spectroscopy (FTIR), X-ray Photoelectron Spectroscopy (XPS), UV–Visible Spectroscopy, and Electron Microscopy provide complementary information regarding crystal quality, composition, surface morphology, and functional properties. Together, these techniques validate computational results and guide the development of high-performance crystalline materials.

X-ray Diffraction (XRD)

X-ray Diffraction (XRD) is one of the most widely used techniques for determining the crystal structure, phase composition, and crystallinity of materials. When X-rays interact with a crystalline sample, they are diffracted according to Bragg's law, producing characteristic diffraction patterns. These patterns provide information about lattice parameters, crystal symmetry, crystallite size, and phase purity. XRD is extensively used to confirm crystal structures predicted by computational methods and quantum simulations. It also detects phase transformations, lattice strain, and preferred crystal orientation, making it indispensable in crystal engineering, nanomaterials, and semiconductor research.

Scanning Electron Microscopy (SEM)

Scanning Electron Microscopy (SEM) is a high-resolution imaging technique used to examine the surface morphology and microstructure of crystalline materials. A focused electron beam scans the sample surface, producing detailed images with high magnification. SEM provides information about particle size, grain boundaries, crystal shape, porosity, and surface defects. It is widely employed to

© STM Journals 2026. All Rights Reserved

evaluate crystal growth, surface roughness, and morphological changes after synthesis or processing. When combined with Energy-Dispersive X-ray Spectroscopy (EDS), SEM can also determine the elemental composition of crystalline materials.

Transmission Electron Microscopy (TEM)

Transmission Electron Microscopy (TEM) provides atomic-scale imaging by transmitting high-energy electrons through an ultrathin specimen. TEM offers extremely high spatial resolution, allowing direct observation of crystal lattices, grain boundaries, dislocations, vacancies, and other structural defects. Selected Area Electron Diffraction (SAED) performed within TEM provides crystallographic information such as lattice spacing and crystal orientation. TEM is particularly valuable for validating nanoscale crystal structures predicted through computational simulations and investigating defect engineering in advanced materials [46].

Atomic Force Microscopy (AFM)

Atomic Force Microscopy (AFM) is a surface characterization technique that measures nanoscale surface topography using a sharp probe attached to a flexible cantilever. As the probe scans the sample surface, interactions between the tip and surface generate high-resolution three-dimensional images. AFM measures surface roughness, grain size, crystal growth patterns, and mechanical properties without requiring conductive samples. It is widely used to investigate thin films, nanocrystals, semiconductor surfaces, and biomaterials. AFM complements electron microscopy by providing quantitative surface measurements under ambient conditions.

Raman Spectroscopy

Raman Spectroscopy is a non-destructive optical technique used to identify molecular vibrations and crystal lattice phonons. When monochromatic laser light interacts with a material, a small fraction of the scattered light undergoes energy shifts corresponding to vibrational modes. Raman spectra provide information about crystal structure, chemical bonding, phase composition, stress, defects, and crystallinity. The technique is particularly useful for characterizing carbon materials, semiconductors, metal oxides, two-dimensional materials, and perovskites. Raman spectroscopy also enables monitoring of phase transitions and structural changes during material synthesis.

Fourier Transform Infrared Spectroscopy (FTIR)

Fourier Transform Infrared Spectroscopy (FTIR) identifies chemical bonds and functional groups by measuring the absorption of infrared radiation. Different chemical bonds absorb characteristic infrared frequencies, producing unique spectral fingerprints. FTIR is widely used to confirm molecular structures, identify surface functional groups, detect impurities, and investigate chemical interactions within crystalline materials. In crystal engineering, FTIR validates computational predictions related to molecular bonding, hydrogen bonding, and ligand coordination. It is especially valuable for studying polymers, pharmaceuticals, metal–organic frameworks, and hybrid materials.

X-ray Photoelectron Spectroscopy (XPS)

X-ray Photoelectron Spectroscopy (XPS) is a surface-sensitive analytical technique used to determine elemental composition, oxidation states, and chemical bonding of materials. When a material is irradiated with X-rays, emitted photoelectrons are analyzed to obtain information about the chemical environment of atoms. XPS is highly effective for investigating surface defects, dopants, oxygen vacancies, oxidation states, and surface modifications in crystalline materials. It plays an important role in validating computational predictions of electronic structure and defect chemistry in catalysts, semiconductors, and nanomaterials.

UV–Visible Spectroscopy

UV–Visible Spectroscopy measures the absorption and transmission of ultraviolet and visible light by materials. It is commonly used to determine optical properties such as absorption spectra, optical

© STM Journals 2026. All Rights Reserved

band gaps, and electronic transitions. The technique is particularly important for evaluating semiconductors, photocatalysts, photovoltaic materials, and quantum dots. UV–Visible spectroscopy validates theoretical band-gap calculations obtained from computational methods, including Density Functional Theory (DFT) and quantum computing simulations. Changes in absorption spectra also provide insights into defect formation, doping, and crystal quality.

Electron Microscopy

Electron microscopy is a broad category of characterization techniques that includes both Scanning Electron Microscopy (SEM) and Transmission Electron Microscopy (TEM). These methods use electron beams instead of visible light to achieve nanometer- to atomic-scale resolution. Electron microscopy enables detailed examination of crystal morphology, lattice structures, grain boundaries, defects, interfaces, and elemental distributions. Advanced techniques such as High-Resolution TEM (HRTEM), Scanning Transmission Electron Microscopy (STEM), and Electron Energy Loss Spectroscopy (EELS) provide comprehensive structural and chemical information. Electron microscopy serves as a powerful validation tool for confirming computationally predicted crystal structures and understanding structure–property relationships in advanced crystalline materials [47].

INDUSTRIAL APPLICATIONS

Quantum computing-assisted crystal design has significant potential to transform numerous industrial sectors by enabling the rapid discovery and optimization of advanced crystalline materials with tailored properties. In the electronics industry, it facilitates the development of high-performance semiconductors with improved electrical conductivity, carrier mobility, and thermal stability. For solar cells, quantum-assisted simulations optimize crystal structures, band gaps, and charge transport properties, leading to higher photovoltaic conversion efficiencies. In battery technology, quantum computing accelerates the design of electrode materials, solid electrolytes, and ion-conducting crystals, resulting in batteries with higher energy density, faster charging rates, and longer operational lifetimes. Similarly, in photocatalysis, optimized crystal structures enhance light absorption, charge separation, and catalytic activity, supporting applications in water splitting, hydrogen production, carbon dioxide reduction, and environmental pollutant degradation. Beyond energy-related applications, quantum-enabled crystal design is expected to play an important role in biomedical materials, sensor technologies, and aerospace engineering. In the biomedical field, computationally designed crystals improve drug delivery systems, pharmaceutical formulations, bio ceramics, and implant materials through enhanced biocompatibility and controlled physical properties. For chemical and biosensors, optimized crystalline semiconductors and nanomaterials provide greater sensitivity, selectivity, and stability for detecting gases, biomolecules, and environmental pollutants. In the aerospace industry, advanced crystalline alloys, ceramic composites, and lightweight structural materials with superior mechanical strength, thermal resistance, and corrosion resistance contribute to improved aircraft, spacecraft, and satellite performance. By combining quantum computing with artificial intelligence and computational materials science, industries can significantly reduce material development time, lower experimental costs, and accelerate innovation in next-generation functional materials [48].

CURRENT CHALLENGES

Despite the enormous potential of quantum computing in crystal design and materials discovery, several technical and practical challenges hinder its widespread adoption. Current quantum hardware remains in the Noisy Intermediate-Scale Quantum (NISQ) era, where limited qubit numbers, hardware noise, decoherence, and high operational costs restrict large-scale simulations. In addition, developing efficient quantum software, integrating experimental data, and achieving scalable quantum architectures remain significant research challenges. Addressing these limitations is essential for realizing reliable, fault-tolerant quantum computing capable of solving complex crystal engineering problems.

Limited Qubits

Present-day quantum computers contain only a limited number of high-quality qubits, restricting the size and complexity of crystal simulations. Large crystalline systems require thousands or millions of

© STM Journals 2026. All Rights Reserved

logical qubits for accurate calculations. Current hardware cannot efficiently model complex materials, making large-scale quantum simulations challenging. Increasing qubit count while maintaining stability remains a major technological objective.

Noise

Quantum processors are highly sensitive to environmental disturbances such as electromagnetic interference, temperature fluctuations, and hardware imperfections. These sources introduce noise that alters quantum states and reduces computational accuracy. Noise limits circuit depth and algorithm performance, making reliable simulations difficult. Developing low-noise hardware and robust algorithms is essential for practical quantum computing.

Decoherence

Decoherence occurs when qubits lose their quantum properties through interaction with the surrounding environment. As coherence decreases, information stored in quantum states is destroyed, leading to computational errors. Since quantum calculations require stable superposition and entanglement, extending coherence time is critical for executing complex crystal design simulations and quantum algorithms successfully.

Quantum Error Correction

Quantum error correction (QEC) is essential for detecting and correcting errors without destroying quantum information. Unlike classical error correction, QEC requires multiple physical qubits to create one reliable logical qubit. Current implementations demand substantial hardware resources, making fault-tolerant quantum computing difficult. Efficient error correction codes remain an active area of research [49].

Scalability

Scalability refers to the ability to increase the number of qubits while maintaining reliable performance. As quantum systems grow larger, controlling qubit interactions, minimizing errors, and preserving coherence become increasingly difficult. Developing scalable quantum architectures with efficient communication and error management is crucial for solving industrial-scale crystal engineering and materials science problems.

Cost

Building and operating quantum computers require expensive infrastructure, including cryogenic cooling systems, specialized fabrication facilities, and sophisticated control electronics. High development and maintenance costs currently limit accessibility to only a few research institutions and technology companies. Reducing hardware costs is necessary for broader industrial adoption of quantum computing technologies.

Software Ecosystem

The quantum software ecosystem is still developing compared with classical computing. Although frameworks such as Qiskit, Cirq, and PennyLane provide programming environments, many specialized algorithms for crystal design remain under development. Improved software libraries, simulation platforms, and user-friendly programming tools are required to accelerate research and industrial applications.

Data Integration

Effective crystal design requires integrating quantum computing results with experimental measurements, classical simulations, artificial intelligence, and materials databases. Differences in data formats, computational models, and validation methods make seamless integration challenging. Developing standardized workflows and interoperable platforms will enable more efficient collaboration between computational predictions and experimental materials research [50].

© STM Journals 2026. All Rights Reserved

FUTURE PERSPECTIVES

The future of quantum computing in crystal design is expected to be driven by the development of fault-tolerant quantum computers, capable of performing reliable, large-scale computations with minimal errors through advanced quantum error correction. Unlike current Noisy Intermediate-Scale Quantum (NISQ) devices, fault-tolerant systems will enable highly accurate simulations of complex crystalline materials, strongly correlated electron systems, and large molecular structures that are beyond the capabilities of classical supercomputers. In addition, quantum cloud computing will provide researchers worldwide with remote access to powerful quantum processors, eliminating the need for expensive local infrastructure. The integration of Hybrid High-Performance Computing (HPC) Quantum systems will combine the strengths of classical supercomputers and quantum processors, allowing efficient execution of computational tasks where classical systems handle data preprocessing while quantum computers solve complex quantum mechanical calculations.

Another promising direction is the integration of artificial intelligence (AI) with quantum computing to accelerate crystal discovery and materials optimization. AI-driven crystal discovery platforms will analyze vast materials databases, identify hidden structure–property relationships, and guide quantum algorithms toward promising material candidates. The emergence of autonomous laboratories, equipped with robotic synthesis systems, automated characterization instruments, and AI-based decision-making, will create closed-loop research environments where computational predictions are experimentally validated with minimal human intervention. These intelligent laboratories will continuously refine crystal design strategies using real-time experimental feedback, significantly reducing the time and cost required for materials discovery.

Furthermore, the development of digital materials platforms will enable seamless integration of computational simulations, experimental characterization, materials databases, and machine learning models into unified research environments. These platforms will facilitate global collaboration and reproducible materials research by providing standardized workflows for crystal design. One of the most transformative future developments will be quantum-enabled inverse crystal design, where researchers specify desired material properties such as band gap, mechanical strength, catalytic activity, or ionic conductivity and quantum algorithms automatically predict the optimal crystal structure capable of achieving those properties. Together, these emerging technologies are expected to revolutionize crystal engineering by enabling faster, more accurate, and cost-effective discovery of next-generation functional materials for electronics, renewable energy, healthcare, aerospace, and sustainable industrial applications.

CONCLUSIONS

Quantum computing has emerged as a promising technology for advancing crystal design and computational materials science by overcoming many of the limitations of classical computational methods. Unlike conventional approaches, quantum computing utilizes the principles of superposition, entanglement, and quantum interference to efficiently simulate complex quantum mechanical interactions that govern crystalline materials. Throughout this review, it has been demonstrated that quantum computing can significantly improve crystal structure prediction, electronic structure modeling, defect engineering, phase stability analysis, and large-scale materials optimization. Quantum algorithms such as the Variational Quantum Eigensolver (VQE), Quantum Phase Estimation (QPE), and Quantum Approximate Optimization Algorithm (QAOA) provide more accurate predictions of atomic arrangements, electronic properties, and energy landscapes while reducing computational complexity. Furthermore, integrating quantum computing with artificial intelligence, machine learning, and high-performance computing has the potential to accelerate the discovery of advanced materials for electronics, solar cells, batteries, photocatalysis, pharmaceuticals, metal–organic frameworks, aerospace engineering, and biomedical applications.

Despite these remarkable opportunities, quantum computing remains in the early stages of technological development, with current Noisy Intermediate-Scale Quantum (NISQ) devices facing

© STM Journals 2026. All Rights Reserved

challenges such as limited qubit numbers, hardware noise, decoherence, scalability, and the need for efficient quantum error correction. Consequently, many practical industrial applications are still under active research and require continued advancements in quantum hardware, fault-tolerant architectures, and hybrid quantum–classical computational workflows. Future developments in quantum cloud computing, autonomous laboratories, digital materials platforms, and AI-driven inverse crystal design are expected to transform the way crystalline materials are discovered and optimized. As quantum technologies continue to mature, they will become an increasingly powerful tool for computational materials science, enabling faster, more accurate, and cost-effective design of next-generation functional materials while driving innovation across numerous scientific and industrial disciplines.

Acknowledgements

The author is deeply grateful to Almighty God and my parents for the wisdom, grace, and strength to complete this manuscript. Special thanks are extended to Dr. M. Sasidhar- Principal, Dr. K. Sai Manoj- CEO, Sri K. Rama Mohana Rao- Secretary and Correspondent, Sri K. Lakshmi Karthik- President, and Sri K. Ramesh Babu- Industrialist and Chairman of Amrita Sai Institute of Science and Technology, whose Candor, patience, understanding, and constant encouragement have been a source of inspiration throughout this challenging journey of writing the manuscript. The author also gratefully acknowledges the support and cooperation of all the members of the S&H and CRT departments.

Disclosure Statement

No potential conflict of interest was reported by the authors.

Funding

This research did not receive any specific grant from funding agencies in the public, commercial, or non-profit sectors.

Authors' Contributions The author has contributed to data analysis, drafting, and revising of the article and agreed to be responsible for all aspects of this work.

REFERENCES

1. Desiraju GR. Crystal engineering: A holistic view. *Angew Chem Int Ed Engl.* 2007;46(44):8342–8356. doi:10.1002/anie.200700534.
2. Aakeröy CB, Salmon DJ. Building co-crystals with molecular sense and supramolecular sensibility. CrystEngComm. 2005 Jul 5;7(72):439-48.
3. Niyonzima FN, Ezechiel N, Iyamuremye A, Nkurunziza JB, Izere AN, Karegeya C. Evaluation of teachers' skills and their current level of using atomic model kits in teaching chemical bonding and atomic structure in gasabo district of rwanda. Australian Journal of Teacher Education (Online). 2025 Dec;50(4):105-24.
4. Oganov AR, editor. Modern methods of crystal structure prediction. John Wiley & Sons; 2011 Aug 4.
5. Hohenberg P, Kohn W. Inhomogeneous electron gas. Physical review. 1964 Nov 9;136(3B):B864.
6. Kohn W, Sham LJ. Self-consistent equations including exchange and correlation effects. *Phys Rev.* 1965;140:A1133–A1138. doi:10.1103/PhysRev.140.A1133.
7. Hafner J. Ab initio simulations of materials using density functional theory. *J Comput Chem.* 2008;29(13):2044–2078. doi:10.1002/jcc.21057.
8. Monaco HL, Viterbo D, Scordari F, Gilli G, Zanotti G, Catti M. Fundamentals of crystallography. Giacovazzo C, editor. Oxford: Oxford university press; 2002 Jan.
9. Jones RO. Density functional theory: Its origins, rise to prominence, and future. Reviews of modern physics. 2015 Jul 1;87(3):897-923.
10. Cheng AH, Ser CT, Skreta M, Guzman-Cordero A, Thiede L, Burger A, Aldossary A, Leong SX, Pablo-Garcia S, Strieth-Kalthoff F, Aspuru-Guzik A. Spiers Memorial Lecture: How to do impactful research in artificial intelligence for chemistry and materials science. Faraday

© STM Journals 2026. All Rights Reserved

Discussions. 2025 Jan 1;256:10-60.
11. Schmidt J, Marques MRG, Botti S, Marques MAL. Recent advances and applications of machine learning in solid-state materials science. *npj Comput Mater.* 2019;5:83. doi:10.1038/s41524-019-0221-0.
12. Ramprasad R, Batra R, Pilania G, Mannodi-Kanakkithodi A, Kim C. Machine learning in materials informatics. *npj Comput Mater.* 2017;3:54. doi:10.1038/s41524-017-0056-5.
13. Nielsen MA, Chuang IL. *Quantum Computation and Quantum Information.* Cambridge University Press; 2010.
14. Preskill J. Quantum computing in the NISQ era and beyond. *Quantum.* 2018;2:79. doi:10.22331/q-2018-08-06-79.
15. Cao Y, Romero J, Olson JP, et al. Quantum chemistry in the age of quantum computing. *Chem Rev.* 2019;119(19):10856–10915. doi: 10.1021/acs.chemrev.8b00803.
16. McArdle S, Endo S, Aspuru-Guzik A, Benjamin SC, Yuan X. Quantum computational chemistry. *Rev Mod Phys.* 2020;92:015003. doi:10.1103/RevModPhys.92.015003.
17. Cerezo M, Arrasmith A, Babbush R, et al. Variational quantum algorithms. *Nat Rev Phys.* 2021; 3:625–644. doi:10.1038/s42254-021-00348-9.
18. Aspuru-Guzik A, Dutoi AD, Love PJ, Head-Gordon M. Simulated quantum computation of molecular energies. *Science.* 2005;309(5741):1704–1707. doi:10.1126/science.1113479.
19. Feynman RP. Simulating physics with computers. *Int J Theor Phys.* 1982;21:467–488. doi:10.1007/BF02650179.
20. Outeiral C, Strahm M, Shi J, et al. The prospects of quantum computing in computational molecular biology. *WIREs Comput Mol Sci.* 2021;11:e1481. doi:10.1002/wcms.1481.
21. Zlokapa A, Villalonga B, Boixo S, Lidar DA. Boundaries of quantum supremacy via random circuit sampling. npj Quantum Information. 2023 Apr 11;9(1):36.
22. Head-Gordon M, Artacho E. Chemistry on the quantum computer. *Physics Today.* 2023;76(4):38–44.
23. Xi B, Wang H, Sun G, Zhang B, Mao R, Ge Y, Wang Y, Zhang J, Pan Y, Zhou F, Wang Y. Pocket-based molecule generation with an SE (3)-equivariant language model leads to a potent and selective HPK1 inhibitor with in vivo efficacy. bioRxiv. 2025 Sep 25:2025-09.
24. Berry DW, Wan K, Baczewski AD, Eklund EC, Tikku A, Babbush R. Quantum simulation of electronic structure via quantum fast multipole method. PRX Quantum. 2026 Aug 1;7(3):033025.
25. Camino B, Buckeridge J, Warburton PA, Kendon V, Woodley SM. Quantum computing and materials science: A practical guide to applying quantum annealing to the configurational analysis of materials. Journal of Applied Physics. 2023 Jun 14;133(22).
26. Gould H, Tobochnik J, Meredith DC, Koonin SE, McKay SR, Christian W. An introduction to computer simulation methods: applications to physical systems. Computers in Physics. 1996 Jul 1;10(4):349.
27. Shor PW. Algorithms for quantum computation: discrete logarithms and factoring. In: *Proceedings of the 35th Annual Symposium on Foundations of Computer Science.* 1994. p.124–134. doi:10.1109/SFCS.1994.365700.
28. Grover LK. A fast quantum mechanical algorithm for database search. *Proc 28th Annu ACM Symp Theory Comput.* 1996;212–219. doi:10.1145/237814.237866.
29. Peruzzo A, McClean J, Shadbolt P, et al. A variational eigenvalue solver on a quantum processor. *Nat Commun.* 2014;5:4213. doi:10.1038/ncomms5213.
30. Farhi E, Goldstone J, Gutmann S. A quantum approximate optimization algorithm. arXiv:1411.4028. 2014.
31. Bauer B, Bravyi S, Motta M, Chan GKL. Quantum algorithms for quantum chemistry and quantum materials science. *Chem Rev.* 2020;120:12685–12717.
32. Arute F, Arya K, Babbush R, et al. Quantum supremacy using a programmable superconducting processor. *Nature.* 2019;574:505–510. doi:10.1038/s41586-019-1666-5.
33. McClean JR, Romero J, Babbush R, Aspuru-Guzik A. The theory of variational hybrid quantum-classical algorithms. *New J Phys.* 2016;18:023023. doi:10.1088/1367-2630/18/2/023023.

© STM Journals 2026. All Rights Reserved

34. Oganov AR, Glass CW. Crystal structure prediction using evolutionary algorithms. *J Chem Phys.* 2006;124:244704. doi:10.1063/1.2210932.
35. Pickard CJ, Needs RJ. Ab initio random structure searching. *J Phys Condens Matter.* 2011;23:053201. doi:10.1088/0953-8984/23/5/053201.
36. Genoni A, Macchi P. Quantum crystallography in the last decade: Developments and outlooks. *Crystals.* 2020;10:473. doi:10.3390/cryst10060473.
37. Scappucci G, Taylor PJ, Williams JR, et al. Crystalline materials for quantum computing: Semiconductor heterostructures and topological insulators exemplars. *MRS Bull.* 2021;46:596–606. doi:10.1557/s43577-021-00147-8.
38. Schmehr JL, Wilson SD. Active crystal growth techniques for quantum materials. *Annu Rev Mater Res.* 2017;47:153–174. doi:10.1146/annurev-matsci-070616-124006.
39. Cazorla C, Boronat J. Simulation and understanding of quantum crystals. *Rev Mod Phys.* 2017;89:035003.
40. Giustino F. Electron–phonon interactions from first principles. *Rev Mod Phys.* 2017;89:015003. doi:10.1103/RevModPhys.89.015003.
41. Brown KR, Chiaverini J, Sage JM, Häffner H. Materials challenges for trapped-ion quantum computers. *Nat Rev Mater.* 2021;6:892–905.
42. Kresse G, Furthmüller J. Efficient iterative schemes for ab initio total-energy calculations using a plane-wave basis set. *Phys Rev B.* 1996;54:11169–11186.
43. Blöchl PE. Projector augmented-wave method. *Phys Rev B.* 1994;50:17953–17979.
44. Monkhorst HJ, Pack JD. Special points for Brillouin-zone integrations. *Phys Rev B.* 1976;13:5188–5192.
45. Tersoff J, Hamann DR. Theory and application for the scanning tunneling microscope. *Phys Rev Lett.* 1983;50:1998–2001.
46. Binnig G, Quate CF, Gerber C. Atomic force microscope. *Phys Rev Lett.* 1986;56:930–933.
47. Ferrari AC, Basko DM. Raman spectroscopy as a versatile tool for studying carbon materials. *Nat Nanotechnol.* 2013;8:235–246.
48. Briggs D, Grant JT. *Surface Analysis by Auger and X-ray Photoelectron Spectroscopy.* IM Publications; 2003.
49. Butler KT, Davies DW, Cartwright H, Isayev O, Walsh A. Machine learning for molecular and materials science. *Nature.* 2018; 559:547–555. doi:10.1038/s41586-018-0337-2.
50. Pilania G. Machine learning in materials science: From explainable predictions to autonomous design. Computational Materials Science. 2021 Jun 1;193:110360.

© STM Journals 2026. All Rights Reserved