

Advancements in Energy-Efficient Electrical Motor Design: A Comprehensive Review

Amit R. Pathak^{1,*}, Anoop H. Budhrani², Alpesh S. Adeshara³,
Hardik M. Pandya⁴, Deepak M. Varu⁵

Abstract

The rapid growth in energy demand poses a fundamental challenge for the whole power industry in fulfilling the increased demand. An exhaustive energy audit recommends substituting energy-efficient gadgets with conventional ones, which function with low efficiency and waste a significant amount of electricity. Electric motors are quite common in contemporary life, providing energy to a wide range of devices, including both domestic and industrial machinery. Nevertheless, they bear the responsibility for substantial energy usage, amounting to as much as 40% of worldwide power consumption. Hence, it is imperative to enhance the efficacy of electric motors to decrease energy consumption and the corresponding emissions of greenhouse gases. This study will analyse the key elements associated with the design of energy-efficient electrical motors. Furthermore, this document will examine several prevalent variants of electric motors, encompassing their structure, properties, and practical uses.

Keywords: Electrical motor, energy-efficient, efficiency, economical, motor design

INTRODUCTION

Electric motors are a significant contributor to global energy use, accounting for around 40–45% of the total. In certain situations, this ratio is further elevated [1]. Electric motors account for approximately 70% of power usage in the industrial sector. Hence, it is imperative to minimize the energy usage of electric motors to save finite fossil fuel resources and alleviate the strain on national power grids [2,7]. When building an energy-efficient motor, the primary objective should be to minimize energy losses and reduce the environmental effect during its operation. A novel method described by Subbaraj et al for the steady-state analysis of generation control that consider the characteristics of both the load and the generator which provide a practically accurate solution for large, interconnected power systems both under normal operating conditions and during disturbances [9].

*Author for Correspondence

Amit R. Pathak
E-mail: prof.amitpathak@gmail.com

^{1,2,4,5}Assistant Professor, Electrical Engineering Department,
Vyavasayi Vidya Pratishthan (VVP) Engineering College,
Rajkot, Gujarat, India

³Associate Professor, Electrical Engineering Department,
V.V.P. Engineering College -Rajkot, Gujarat, India

Received Date: December 13, 2023

Accepted Date: December 20, 2023

Published Date: January 18, 2024

Citation: Amit R. Pathak, Anoop H. Budhrani, Alpesh S. Adeshara, Hardik M. Pandya, Deepak M. Varu. Advancements in Energy-Efficient Electrical Motor Design: A Comprehensive Review. International Journal of Electrical Machine Analysis and Design. 2023; 1(1): 29–35p.

When designing an energy-efficient motor, it is important to consider the following factors:

Optimal Magnetic Design

It refers to the process of creating a magnetic system that is highly efficient and effective in its performance. The magnetic design of a motor plays a crucial role in its efficiency. The geometry of a motor may be enhanced by meticulously choosing materials to minimize the losses caused by flux leakage and hysteresis. The components that are utilised the most in the industry are electric machines, which also account for most of the energy needed in productive operations. Specifically, among all electric machines, the motors and their

drives are essential because they enable actual motion interchange in industrial processes; in a sense, they serve as the medullar column that moves the other mechanical components. Therefore, it is imperative to ensure their appropriate operation to maximise their efficiency and subsequently maximise the associated economic benefits.

Decreased Electrical Resistance in the Winding

Joule heating occurs because of the resistance in the motor windings, leading to energy losses. To mitigate these losses, designers might employ low-resistance winding materials and minimize the length of the winding.

Premium Bearings

To minimize frictional losses in the motor, it is advisable to choose high-quality bearings that possess both low friction and low vibration characteristics.

Enhanced Thermal Management

Basic power systems are expanding steadily, become bigger and more intricate because of linkages to other systems. Excessive heat can diminish the effectiveness of a motor. By employing sophisticated cooling methods, such as liquid cooling or enhanced airflow, designers may effectively maintain low motor temperatures and enhance overall efficiency.

Variable Speed Drives

Variable-speed motors can enhance efficiency by minimizing energy wastage during periods of low power demand. Variable speed drives (VSDs) provide the capability to regulate the speed of motors and optimize energy consumption. Gonzalez-Abreu provided a broad summary of the published works that discuss the topic of efficiency in motors and drives as well as in the electric grid's power quality [5].

Decreased Motor Dimensions

Smaller motors exhibit higher energy efficiency compared to bigger motors. Designers can enhance efficiency by minimizing the motor size to meet the application's requirements. Husnayain et al suggested a 3D inductance map in conjunction with a maximum-torque-per-ampere (MTPA) map based on a finite-element (FE) motor model that considered the impact of cross-coupling magnetic saturation [4].

Utilization of Highly Effective Materials

Motor efficiency may be enhanced by utilizing high-efficiency materials, such as high-performance permanent magnets, copper rotor bars, and specialized laminations.

These factors encompass the motor's classification, its configuration, and the constituents employed in its fabrication. The subsequent sections will elaborate on these aspects with greater precision [3]. Research has been suggested to lessen the influence of magnetic saturation and lower the amount of copper loss during IPM motor operating. The maximal-torque-per-ampere (MTPA) control is the standard vector control that is suggested for the minimization of copper loss.

Type of Motor

Various types of electric motors exist, such as AC motors, DC motors, and brushless DC motors. Every motor variant possesses distinct benefits and drawbacks in terms of energy efficiency. AC motors often exhibit higher efficiency compared to DC motors, while their manufacturing process entails greater complexity and cost. Brushless DC motors exhibit higher efficiency compared to conventional DC motors but necessitate more sophisticated electronic controllers. Selecting the appropriate motor type for a certain application is essential to get optimal energy efficiency.

Alternating Current (AC) Motors

AC motors are widely used electric motors that are utilized in a wide range of applications. The stator utilizes alternating electricity with producing a revolving magnetic field. The rotation of the rotor is

initiated by the induction of an electric current in response to the presence of a spinning magnetic field. AC motors have exceptional efficiency, durability, and cost-effectiveness. These devices are frequently employed in pumps, fans, compressors, and other types of industrial machinery.

Direct Current (DC) Motors

DC motors employ direct current to produce a magnetic field in the stator. The rotor's current interacts with the magnetic field, resulting in the rotation of the rotor. DC motors exhibit exceptional efficiency and provide accurate speed regulation. These devices are frequently employed in the fields of robotics, automation, and other domains that need meticulous control.

Stepper Motors

Stepper motors are a kind of DC motors that function by using a sequence of electromagnetic coils. The coils are activated in a sequential manner, resulting in the rotor rotating in small and exact increments. Stepper motors provide exceptional accuracy and manipulation, rendering them well-suited for CNC machines, 3D printers, and other tasks that demand meticulous placement.

Electric Motors Without Brushes

Brushless DC motors are similar to conventional DC motors, but they employ electronic controllers to activate the coils in the stator. This obviates the necessity for brushes, which can deteriorate and diminish effectiveness. Brushless DC motors provide exceptional efficiency, dependability, and accurate control. These components are frequently utilized in drones, electric cars, and other applications that require great performance.

Induction Motors

Induction motor's function based on the principle of electromagnetic induction. The stator generates a magnetic field that produces a current in the rotor, resulting in its rotation. Induction motors have exceptional efficiency, durability, and cost-effectiveness. These devices are frequently employed in pumps, fans, and other types of industrial machinery.

The overshoot or undershoot of transient response characteristics and a parameter mismatch resulting from magnetic saturation are some of the main issues with the motor drive.

Design of the Motor

The efficiency of the motor is significantly influenced by its design. Notable design characteristics encompass:

- The dimensions and configuration of the motor.
- The quantity of coils in the stator.
- The specific rotor type employed.

Typically, bigger motors exhibit greater efficiency compared to smaller ones, but at a higher manufacturing cost. Electric motors that have a greater number of windings in the stator are generally more efficient because they generate a more powerful magnetic field. The efficiency of a system can be influenced by the kind of rotor employed, with permanent magnet rotors often exhibiting higher efficiency compared to induction rotors.

The magnetic flux generated by a permanent magnet is directly proportional to its volume, meaning that it increases in proportion to the cube of its linear dimensions. Due to this factor, electrical devices equipped with high-coercivity rare-earth permanent magnets have the potential to be the most compact and energy-efficient [2].

Required Materials

The choice of materials utilized in the fabrication of the motor significantly influences its efficiency. Copper, steel, and aluminium are the primary materials commonly employed in motor building. Copper

is a very efficient electrical conductor and is frequently employed in the windings of electric motors. The motor's core is made of steel, while the rotor and casing are made of aluminium. Utilising premium materials and reducing material wastage throughout the production procedure might enhance the motor's efficiency.

Further Design Factors to Consider

Several supplementary design factors can enhance the efficiency of electric motors. These strategies encompass the reduction of friction between mobile components, the optimisation of bearing design, and the minimization of heat generating losses. Ceramic bearings, among other advanced materials, could minimize friction and enhance efficiency. Furthermore, the integration of sophisticated control systems, such as variable frequency drives, may effectively reduce the losses caused by heat generation.

When constructing an electrical motor, it is important to take into account certain design characteristics. These characteristics have the potential to influence the motor's efficiency, power output, and performance. These are the essential design parameters:

Power Rating

The power rating of a motor is a highly significant design element. It pertains to the motor's capacity to consistently supply power without experiencing excessive heat buildup. The power rating is often expressed in units of horsepower (HP) or kilowatts (kW). Voltage and frequency are crucial factors to be considered while designing a motor [6]. The motor must be engineered to function at the identical voltage and frequency as the power source.

Motor Type

The motor's classification is a significant parameter. Various types of motors exist, such as AC motors, DC motors, and stepper motors. Every category possesses distinct benefits and drawbacks.

Stator Design

The stator refers to the immobile component of the motor that houses the windings. The stator design plays a crucial role in influencing the efficiency and performance of the motor. The motor's performance is influenced by factors such as the quantity of windings, their configuration, and the gauge of the wire.

Rotor Design

The rotor is the component of the motor that spins and interacts with the magnetic field produced by the stator [8]. The rotor design has a crucial role in influencing the performance of the motor. The efficiency and power output of the motor can be influenced by the form, size, and material of the rotor.

Bearings

These components serve to provide support for the rotor and minimize friction. The selection and calibre of the bearings employed can influence the efficiency and durability of the motor.

An all-encompassing strategy is necessary for the development of energy-efficient motors, which involves considering several elements such as magnetic design, winding resistance, bearing quality, cooling mechanisms, and motor dimensions. By optimising these elements, designers can decrease operational costs and minimise energy use.

Enclosure

The purpose of the enclosure is to safeguard the motor and prevent the ingress of dust, grime, and moisture. The choice of enclosure material, size, and form can have a significant influence on the cooling and efficiency of the motor.

Cooling

The motor produces thermal energy while in operation, which has a negative effect on its performance and lifespan. When designing a motor, it is necessary to take into account cooling techniques, such as air or liquid cooling.

Efficiency

The motor's efficiency is a crucial factor that affects both its operational expenses and its environmental consequences. An enhanced motor will utilize a reduced amount of energy and generate a diminished quantity of greenhouse gas emissions.

Price

Ultimately, the price of the motor is a crucial factor that must be taken into account. The motor must be engineered to be economically efficient while still satisfying the necessary performance criteria.

THE FOLLOWING FACTORS ARE CRUCIAL FOR DESIGNING AN ENERGY-EFFICIENT MOTOR

Materials with a High Level of Efficiency

Utilise superior-grade materials with little electrical resistance to minimise energy wastage. Utilise high-performance magnetic materials with exceptional magnetic characteristics.

Enhanced Core Design

Enhance the fundamental structure, encompassing hysteresis and eddy current losses, in order to minimize core losses. It is advisable to utilize laminated cores in order to reduce eddy current losses.

Cutting-edge Magnet Technology

Investigate the application of rare-earth magnets to enhance magnetic fields and improve efficiency. Conduct research on magnet materials that have improved resistance to changes in temperature.

Variable Speed Drives

Install variable speed drives and control systems to synchronize motor speed with the demands of the load. Utilise advanced technology such as inverters and sensors to achieve optimal speed control.

Efficient Windings

Develop windings with an ideal coil density and distribution to minimize resistive losses. It is advisable to choose materials with greater conductivity for the windings.

Reduced Friction and Windage Losses

Enhance bearing design and minimize friction and windage losses to decrease mechanical inefficiencies. Develop and deploy highly effective lubricating systems for bearings.

Power Factor Correction

It refers to the process of improving the power factor of an electrical system. Implement power factor adjustment methodologies to enhance the power factor and overall efficiency of the system. Utilise capacitors or employ sophisticated power electronics to rectify power factor.

Thermal Management

Optimise thermal design to efficiently regulate heat and mitigate the risk of overheating. Employ sophisticated cooling methods, such as liquid cooling or enhanced ventilation.

Integration of Internet of Things (IoT) with Smart Technologies

Deploy Internet of Things (IoT) devices and sensors to enable instantaneous monitoring and optimization. Utilise advanced technology to adapt motor functions according to environmental circumstances and load requirements.

Regenerative Braking

Investigate regenerative braking systems with the purpose of capturing and recycling energy during the process of slowing down.

Incorporate energy recuperation systems to enhance the overall efficiency of the system.

Optimal Sizing and Matching refers to the process of determining the most efficient dimensions and combinations for a particular task or system.

Make sure that the motors are adequately dimensioned for the specific use case in order to avoid inefficiencies while operating at less than full capacity. Ensure optimal efficiency by aligning the motor's characteristics with the load requirements.

Standards and Certifications for Energy Efficiency

Create motors that adhere to energy efficiency requirements and certifications, such as IE3 and NEMA Premium. Keep yourself informed about developing standards and make an effort to surpass the basic needs.

Life Cycle Assessment (LCA)

Perform a life cycle assessment to evaluate the environmental effects during the whole lifespan of the motor, encompassing its production, usage, and disposal.

Sustained Investigation and Advancement

Keep up to date with the most recent developments in motor technology and consistently strive to enhance efficiency via innovation. Engage in collaborative efforts with scholars and industry leaders to facilitate the flow of knowledge and ideas.

By incorporating these factors into the design process, engineers may create energy-efficient electric motors that promote sustainability and minimize energy usage in diverse applications.

IN CONCLUSION

Various electric motors exist, each possessing distinct merits and drawbacks. AC motors are the predominant kind, providing superior efficiency, longevity, and cost-efficiency. DC motors offer accurate speed regulation and are frequently employed in the fields of robotics and automation. Stepper motors provide accurate positioning, rendering them well-suited for CNC machines and 3D printers. Brushless DC motors offer superior efficiency, dependability, and high-performance capabilities, whereas induction motors are extremely efficient, robust, and cost-effective. The selection of motor type is contingent upon the application and the desired performance criteria.

Creating energy-efficient electric motors necessitates meticulous deliberation of several elements, such as motor classification, structure, components, and supplementary design considerations. Through the optimisation of these variables, it is feasible to fabricate motors that exhibit both exceptional efficiency and economic viability. This can aid in diminishing energy usage and the subsequent release of greenhouse gas emissions, simultaneously lowering operational expenses for both enterprises and homes.

REFERENCES

1. Pritish Kumar Ghosh, Pradip Kumar Sadhu, Raju Basak, Amarnath Sanyal. Energy efficient design of three phase induction motor by water cycle Algorithm, Ain Shams Engineering Journal 2020; 11 (4) 1139–1147.
2. Prakht, Vladimir, Mohamed N. Ibrahim, and Vadim Kazakbaev. 2023. "Energy Efficiency Improvement of Electric Machines without Rare-Earth Magnets" *Energies* 16, no. 8: 3573. <https://doi.org/10.3390/en16083573>

3. Zhu, Guojin, Yu Ding, and Yajun Cao. 2023. "The Effect of Block-Matrix Interface of SRM with High Volumetric Block Proportion on Its Uniaxial Compressive Strength" *Applied Sciences* 13, no. 6: 3463. <https://doi.org/10.3390/app13063463>
4. Husnayain, Faiz, Toshihiko Noguchi, Ryosuke Akaki, and Feri Yusivar. 2023. "Improved Current and MTPA Control Characteristics Using FEM-Based Inductance Maps for Vector-Controlled IPM Motor" *Energies* 16, no. 12: 4712. <https://doi.org/10.3390/en16124712>
5. Gonzalez-Abreu, Artvin-Darien, Roque-Alfredo Osornio-Rios, Arturo-Yosimar Jaen-Cuellar, Miguel Delgado-Prieto, Jose-Alfonso Antonino-Daviu, and Athanasios Karlis. 2022. "Advances in Power Quality Analysis Techniques for Electrical Machines and Drives: A Review" *Energies* 15, no. 5: 1909. <https://doi.org/10.3390/en15051909>
6. S. Shokoohi and H. Bevrani, "PSO based droop control of inverter interfaced distributed generations," 2013 Smart Grid Conference (SGC), Tehran, Iran, 2013, pp. 204–209, doi: 10.1109/SGC.2013.6733809.
7. Y. -H. Kim, H. -D. Jun, J. -W. Moon, R. -E. Kim, S. -H. Rhyu and S. -Y. Jung, "Motor Efficiency Determination of SynRM and Measurement Uncertainty," 2019 International Aegean Conference on Electrical Machines and Power Electronics (ACEMP) & 2019 International Conference on Optimization of Electrical and Electronic Equipment (OPTIM), Istanbul, Turkey, 2019, pp. 233–239, doi: 10.1109/ACEMP-OPTIM44294.2019.9007174.
8. Hanitsch R. Energy efficient electric motors. *Energy*. 2002; 645:227.
9. Raj CT, Srivastava SP, Agarwal P. Energy Efficient Control of Three-Phase Induction Motor-A Review. *International journal of computer and electrical engineering*. 2009 Apr 1;1(1):61.