

Maintaining Load Without Battery Backup Using Solar Panel

Kishor Pratap Jadhav^{1*}, Rohit Praffula Deshmukh², Sainath Tatyasaheb Kharade²,
Saianand Suresh Dhat², Nagendrakumar Shivaji Naykude²

Abstract

Adaptable for maintenance of electrical loads by discharging loads without relying on conventional battery banks, depending on usage and requirement of solar energy. The only system that will receive free electricity for the rest of its life and last for about 20 to 25 years is this one. This system's batteries need ongoing inverter maintenance at least every two to five years. Therefore, we require a solution strategy of some sort for that. Hospitals, shelters, and communication services are all shut down during power outages. Every power system must be resilient enough to withstand power interruptions. Infrastructure hardening, smart meters (AMI), energy storage, microgrids, renewable energy, and the accessibility of vital components are ways to enhance the resilience of a power system. Most critical systems, including hospitals, have diesel generators for backup power. The capability of a backup power source to maintain the critical load or base load for such systems during a primary power outage is known as the system's resilience. The energy we use is supplied by solar panels and massive solar power facilities located throughout India. We can employ grid-connected solar panels and thermal power plants to cut back on the use of fossil fuels even if the sun does not rise or shine. Harnessing the abundant energy from the sun using solar energy and enabling continuous power supply even during periods of sunlight. This research explores the concept of using solar energy to maintain the load without using direct energy or a battery bank in which special attention is paid to efficiency while reducing the impact on the environment.

Keywords: Solar cells, load maintenance, battery backup, energy storage, sustainability

INTRODUCTION

Solar panels and large-scale solar power plants all over India provide the required energy. Even if the sun does not rise or the sun shines, grid-connected solar panels and thermal power plants can be used to reduce fossil fuel consumption. In this project, the energy generated during daylight hours, that is, excess electricity generated during summer days, can be stored. Stored electricity comes in handy when there is no sun, that is, rainy or cloudy weather [1].

*Author for Correspondence

Kishor Pratap Jadhav
E-mail: kishor.jadhav@sknscoe.ac.in

¹Assistance Professor, Department of Electronics and Electrical Engineering, SKN Sinhgad College of Engineering Korti, Pandharpur, Maharashtra, India

²UG Student, Department of Department of Electronics and Electrical Engineering, SKN Sinhgad College of Engineering, Korti, Pandharpur, Maharashtra, India

Received Date: November 11, 2024

Accepted Date: November 16, 2024

Published Date: November 26, 2024

Citation: Kishor Pratap Jadhav, Rohit Praffula Deshmukh, Sainath Tatyasaheb Kharade, Saianand Suresh Dhat, Nagendrakumar Shivaji Naykude. Maintaining Load Without Battery Backup Using Solar Panel. International Journal of Electrical Power and Machine Systems. 2024; 2(2): 17–22p.

This system is the only system that will last for almost 20 to 25 years and will obtain free electricity for its lifetime. Batteries in this system require continuous inverter maintenance at least every 2–5 years. Therefore, a solution plan was required. In this project, a battery-free system was created [2]. However, this system works only in sunlight, and various experiments are also underway to make this system work without using batteries [3].

The growing need for dependable and sustainable energy solutions has prompted researchers and

engineers to investigate novel methods of generating and distributing energy. Among these options, solar energy is particularly notable because of its abundance and low environmental impact. However, conventional solar energy systems often depend heavily on battery banks to store energy for future applications. This dependency can lead to inefficiencies and environmental issues related to battery production, disposal, and recycling. This paper presents a new approach that eliminates the necessity for traditional battery storage while ensuring a steady supply of electricity to various loads, regardless of sunlight conditions [4].

As the world faces the intertwined challenges of increasing energy consumption and climate change, the pursuit of sustainable energy solutions is becoming increasingly urgent. Incorporating renewable energy sources into an electrical grid is vital for reducing greenhouse gas emissions and alleviating the negative consequences of climate change. In particular, solar energy has received considerable attention because of its potential to provide clean and renewable power. Nevertheless, traditional solar systems struggle to consistently meet energy demands largely because of their reliance on intermittent sunlight for energy production. This inconsistency often necessitates the use of battery storage, which can be expensive, inefficient, and environmentally harmful [5].

In this scenario, the idea of utilizing solar energy without depending on battery storage presents a promising opportunity to enhance energy efficiency and sustainability. This study investigates an innovative system that responds to electrical load requirements by directly supplying energy from solar power collected during sunny periods. By harnessing real-time solar energy production, the proposed system can effectively balance energy supply and demand, ensuring a reliable power source while optimizing energy consumption [6].

The operational design of this system aims to maximize the efficiency of solar energy use. Rather than storing surplus energy in batteries, where losses may occur during charging and discharging, the proposed method emphasizes directly powering electrical loads as sunlight is available. This strategy not only lowers the initial and ongoing costs related to battery storage but also reduces the environmental impacts associated with energy storage technologies. The system is engineered to intelligently manage energy flows, ensuring that electrical loads receive the necessary power while making up most of the available solar energy [7].

The significant focus of this study was on enhancing efficiency. By developing a system that can adjust to varying electrical load demands and changes in solar energy availability, this approach seeks to improve overall energy efficiency. Traditional solar energy systems typically operate under static conditions, resulting in inefficiencies during periods of low sunlight or fluctuating demand. In contrast, the adaptable system proposed here can modify its operations based on real-time data, facilitating a more agile and effective energy-management strategy [8].

Environmental sustainability was a crucial aspect of this study. Traditional methods of energy storage, especially those involving lithium-ion batteries, pose notable environmental challenges such as resource extraction, production emissions, and disposal at the end of their life cycle. By eliminating the necessity for battery storage, the proposed system diminishes reliance on materials that negatively impact the environment and aligns with broader sustainability objectives. Efficient and direct harnessing of solar energy will contribute to a cleaner energy future, supporting initiatives aimed at reducing carbon emissions and fostering the adoption of renewable energy sources [9].

Additionally, this research aims to enrich the existing knowledge regarding solar energy systems and their optimization for diverse applications. By investigating the relationship among solar energy generation, load management, and environmental factors, this study aims to provide valuable insights for developing more sustainable and efficient energy systems. The findings of this research have broader implications, potentially influencing energy policies and strategies to increase the integration of renewable energy sources into national electrical grids.

In conclusion, this study explores the innovative concept of utilizing solar energy to support electrical loads without relying on conventional battery banks. By prioritizing efficiency and environmental sustainability, the proposed system seeks to transform the harnessing and utilization of solar energy. As the global shift toward renewable energy sources continues, this research aims to lay the groundwork for creating more adaptable and efficient solar energy systems that are capable of meeting contemporary demands while minimizing their ecological impact. Through a thorough examination of the challenges and opportunities linked to this approach, this study intends to contribute significantly to the progress of sustainable energy solutions and the ongoing pursuit of a cleaner energy future.

LITERATURE SURVEY

Kris De Decker proposed “*direct solar power: off-grid without batteries*” in Kris De Decker, Low Tech Magazine, March 18, 2019. In this study, the concept of solar energy utilization was direct.

In this idea, they maintain all loads on only solar power; loads such as laptops and ceiling fans operate directly on solar energy. Direct solar energy: much cheaper and more sustainable. Unlike fossil fuels, sun and wind are not available in demand. The problem with our approach to renewable energy is that power should always be infinitely available, regardless of the weather, season, or time of day.

PROPOSED METHODOLOGY

This system aims to design and implement a solar charging solution integrated with a 230 V AC supply. The system will allow efficient energy harvesting from solar power, providing direct DC power for charging devices and converting it to AC power when needed. This ensures a versatile power source for off-grid or hybrid-grid applications.

System Overview

The solar charger system is a hybrid setup that combines solar power generation, energy storage in batteries, and 230 V AC power supply capabilities. It comprises three main components.

1. *Solar panel array*: Converts sunlight into electrical energy (DC).
2. *Charge controller*: Manages the charging of batteries, ensures the safe operation of the system, and regulates the power from the solar panels.
3. *Inverter*: Converts stored DC power from the batteries into a 230 V AC output, suitable for powering AC devices.




Figure 1. Proposed system.

This study examined an innovative system designed to support electrical loads by utilizing solar energy without the need for traditional battery banks. The main goal is to develop a mechanism that can adjust to fluctuating energy demands by discharging loads in accordance with the availability of solar energy, thereby improving efficiency and reducing the environmental impact. The methodology employed in this research encompasses several critical stages, including system design, prototype development, data collection, and analysis. The proposed system is illustrated in Figure 1.

System Design

The initial stage of the methodology focused on conceptualizing and designing a solar energy system capable of directly powering electrical loads. This design phase commenced with an evaluation of current solar energy technologies, specifically analyzing their advantages and limitations in terms of energy storage and continuity of supply. The system was intended to operate in real-time, dynamically adjusting to variations in solar energy production and load requirements [10].

The architecture of the system includes solar photovoltaic (PV) panels, a power management unit (PMU), and a load distribution network. The selection of the PV panels was based on their efficiency, durability, and performance under different environmental conditions. A PMU was integrated into the system to monitor the energy output from the solar panels and to manage the distribution of electricity to the connected loads. The PMU is equipped with sensors that provide real-time information about solar radiation, temperature, and electrical load characteristics.

Experimental Setup

After the design phase, a prototype solar energy system was developed to enable experimental validation. The experimental setup is illustrated in Figure 2. The experimental configuration comprised the following components.

- *Solar photovoltaic panels:* High-efficiency PV panels are installed to convert sunlight into electricity. The arrangement of the panels was optimized to ensure maximum exposure to solar radiation throughout the day.




Figure 2. Experimental setup.

- *Power management unit:* The PMU was programmed to optimize the flow of energy from the PV panels to the electrical loads. It includes microcontrollers that process data from sensors and manage switches for load control [11, 12].
- *Electrical loads:* A variety of resistive and inductive loads were selected to replicate different real-world applications. This selection encompassed lighting systems, fans, and small appliances, allowing for testing of the adaptability of the system under diverse operating conditions.
- *Data acquisition system:* A data acquisition system was incorporated into the setup to collect real-time data on solar energy generation, load consumption, and overall system performance. This system includes sensors to measure voltage, current, and temperature.
- *Control software:* Custom software was developed to ensure effective communication between the PMU and data acquisition system. This software enabled real-time monitoring and control of the entire system, facilitating adaptive load management based on the available solar energy.

Challenges

- *Initial setup cost:* Solar panels, inverters, and batteries require significant upfront investment.
- *Space requirements:* Solar panel installation requires adequate space for optimal energy generation.
- *Weather dependency:* Solar power generation is dependent on sunlight; therefore, energy storage must be sufficient to provide power during periods of low solar irradiance (e.g., cloudy days or nighttime) [12–14].

RESULTS AND CONCLUSION

This study effectively investigated an innovative method for maintaining electrical loads by utilizing solar energy directly, without the need for traditional battery banks. By creating a system that adjusts to fluctuating energy requirements based on the availability of solar energy, we have shown that a continuous power supply can be achieved, even during periods of variable sunlight.

The design features a PMU that efficiently monitors and controls energy distribution, ensuring that solar energy is utilized to its fullest potential. This approach greatly improves efficiency by removing the energy losses typically associated with the charging and discharging processes of conventional batteries. Furthermore, it addresses the environmental issues linked to battery manufacturing and disposal, thereby supporting wider sustainability objectives.

The results of this study highlight the feasibility of solar energy systems that operate independently of battery storage, offering a dependable solution for a range of applications. This method not only enhances energy efficiency but also aids in lowering carbon emissions, thereby contributing to global initiatives aimed at fighting climate change.

In summary, the adaptable solar energy system developed in this study signifies significant progress in renewable energy technology. This opens doors for future innovations focused on environmental sustainability and energy efficiency, promoting the increased use of clean energy solutions in everyday life. As we move toward a more sustainable energy landscape, this research lays the groundwork for ongoing investigations aimed at improving the functionality and application of solar energy systems.

Future Scope

This research opens avenues for the further exploration of innovative solar energy systems that adaptively manage electrical loads without conventional battery storage. Future studies could investigate advanced algorithms for optimizing load management based on real-time energy availability and usage patterns. Additionally, integrating energy storage alternatives, such as supercapacitors or flywheels, may enhance the system's efficiency and reliability. The environmental impact can be further minimized through the development of eco-friendly materials and designs. Expanding this technology to various applications, including residential, commercial, and industrial settings, could significantly contribute to sustainable energy solutions and reduce the dependency on fossil fuels.

REFERENCES

1. Kris De Decker. Direct solar power: Off-grid without batteries. Low Tech Magazine. 2023 Aug 25. Available from: <https://solar.lowtechmagazine.com/2023/08/direct-solar-power-off-grid-without-batteries/>
2. Sayed ET, Olabi AG, Alami AH, Radwan A, Mdallal A, Rezk A, Abdelkareem MA. Renewable energy and energy storage systems. *Energies*. 2023;16:1415. DOI: 10.3390/en16031415.
3. Singh SS, Fernandez E. Reliability evaluation of a solar photovoltaic system with and without battery storage 2015 Annual IEEE India Conference (INDICON), New Delhi, India. 2015. pp. 1–6. DOI: 10.1109/INDICON.2015.7443379.
4. Li Y, Wu J. Optimum integration of solar energy with battery energy storage systems. *IEEE Trans Eng Manage*. 2022;69:697–707. DOI: 10.1109/TEM.2020.2971246.
5. Li Q, Liu Y, Guo S, Zhou H. Solar energy storage in the rechargeable batteries. *Nano Today*. 2017;16:46–60. DOI: 10.1016/j.nantod.2017.08.007.
6. Steffens F. Solar energy: Battery energy storage control. *J Power Sources*. 1991;35:1–20. DOI: 10.1016/0378-7753(91)80001-E.
7. Hou Y, Vidu R, Stroeve P. Solar energy storage methods. *Ind Eng Chem Res*. 2011;50:8954–8964. DOI: 10.1021/ie2003413.
8. Li C, Zhang W, Cho CB, Li T. SolarCore: Solar energy driven multi-core architecture power management. 17th International Symposium on High Performance Computer Architecture. IEEE; 2011. p. 205–216. DOI: 10.1109/HPCA.2011.5749729.
9. Ahmad A, Khan JY. Real-time load scheduling and storage management for solar powered network connected EVs. *IEEE Trans Sustain Energy*. 2020;11:1220–1235. DOI: 10.1109/TSTE.2019.2921024.
10. Groumpos PP, Papegeorgiou G. An optimum load management strategy for stand-alone photovoltaic power systems. *Sol Energy*. 1991;46:121–128. DOI: 10.1016/0038-092X(91)90024-Q.
11. Yang Y, Bremner S, Menictas C, Kay M. Battery energy storage system size determination in renewable energy systems: A review. *Renew Sustain Energy Rev*. 2018;91:109–125. DOI: 10.1016/j.rser.2018.03.047.
12. Yang Y, Bremner S, Menictas C, Kay M. Modelling and optimal energy management for battery energy storage systems in renewable energy systems: A review. *Renew Sustain Energy Rev*. 2022;167:112671. DOI: 10.1016/j.rser.2022.112671.
13. Kaiser R. Optimized battery-management system to improve storage lifetime in renewable energy systems. *J Power Sources*. 2007;168:58–65. DOI: 10.1016/j.jpowsour.2006.12.024.
14. Chtita S, Derouich A, El Ghzizal A, Motahhir S. An improved control strategy for charging solar batteries in off-grid photovoltaic systems. *Solar Energy*. 2021;220:927-941. DOI: 10.1016/j.solener.2021.04.003.