

The Impact of High-Performance Computing on FEA and CFD Simulations

Pallavi Sindhu^{1,*}, Raj kumar², Shiv Kumar Rajak¹

Abstract

The integration of advanced simulation techniques, such as Finite Element Analysis (FEA) and Computational Fluid Dynamics (CFD), has transformed mechanical design by enabling engineers to develop optimized, efficient, and reliable systems. FEA is widely applied to analyze structural mechanics, thermal stresses, and vibrations, offering detailed insights into material behavior and design performance. On the other hand, CFD focuses on simulating fluid flow, heat transfer, and aerodynamic performance, making it indispensable across industries like aerospace, automotive, and energy. Together, these tools facilitate comprehensive analysis and validation of mechanical systems, significantly reducing development time and costs. This study explores the principles, applications, and advantages of FEA and CFD in mechanical design, emphasizing their role in improving innovation and precision. Key processes such as modeling, meshing, and simulation are discussed, alongside best practices for achieving accurate and reliable results. Challenges like computational requirements and proper boundary condition settings are also examined. Real-world examples highlight the impact of these techniques, demonstrating how they drive the creation of cutting-edge technologies. As the need for high-performance and sustainable designs grows, FEA and CFD continue to advance engineering by enabling efficient and effective solutions for complex mechanical systems.

Keywords: Finite element analysis (FEA), computational fluid dynamics (CFD), mechanical design, advanced simulation techniques, structural mechanics, fluid flow simulation, heat transfer analysis, aerodynamics, design optimization, engineering simulation, thermal stress analysis, vibration analysis

INTRODUCTION

Finite element analysis (FEA) is the most common model-based numerical method used in solving complex engineering problems. FEA is designed to solve problems related to structures, materials, elements, and mechanical systems by dividing them into small elements. After the split, every sub entity-local area is then evaluated using computations [1]. Indeed, such calculative efforts inform about behaviors of the said entity under various environments such as tension, temperature, vibration, or compressive forces. When the results of these discrete entities are compounded, the final version of the

*Author for Correspondence

Pallavi Sindhu

E-mail: pallavisindhu08@gmail.com

¹Assistant Professor, Department of Mechanical Engineering, Government Engineering College, Sheikhpura, Bihar, India

²Assistant Professor, Department of Mechanical Engineering, Suresh Gyan Vihar University, Jaipur, Rajasthan, India

Received Date: April 15, 2025

Accepted Date: May 07, 2025

Published Date: May 22, 2025

Citation: Pallavi Sindhu, Raj Kumar, Shiv Kumar Rajak. The Impact of High-Performance Computing on FEA and CFD Simulations. *Journal of Mobile Computing, Communications & Mobile Networks*. 2025; 15(2): 26–35p.

structure tends to exactly match the conditions and loads applied in the actual case. FEA is commonly used in industries such as aerospace, automobile, construction, and medical device manufacturing to design devices that are not only good in lieu of serving the purpose but are safety friendly as well [2]. FEA analysis brings about advancements in technology and ease of application greater than the years portrayed by growth in the arrivals of new additional products. One can visualize how a product would operate in different situations before fabricating it, and this aids greatly on preproduction cost reduction. For instance, regarding the automobile sector, due to the emergence of FEA,

crash tests can now be simulated without all the real vehicle destruction [3]. Further, it is through FEA that designs can be optimized such that the problems are identified by inferior components' suggestions of materials or changes to the structures are also suggested. This information makes FEA as an imperative evolutionary intervention in the enhancement of products in all the engineering fields [4].

Computational fluid dynamics (CFD) may be the essential branch of fluid dynamics that employs numerical methods to analyze and predict the behavior of fluids. These fluids include air, water, and gases in their interactions with surfaces. Through digital models, the engineers can simulate fluid flow, turbulence, heat transfer, and other dynamic properties, providing valuable insights about complex fluid interactions. This method removes the need for expensive and time-consuming physical experiments [5]. It has thus become a tool that cannot be discarded in study and industry. CFD has its applications in various fields, such as the aerospace sector, where it is used for the optimization of the aerodynamics of an aircraft, the automotive sector, where a vehicle can be more efficient and save fuel, and the energy industry, where it affects the design of wind turbines, cooling systems, and combustion processes alike. In addition to biomedicine, it also finds application in simulating blood flow and respiratory dynamics, a factor that enhances health care [6]. The continuous evolvement of CFD, along with high-performance computing (HPC) and artificial intelligence (AI) advancing, has upped the accuracy and efficiency in fluid numerical simulations, ensuring almost exact predictions as well as innovative engineering solutions. On this note, the present review assumes toward a greater realization of the influence of such innovative computer advancements in CFD, highlighting the key projections, challenges, and future perspectives of CFD [7]. Figure 1 shows the applications and impact of FEA and CFD.

Finite Element analysis has power and much value, where one can import variables and run into complex internal engineering problems within the mechanical, civil, and aeronautics industries. Generally, though, FEA mainly concerns solving problems in structural analysis, used in predictive behavior of materials in processing, as well as in mechanical systems evaluation by dividing complex structures into smaller parts since they can be neutral to the engineers' assessments of stress distribution and deformation and points of failure in existing designs without engaging in manufacturing-reduction cost, improving safety, and increasing performance factors [8]. CFD is no less than FEA in applications for modeling not only the temperature distribution but also the flow of fluids through thermal features, aerodynamics, as well as other heat exchanges. All of these problems are solved mathematically through numerical solutions of complex fluid dynamics equations, which in turn become invaluable asset as applications for vehicle aerodynamics, HVAC system design, bimolecular fluid mechanics, and environmental engineering [9]. Certainly, that contributed to the power of both FEA and CFD in modeling real physical phenomena asynchronously completed with their respective prototypes, from creating expensive physical prototypes to giving remarkable amounts of data to engineers and researchers to better design efficient, more reliable, easily adaptable, and innovative solutions in industries as varied as automotive, aerospace, energy, and biomedical engineering [10].




Figure 1. Applications and impact of FEA and CFD.

FUNDAMENTALS OF FEA AND CFD

Finite Element Analysis (FEA) and Computational Fluid Dynamics (CFD) are fundamentals operating on numerical methods with which engineers across the world can solve quite complex engineering problems accurately and efficiently. Primarily applied for the examination of behavior with respect to structures, materials, and mechanical systems, FEA achieves this by discretizing systems into smaller finite elements and allowing the resultant computational formulation to cope with the problem in a more manageable fashion [11]. The parameters such as stress distribution, strain, and deformation under application of various kinds of loading conditions are crucial in prediction of the performances and durability of designs before they reach manufacturing or real-world application. The very heart of engineering design is mechanics, where such analyses are extremely applicable and requisite in ensuring structural integrity and safety in fields such as mechanical, civil, and aerospace engineering. FEA will allow engineers to simulate the action of various forces in real-world conditions for various materials to reduce their overall material usage and cost and meet safety standards of acceptance within the industry [12]. Thus, with the exponential increase in computing power, FEA has become a general-purpose engineering design tool yielding critical results on the performance of materials and structures under different operating conditions.

Similarly, CFD serves well for the study and prediction of fluid behavior in different engineering applications, concerning fluid flow, heat transfer, and turbulence. This area of computation becomes indispensable in industries where understanding how fluids interact with solid surfaces is paramount, e.g., aerodynamics, automobile design, HVAC design, biomedical engineering, and environmental studies [13]. CFD breaks the fluid domain into smaller regions, allowing engineers to visualize and analyze the movement of gases and liquids within complex geometries, optimizing airflow, cooling and heating processes, and overall system performance. CFD is paramount for industries such as aerospace, where improved aerodynamic performance means less fuel consumption and greater vehicle stability, or biomedical applications, where understanding blood flow dynamics aids the development of life-saving medical devices. Both FEA and CFD are essential computational techniques that serve engineers into the refinement and optimization of designs prior to any commitment to expensive physical prototypes, thus saving time, reducing costs, and enhancing overall quality and performance of engineered systems [14].

Applications of FEA and CFD in Mechanical Design

The finite element technique is applied to resolving difficult structural and mechanical problems whereby a model is broken down into small, finite elements. These elements are connected at certain locations called nodes to form a mesh representing the entire structure. FEA uses mathematical modeling to predict the behavior of materials and structures when subjected to forces, heat, vibrations, and other external conditions. In this way, engineers can calculate stress distribution, strain, displacement, and fatigue life [15]. This enables them to predict potential failures of a design and optimize it. Nowadays, FEA is used in mechanical, civil, and aerospace engineering, as this degree of analysis provides the opportunity to evaluate various types of materials, load conditions, and boundary constraints without having to build physical prototypes. The major components addressed in FEA involve discretization (meshing), selection of appropriate element types, application of boundary and IP loads, and application of methods of numerical solution such as the finite element method (FEM) for the attainment of accurate results [16].

CFD is an abbreviation for Computational Fluid Dynamics, which has been used as one of the numerical techniques for analyzing and predicting fluid behavior, including flow dynamics, heat transfer, and turbulence in real complex systems. It differs from the experimental methods of modelling fluids interacting with surfaces and different properties of fluids not requiring any physical test characteristics [17]. In addition, this is made possible by actually discretizing the entire fluid domain in mesh and applying the governing physical laws like conservation of mass, momentum, and energy to predict fluid behavior under different conditions. It is quite important in aerospace, automobile, HVAC, and biomedical engineering industries, where flow optimization is necessary for improving efficiency,

reducing drag, effecting better cooling and heating processes, and achieving better aerodynamics. The key steps in CFD are pre-processing (geometry and meshing), solving (applying numerical methodologies to approximate solutions) and post-processing (visualizing and analyzing flow), making it a most credible and up-to-date tool for studying complex fluid problem dynamics [18].

Whereas both FEA and CFD solve engineering problems by numerical techniques, they differ vastly in the specific areas of application and focus. The area of structural analysis is predominantly covered by FEA. It works with solid materials, addressing the mechanical stresses and deformations of these materials. Meanwhile, CFD addresses fluid motion, heat transfer, and aerodynamic performance. In terms of fundamental differences, FEA mode-sets for the solution of problems regarding equilibrium and deformation in solid structures, while CFD captures the modeling of fluid flow behavior and thermal interactions [19]. In outside endeavors, FEA and CFD dominate the reconciliation of these engineering applications. In aerospace design, for instance, structural integrity analysis of aircraft components is done through FEA techniques while optimization of aerodynamic efficiency is carried out through CFD.

Further, in the automobile industry, FEA concerns crash safety and material strength whereas CFD helps in improving fuel economy and cooling efficiency [20]. This complementarity of FEA and CFD enables engineers to achieve better accuracy, efficiency, and optimization in their design, thus eventually saving on development costs and maximizing performance potential. It is indeed true that FEA has been known to be used in the analysis of thermal stresses and heat transfer within the material analyzed [21]. Mention could be made regarding prediction of thermal expansion and ensuring structural integrity in environments with high temperature, as found in aerospace, automotive, and power generation fields. Vibration analysis and fatigue prediction are carried out using FEA to examine how dynamic behavior affects structures, which includes resonance effects and fatigue assessment under cyclic loading, thereby allowing for the assurance of durability and reliability in industries such as aerospace, automotive, and machinery [22]. To analyze how gases and liquids move through systems, CFD is used for fluid flow simulation and optimization so that engineers can refine designs for improved efficiency, reduced pressure losses, and increased performance in applications like pipelines, turbines, and cooling systems across industries [23]. The method of computational fluid dynamics finds application in heat transfer and thermal management, where it studies the way that heat moves through conduction, convection, and radiation in mechanical systems. The CFD process allows for the optimization of cooling methods to prevent overheating while also promoting energy-efficient operation in applications such as electronics cooling, the design of automotive engines, aerospace thermal control, and HVAC [24]. It allows CFD to simulate temperature distribution and fluid interactions so that effective designs for cooling systems, cooling circuits, and ventilation systems can be developed to ensure the highest possible thermal performance and longevity of critical components.

Key Processes in FEA and CFD

Accurate modeling is the basis of any reliable simulation for both finite element analysis (FEA) and computational fluid dynamics (CFD). The engineer must generate an accurate representation of the physical system, including yawning factors such as: material properties, geometry, and loading conditions. In modeling in FEA, the structural components are defined, element types are selected, and relevant constraints are applied that would allow an accurate description of the stress, strain, and deformation behavior [25]. In CFD modeling, fluid domains are defined, turbulence models specified, and multiphase flow or heat transfer effects accounted for. Correct modeling techniques ultimately enhance simulation accuracy, reduce computation overheads, and ensure the results' relevance to the performance in practice. The meshing process, being imperative to both FEA and CFD, determines the accuracy and efficiency of the simulation. In FEA, meshing consists of modeling the structure as a finite element mesh, with a finer mesh required in areas of high stress concentration, which provides improved accuracy. The selection of different element types, be it tetrahedral or hexahedral elements, depends on the complexity of the geometry and type of analysis. Meshing works by discretizing the fluid domain into control volumes in CFD, where a good quality mesh is essential for the boundary layer effect, turbulence,




Figure 2. Refining simulation models for accuracy.

and flow separation to be accurately captured [26]. These include adaptive meshing and grid independence tests to achieve mesh refinement, thus achieving the right balance between computational cost and accuracy of the solution, thereby ensuring the simulation results are reliable. Additionally, Figure 2 shows the refining simulation models for accuracy.

The boundary conditions are important terms that play much role in making the FEA and CFD simulations accurate and realistic. Boundary conditions involve the applied forces, constraints, thermal loads, and contact interactions in FEA, and these are the factors that govern how a structure behaves under different operating situations [27]. In that, an engineer should carefully define conditions for being able to approximate the real-world situations as much as possible, and that they might not be overly simplified to the extent that would render results invalid or unreliable. All those boundaries in CFD also include defining inlet and outlet velocities, pressure gradient specification, temperature profile, and turbulence parameters [28]. Therefore, boundary conditions influence fluid flow prediction, heat transfer, and aerodynamics. Appropriate boundary conditions make defined simulations able to lead to design optimization, performance improvements, and engineering decisions based on non-robust assumptions.

Challenges in FEA and CFD

Both the Finite Element Analysis (FEA) and Computational Fluid Dynamics (CFD) are marked by very high computational costs and have all the complex simulations carrying very high-performance computing (HPC) needs to maintain accuracy and efficiency. These results are unguided and scientifically dependent on convergence studies and experimental validations based on boundary conditions, due to poor or excessively assuming flow conditions. Hence, before attachment to physical parameters, utmost care has to be taken in boundary condition settings. In addition to other challenges, poor optimization as well as the challenge of integrating software obstructs multi-physics coupling and concurrent collaboration with CAD and PLM as well as AI-driven tools, which would call for custom solutions. Having all optimally computing facilities supplemented by full-fledged validation, boundary conditions perfect to the requirement, as well as better soft-software integration, have to be given in order to reflect reliable simulations.

When considering the fluid and solid interactions of cardiovascular systems, finite-element analysis (FEA) and computational fluid dynamics (CFD) alone may be inadequate. An environment is then created in which the hydrodynamic and structural domains interact more accurately through the use of fluid-structure interaction (FSI) techniques [29]. In recent years, the trend has been observed to increase in the use of FSI in cardiovascular engineering to study aneurysms, heart valve dynamics, blood pump flow, and atherosclerosis. In a systematic way, over 1,000 journal articles have been reviewed covering One-Way FSI and Two-Way FSI implementations, their area of computational demand, and future advancements pertaining to cardiovascular applications.

Aortic valve defects are mainly common clinical conditions and are mostly treated using transcatheter aortic valve replacement (TAVR) with bioprosthetic heart valves (BHV). Accurate pre-operative planning is essential for achieving successful outcomes, and computational methods like computational fluid dynamics (CFD), finite element analysis (FEA), and fluid structure interaction (FSI) have been more commonly used to perform analyses of BHV mechanics. However, because of high computational expense and intricate nature of modeling, these methods are not able to find wider applications. Recent developments in deep learning (DL) are fast becoming real-time alternatives for hemodynamic studies, assuring quicker and easier decision-making [30]. This study examines classical computational modeling, medical imaging, and DL-based approaches toward TAVR planning, keeping the spotlight on key datasets, models, and results. Also, an end-to-end advanced DL framework solicits real-time BHV assessment to assist clinicians in treatment optimization, risk lowering, and enhanced patient care.

Heat pipes are highly advanced thermal devices which are used in high heat flux applications such as fuel engines and hydrogen storage tanks. Such pipes include finned heat pipes which are preferred in heat enhancement and to widen the operating range. In this regard, this work evaluated finned and finless distilled-water-based sintered wicked and grooved heat pipes with surface temperature distribution, thermal conductivity, and thermal resistance as the main points of comparison. Results indicate that fins give a significant boost in performance in the case of sintered heat pipes, with the increment of 73.2% in thermal conductivity alongside a drop of 42% in thermal resistance, while thermal conductivity decreases 58.8% around grooved heat pipes and held 1.43 times higher thermal resistance [31]. They, therefore, increase the operating range of sintered heat pipes by 47% and grooved heat pipes by 30.1% at 20 W. On the other hand, the best displayed performance is that of finless grooved heat pipes which had an evaporator surface temperature 4.7% less than those of other configurations.

Transcatheter Aortic Valve Replacement (TAVR) is a procedure of minimally invasive surgery to replace a diseased aortic valve without performing open-heart surgery. But there are many risks associated with this procedure, including tissue rupture, coronary obstruction, valve thrombosis, and paravalvular leaks. Computational models have surfaced as a predicted and versatile tool for predicting these conditions when the patient-specific anatomy is inputted with the device so that complications can be assessed preoperatively [32]. It includes simulating stent behavior and leaflet behavior by means of fluid mechanics and structural analysis. The review highlights existing predictive methods and potential space for reduced-order modelling with regard to cost reduction in the computational effort, as well as a survey of current and in-development commercial software for better TAVR outcome forecasting.

Image-Based Simulation (IBSim) generates digital representations of real geometries from image data, offering higher accuracy than traditional CAD-based simulations. Originally developed in biomedical applications, it has now found its way to High-Value Manufacturing (HVM) for non-destructive testing (NDT/NDE), specifically in cases of discrepancies between a designed and manufactured state of parts or where geometries are too complex for CAD modeling [33]. One aspect of IBSim is that it permits virtual part testing on a batch basis in a manufacturing environment, which is significant for composites, foams, and welded interfaces. The review focuses on various applications of IBSim for material characterization, manufacturing methods, product customization, biomimicry, and design deviations, along with insights into future developments and trends of this technology.

The ever-increasing reliance on lithium-ion batteries across portable electronic gadgets and electric vehicles has triggered alarming concerns over their safety. From the above argument, it should not be forgotten that battery separators play a pivotal role in electrode protection and ionic transport. Consequently, the properties of separators have direct consequences on the overall battery performance and safety, thus calling for proper development geared towards the prevention of fire and explosions [34]. Advanced materials' application has resulted in novel separators with improved electrical, safety, and thermal characteristics. This review highlights advancements in numerical modeling along with a summary of important physical properties and performance benchmarks and recent simulation studies for insight into the future of battery separators technology.

Table 1. Comparative Insights on Computational Simulation and Industrial Applications.

Topic	Key focus	Challenges	Future directions
Fluid-Structure Interaction in Cardiovascular Systems	Use of FSI techniques to improve modeling accuracy in cardiovascular applications.	High computational demand, validation complexity.	Enhanced FSI modeling, improved computational efficiency.
Transcatheter Aortic Valve Replacement (TAVR) and Computational Modeling	CFD, FEA, and FSI for BHV analysis; deep learning for real-time hemodynamic studies.	High computational cost, complex modeling limits applications.	Integration of AI and deep learning for faster TAVR planning.
Heat Pipes for High Heat Flux Applications	Comparison of finned and finless heat pipes; impact on thermal performance.	Thermal conductivity variations, efficiency optimization.	Development of advanced materials for better thermal performance.
TAVR and Predictive Computational Models	Computational models predicting TAVR complications; reduced-order modeling for cost efficiency.	Complications in patient-specific modeling, software limitations.	Expansion of reduced-order modeling for cost-effective predictions.
Image-Based Simulation (IBSim) in High-Value Manufacturing	IBSim for non-destructive testing (NDT) and manufacturing defect analysis.	Challenges in CAD integration, high-resolution imaging needs.	Greater adoption in aerospace, biomedical, and automotive sectors.
Lithium-Ion Battery Safety and Separators	Battery separator properties affecting performance and safety; advancements in numerical modeling.	Material limitations, safety concerns, separator degradation.	Advanced separator materials with higher stability and efficiency.
Switched Reluctance Machines (SRMs) and Design Optimization	SRM optimization through electromagnetic, thermal modeling, and topology improvements.	Torque ripple, vibration issues, complex optimization.	Improved SRM topologies, better control strategies for reduced torque ripple.
Additive Manufacturing (AM) and Laser-Based Powder Bed Fusion (L-PBF)	L-PBF in AM for customized, high-efficiency electrochemical electrodes.	Material compatibility, process control, industry adoption.	Expanded applications in high-performance energy and biomedical industries.

The industrial applications for switched reluctance machines are gaining traction due to their simple, magnet-free construction, low-cost manufacture, high reliability, and excellent power-speed characteristics. Their double-salient structure creates nonlinear inductance and flux linkage, resulting in high torque ripple and vibrations, which are their main challenges. Substantial research has been dedicated to design optimization, which includes electromagnetic and thermal modeling, novel topologies, and optimization techniques [35]. This study extensively evaluates existing optimization strategies that have been applied thus far and outlines forthcoming directions to further improve the operational efficiency and reliability of switched reluctance machines, thus spurring their wider acceptance in industrial applications.

Additive Manufacturing (AM) encompasses seven branches, with laser-based powder bed fusion (L-PBF) standing out for its rapidity and cost efficiencies in achieving customization and resource-saving production across a variety of materials. This study reviews the application of L-PBF in the manufacturing of metal electrodes for the electrochemical process and seeks to fill a gap in the literature by delving into the possible advantages of this process in electrochemical reactors [36]. Industrially, electrochemical cells demand electrodes that have a huge interface with the electrolyte, ones possessing high surface area and beneficial mass transport for optimizing efficiencies. This review therefore highlights that L-PBF can be adopted to produce optimized electrodes for such critical demands, making it a potential candidate for industrial exotic applications. Furthermore, Table 1 highlights the comparative insights on computational simulation and industrial applications.

CONCLUSION

With High-Performance Computing (HPC), the strides being made in Finite Element Analysis (FEA) and Computational Fluid Dynamics (CFD) enabled close to exact analysis of structural integrity, fluid

dynamics, and heat transfer in several industries such as aerospace, biomedical, and manufacturing. However, some of the disadvantages include high computational time, complex boundary conditions, and software integration issues, which require the modeling techniques and optimization strategies to keep evolving. With the integration of Fluid-Structure Interaction (FSI), Deep Learning (DL), and Image-Based Simulation (IBSim), their applications have found a foothold in several fields such as biomedical engineering and industrial automation. In the future, research should focus on improving computational efficiency, accuracy, and the development of AI-driven predictive models for lowering costs and optimizing decision-making. As computational methods evolve, their more extensive implementation, and interdisciplinary applications, will continue to catalyze developing smarter, more efficient, and sustainable engineering solutions.

REFERENCES

1. Nath D, Ankit, Neog DR, Gautam SS. Application of machine learning and deep learning in finite element analysis: a comprehensive review. *Arch Comput Methods Eng.* 2024; 31(5): 2945–84. <https://doi.org/10.1007/s11831-024-10063-0>
2. Raizer A, Elias EP, da Silva JV, da Luz MVF, Coelho VL, Telló M. A comparative analysis of grounding in different structures: Operational vs. finite element method models. *Electr Power Syst Res.* 2024; 230: 110243. <https://doi.org/10.1016/j.epsr.2024.110243>
3. Hafeez MB, Krawczuk M. Fractional Spectral and Fractional Finite Element Methods: A Comprehensive Review and Future Prospects. *Arch Comput Methods Eng.* 2024; 31(6): 3443–54. <https://doi.org/10.1007/s11831-024-10083-w>
4. Raouf I, Gas P, Kim HS. Advances in finite element analysis for cancer therapy focusing on magnetic nanoparticle hyperthermia. *Multiscale Sci Eng.* 2024;6:113–23. doi:10.1007/s42493-024-00116-8.
5. Zhang W, Calderon-Sanchez J, Duque D, Souto-Iglesias A. Computational fluid dynamics (CFD) applications in floating offshore wind turbine (FOWT) dynamics: A review. *Appl Ocean Res.* 2024; 150: 104075. <https://doi.org/10.1016/j.apor.2024.104075>
6. Li Z, Zhou T, Lu W, Yang H, Li Y, Liu Y, *et al.* Computational Fluid Dynamics (CFD) Technology Methodology and Analysis of Waste Heat Recovery from High-Temperature Solid Granule: A Review. *Sustainability.* 2025; 17(2): 480. <https://doi.org/10.3390/su17020480>
7. Hajdukiewicz M, Gallero FJG, Mannion P, Loomans MG, Keane MM. A narrative review to credible computational fluid dynamics models of naturally ventilated built environments. *Renew Sustain Energy Rev.* 2024; 198: 114404. <https://doi.org/10.1016/j.rser.2024.114404>
8. Sarwari S, Qiao Y, Rafi MA. A Short Review Note on Finite Element Method for Hydraulic Structural Engineering. *J Eng Sci Technol Trends.* 2024; 1(2): 69–75. <https://doi.org/10.48112/jestt.v1i2.826>
9. Dave A, Santos RD, Siddiqi U, Dharia A, Li W, Siddiqi U, *et al.* Applications of Computational Fluid Dynamics in Congenital Heart Disease: A Review. *J Cardiovasc Dev Dis.* 2025; 12(2): 70. <https://doi.org/10.3390/jcdd12020070>
10. Szpicer A, Bińkowska W, Stelmasiak A, Zalewska M, Wojtasik-Kalinowska I, Piwowarski K, *et al.* Computational fluid dynamics simulation of thermal processes in food technology and their applications in the food industry. *Appl Sci.* 2025; 15(1): 424. <https://doi.org/10.3390/app15010424>
11. Barbhuiya S, Jivkov A, Das BB. A review of multi-scale modelling of concrete deterioration: Fundamentals, techniques and perspectives. *Constr Build Mater.* 2023; 406: 133472. <https://doi.org/10.1016/j.conbuildmat.2023.133472>
12. Akbari M, Asadi P, Sadowski T. A review on friction stir welding/processing: numerical modeling. *Materials.* 2023; 16(17): 5890. <https://doi.org/10.3390/ma16175890>
13. Singh S, Kharub M, Singh J, Singh J, Jangid V. Brief survey on mechanical failure and preventive mechanism of turbine blades. *Mater Today Proc.* 2021; 38: 2515–24. <https://doi.org/10.1016/j.matpr.2020.07.546>
14. Radgolchin M, Anbarsooz M. Fatigue failure of centrifugal compressor impellers: a comprehensive review. *Eng Fail Anal.* 2023; 153: 107592. <https://doi.org/10.1016/j.engfailanal.2023.107592>

15. Müzel SD, Bonhin EP, Guimarães NM, Guidi ES. Application of the finite element method in the analysis of composite materials: A review. *Polymers*. 2020; 12(4): 818. <https://doi.org/10.3390/polym12040818>
16. Shen B, Chen Y, Li C, Wang S, Chen X. Superconducting fault current limiter (SFCL): Experiment and the simulation from finite-element method (FEM) to power/energy system software. *Energy*. 2021; 234: 121251. <https://doi.org/10.1016/j.energy.2021.121251>
17. Gupta N, Bhardwaj N, Khan GM, Dave V. Global trends of computational fluid dynamics to resolve real world problems in the contemporary era. *Curr Biochem Eng*. 2020; 6(3): 136–55. <https://doi.org/10.1007/s11356-022-18952-2>
18. Purnachandrakumar D, Mittal G, Sharma RK, Singh DB, Tiwari S, Sinhmar H. Review on performance assessment of solar stills using computational fluid dynamics (CFD). *Environ Sci Pollut Res*. 2022; 29(26): 38673–714. <https://doi.org/10.1007/s11356-022-18952-2>
19. Gupta V, Jameel A, Verma SK, Anand S, Anand Y. An insight on NURBS based isogeometric analysis, its current status and involvement in mechanical applications. *Arch Comput Methods Eng*. 2023; 30(2): 1187–230. <https://doi.org/10.1007/s11831-022-09838-0>
20. Yan Q, Shen S, Wang Y, Weng J, Wan A, Yang G, *et al*. The finite element analysis research on microneedle design strategy and transdermal drug delivery system. *Pharmaceutics*. 2022; 14(8): 1625. <https://doi.org/10.3390/pharmaceutics14081625>
21. Reddy MV, Hemasunder B, Ramana SV, Babu PR, Thejasree P, Joseph J. State of art on FEM approach in inverse heat transfer problems for different materials. *Mater Today Proc*. 2023. <https://doi.org/10.1016/j.matpr.2023.06.323>
22. Gbagba S, Maccioni L, Concli F. Advances in machine learning techniques used in fatigue life prediction of welded structures. *Appl Sci*. 2023; 14(1): 398. <https://doi.org/10.3390/app14010398>
23. Szpicier A, Bińkowska W, Wojtasik-Kalinowska I, Salih SM, Półtorak A. Application of computational fluid dynamics simulations in food industry. *Eur Food Res Technol*. 2023; 249(6): 1411–30. <https://doi.org/10.1007/s00217-023-04231-y>
24. Harris M, Wu H, Zhang W, Angelopoulou A. Overview of recent trends in microchannels for heat transfer and thermal management applications. *Chem Eng Process*. 2022; 181: 109155. <https://doi.org/10.1016/j.cep.2022.109155>
25. Miroir M, Laniel R, Brient A, Kerbrat O. Water jet incremental sheet metal forming: A critical state-of-the-art review and a proposal for technological windows. *Int J Adv Manuf Technol*. 2022; 119(7): 4159–75. <https://doi.org/10.1007/s00170-021-08635-6>
26. Song Y, Zhou T, Bai R, Zhang M, Yang H. Review of CFD-DEM modeling of wet fluidized bed granulation and coating processes. *Processes*. 2023; 11(2): 382. <https://doi.org/10.3390/pr11020382>
27. Kasaei A, Yang W, Wang Z, Yan J. Advancements and applications of rim-driven fans in aerial vehicles: A comprehensive review. *Appl Sci*. 2023; 13(22): 12502. <https://doi.org/10.3390/app132212502>
28. Sachdeva I, Ramesh S, Chadha U, Punugoti H, Selvaraj SK. Computational AI models in VAT photopolymerization: a review, current trends, open issues, and future opportunities. *Neural Comput Appl*. 2022; 34(20): 17207–29. <https://doi.org/10.1007/s00521-022-07694-4>
29. Hirschhorn M, Tchanchaleishvili V, Stevens R, Rossano J, Throckmorton A. Fluid–structure interaction modeling in cardiovascular medicine—A systematic review 2017–2019. *Med Eng Phys*. 2020; 78: 1–13. <https://doi.org/10.1016/j.medengphy.2020.01.008>
30. Tahir AM, Mutlu O, Bensaali F, Ward R, Ghareeb AN, Helmy SM, *et al*. Latest developments in adapting deep learning for assessing TAVR procedures and outcomes. *J Clin Med*. 2023; 12(14): 4774. <https://doi.org/10.3390/jcm12144774>
31. Khalid SU, Hasnain S, Ali HM, Bano S, Nasir MA, Abbas N. Experimental investigation of aluminum fins on relative thermal performance of sintered copper wicked and grooved heat pipes. *Prog Nucl Energy*. 2022; 152: 104374. <https://doi.org/10.1016/j.pnucene.2022.104374>
32. Esmailie F, Razavi A, Yeats B, Sivakumar SK, Chen H, Samaee M, *et al*. Biomechanics of transcatheter aortic valve replacement complications and computational predictive modeling. *Struct Heart*. 2022; 6(2): 100032. <https://doi.org/10.1016/j.shj.2022.100032>

-
33. Evans LM, Sözümert E, Keenan BE, Wood CE, du Plessis A. A review of image-based simulation applications in high-value manufacturing. *Arch Comput Methods Eng.* 2023; 30(3): 1495–552. <https://doi.org/10.1007/s11831-022-09836-2>
 34. Li A, Yuen ACY, Wang W, De Cachinho Cordeiro IM, Wang C, Chen TBY, *et al.* A review on lithium-ion battery separators towards enhanced safety performances and modelling approaches. *Molecules.* 2021; 26(2): 478. <https://doi.org/10.3390/molecules26020478>
 35. Diao K, Sun X, Bramerdorfer G, Cai Y, Lei G, Chen L. Design optimization of switched reluctance machines for performance and reliability enhancements: A review. *Renew Sustain Energy Rev.* 2022; 168: 112785. <https://doi.org/10.1016/j.rser.2022.112785>
 36. Nyamekye P, Nieminen P, Bilesan MR, Repo E, Piili H, Salminen A. Prospects for laser based powder bed fusion in the manufacturing of metal electrodes: A review. *Appl Mater Today.* 2021; 23: 101040. <https://doi.org/10.1016/j.apmt.2021.101040>