STM JOURNALS

International Journal of
Biochemistry and Biomolecules Research

ISSN: 3107-4022
Volume 3, Issue 2, 2025
July–December
DOI (Journal): 10.37591/IJBBR

https://journals.stmjournals.com/ijbbr

Review IJBBR

# Functional Role of Feed Enzymes in Broiler Diets: A Pathway to Enhanced Nutrient Utilization, Performance, Health and Welfare

Md. Emran Hossain*

***Abstract***

*The inclusion of feed enzymes in broiler diets has emerged as a pivotal strategy for improving nutrient utilization, enhancing growth performance, and promoting overall health and welfare in modern poultry production. Feed enzymes, such as phytase, xylanase, and protease, facilitate the breakdown of complex molecules in feed ingredients, leading to increased bioavailability of essential nutrients and improved digestion efficiency. This review explores the underlying mechanisms by which feed enzymes contribute to enhanced nutrient absorption, focusing on their role in mitigating anti-nutritional factors and improving gut health. Additionally, the impact of enzyme supplementation on broiler performance, including weight gain, feed conversion ratio, and carcass quality, is examined in various production contexts. The influence of feed enzymes on animal welfare is also considered, particularly in relation to gut barrier function, immune response, and resilience to environmental stressors. By integrating scientific advancements with practical feeding strategies, this study highlights the potential of feed enzymes to optimize both productivity and welfare in broiler systems, while also contributing to more sustainable poultry production.*

**Keywords:** Feed enzymes, broiler diets, nutrients, biological catalysts, proteases

## INTRODUCTION

In the contemporary landscape of poultry production, achieving optimal growth rates and performance metrics in broilers is crucial for meeting the demands of a growing global population. One of the most significant advancements in poultry nutrition has been the incorporation of feed enzymes, which play a pivotal role in enhancing nutrient utilization, improving overall performance, and promoting the health and welfare of birds. As the costs of conventional feed ingredients, such as corn and soybean meals rise and the demand for sustainable production practices increases, feed enzymes present an innovative solution for poultry producers seeking to optimize their feeding strategies.

***Author for Correspondence**
Md. Emran Hossain
E-mail: emran@cvasu.ac.bd

Professor, Department of Animal Science and Nutrition, Chattogram Veterinary and Animal Sciences University, Khulshi, Chattogram, Bangladesh

Received Date: April 11, 2025
Accepted Date: May 24, 2025
Published Date: July 07, 2025

**Citation:** Md. Emran Hossain. Functional Role of Feed Enzymes in Broiler Diets: A Pathway to Enhanced Nutrient Utilization, Performance, Health and Welfare. International Journal of Biochemistry and Biomolecules Research. 2025; 3(2): 9–17p.

Feed enzymes are biological catalysts that accelerate the breakdown of complex feed components, thereby improving the digestibility and bioavailability of essential nutrients [1]. This enhanced nutrient utilization translates into better feed conversion ratios (FCR) and weight gain, which are critical parameters in broiler production. By facilitating the digestion of fibrous materials and alternative protein sources, feed enzymes allow for greater flexibility in feed formulation [2]. This flexibility is particularly important in the context of rising feed costs and the need to incorporate non-traditional feed ingredients, such as agricultural by-products, into broiler diets.

© STM Journals 2025. All Rights Reserved 

Moreover, the role of feed enzymes extends beyond mere performance enhancement. They significantly contribute to the overall health and welfare of broilers by supporting a balanced gut microbiome and promoting optimal gut function. A healthy gut environment reduces the incidence of digestive disorders and supports the birds' immune responses, which is essential in minimizing the reliance on antibiotics for disease prevention [3, 4]. Additionally, by improving resilience to heat stress and reducing oxidative stress, feed enzymes help ensure the well-being of broilers, leading to better animal welfare outcomes.

The integration of feed enzymes in broiler diets also aligns with the growing emphasis on sustainability in agriculture. By enhancing the efficiency of nutrient utilization and reducing the environmental impact of poultry production, feed enzymes support more sustainable practices [5]. This is particularly relevant in the face of increasing regulatory pressures and consumer demand for environmentally responsible production methods.

The integration of feed enzymes in broiler diets offers a transformative approach to poultry nutrition that addresses contemporary challenges in industry. This review not only highlights the mechanisms through which feed enzymes enhance nutrient utilization and improve performance but also emphasizes their dual role in promoting animal health and welfare. By focusing on non-traditional feed ingredients and sustainable practices, this research underscores the potential of feed enzymes to reshape feeding strategies in the face of rising costs and environmental concerns. The findings contribute to a deeper understanding of how enzymatic supplementation can revolutionize broiler production and enhance overall sustainability in poultry farming.

## TYPES OF FEEDZYME

Feed enzymes, commonly referred to as feedzymes, can be classified into various categories based on their functions and targeted substrates. *Proteases* break down proteins into peptides and amino acids, with examples like *bromelain* and *papain* [6]. *Amylases*, such as *alpha-amylase* from *Bacillus licheniformis*, hydrolyze starch into simpler sugars [7]. *Cellulases*, like those derived from *Trichoderma reesei*, enhance the digestibility of fibrous materials. *Xylanases* from *Aspergillus niger* improve fiber digestibility, while *lipases* from *Candida rugosa* help digest fats [8]. *Phytases* release phosphorus from phytic acid, and *beta-glucanases* degrade beta-glucans found in grains [9]. Other enzymes, including *mannase, tannase, urease*, and *sorbitol dehydrogenase*, target specific compounds to improve overall nutrient utilization [10]. These diverse enzymes play a crucial role in enhancing the digestibility and efficiency of feed, ultimately leading to better performance and health in livestock and poultry production.

## MODE OF ACTION

Feed enzymes function by catalyzing specific biochemical reactions that enhance nutrient availability, ultimately improving digestion and absorption in broilers. These enzymes break down complex feed components into simpler forms, facilitating easier absorption in the gastrointestinal tract [11]. For instance, proteases cleave proteins into peptides and amino acids, while amylases hydrolyze starches into sugars, ensuring that nutrients are more accessible to the bird [12]. Additionally, the presence of feed enzymes positively influences the gut environment by optimizing pH levels and reducing anti-nutritional factors, thereby enhancing nutrient absorption efficiency [13]. The interaction between feed enzymes and gut microbiota also plays a crucial role in this process. Enzymes can modify the composition and activity of the gut microbiota, promote the growth of beneficial microorganisms while inhibiting pathogenic bacteria [14]. This balanced gut microbiome further supports digestion, nutrient absorption, and overall health, contributing to improved performance and welfare in broilers.

## BENEFITS OF USING FEEDZYME

### Nutrient Utilization

Using feed enzymes in broiler diets significantly boosts nutrient bioavailability. These enzymes enhance protein digestibility, aiding in the more efficient breakdown of proteins into amino acids.

© STM Journals 2025. All Rights Reserved 

Complex carbohydrates, which are otherwise challenging for broilers to digest, are broken down more effectively, improving overall energy extraction. Fat digestibility is also enhanced, which further supports energy utilization [15]. Additionally, feed enzymes increase the availability of crucial minerals, like phosphorus and calcium, which are vital for bone health and metabolic functions [1]. By improving nutrient absorption, they reduce wastage, ensuring the birds receive maximum benefit from the feed. Enhanced fiber and starch utilization promotes better gut health and energy release. These improvements lead to optimized growth performance, efficiency, and overall productivity, providing economic and environmental benefits for sustainable broiler production systems.

**Feed Efficiency**

The use of feed enzymes significantly improves the feed conversion ratio (FCR), meaning that broilers can convert feed into body mass more effectively. This directly results in increased weight gain, allowing for faster growth rates while using less feed [16]. By promoting better nutrient absorption and retention, feed enzymes maximize energy utilization from feed, ensuring that broilers achieve optimal performance with minimal feed input [15]. Enhanced feed efficiency reduces the overall cost per unit of meat produced, offering substantial economic benefits for poultry farmers. Additionally, the use of feed enzymes enables the incorporation of lower-quality or less expensive feed ingredients, such as agricultural by-products, without compromising performance [2]. This leads to cost savings while maintaining or even improving production outcomes. Overall, improved feed efficiency not only benefits the economic viability of poultry production but also supports more sustainable and resource-efficient farming practices.

**Gut Health**

Feed enzymes play a critical role in maintaining gut health and promoting a balanced microbiome in broilers. By supporting the growth of beneficial gut bacteria and inhibiting pathogenic microbes, feed enzymes contribute to a healthier digestive environment [12, 13]. This balance is vital for optimizing nutrient absorption and enhancing the bird's overall health. Improved gut morphology, including the development of intestinal villi, allows for better nutrient uptake, while enhanced gut barrier integrity helps protect against harmful pathogens [3]. Additionally, feed enzymes reduce intestinal inflammation, leading to a more stable gut environment [17]. The increased activity of natural gut enzymes, combined with a balanced gut pH, promotes digestive efficiency. As a result, the incidence of gut-related diseases is reduced, and the risk of dysbiosis, or microbial imbalance, is minimized. This holistic improvement in gut health supports better growth, performance, and overall resilience of broilers in various production systems.

**Immune System**

Feed enzymes play an essential role in enhancing the immune system and overall health of broilers. By strengthening immune responses, they help birds fight infections more effectively, reducing the need for antibiotics in disease prevention. This reduced reliance on antibiotics is crucial for promoting healthier poultry production and combating antimicrobial resistance. Feed enzymes also boost the production of immune-related proteins, enhancing the body's natural defense mechanisms [18]. Moreover, these enzymes help lower the risk of common parasitic infections, such as coccidiosis, contributing to improved health and vitality in broilers [19]. Their influence on gut health also supports the gut-associated immune function, which is integral to resisting enteric diseases. Additionally, feed enzymes bolster the birds' resilience to stress and disease challenges, reducing mortality rates and improving overall flock health. This multifaceted immune support ensures that broilers can maintain optimal performance and well-being under varying conditions in commercial production systems.

**Meat Quality**

The incorporation of feeding enzymes in broiler diets significantly enhances meat quality and carcass traits. One of the primary benefits is the improvement in overall carcass yield, which is crucial for maximizing profit margins in poultry production. By promoting optimal breast muscle development, feed enzymes ensure that broilers achieve better growth rates and meat quality [20]. Additionally, these

© STM Journals 2025. All Rights Reserved 

enzymes help to reduce abdominal fat deposition, resulting in leaner meat products that are more appealing to health-conscious consumers. The tenderness, juiciness, and flavor of the meat are also notably improved, making it more desirable in the marketplace. Increased protein content further enhances the nutritional profile of broiler meat, contributing to a higher quality product [21]. Furthermore, feed enzymes promote better meat quality traits in terms of color and texture, which are important factors for consumer acceptance. They also reduce drip loss during meat processing, thereby enhancing the shelf life and overall quality of broiler meat, benefiting both producers and consumers alike.

**Economic Benefits**

The use of feed enzymes in broiler diets presents numerous economic benefits that significantly enhance the profitability of poultry farming. Primarily, these enzymes contribute to a reduction in overall feed costs by improving feed conversion rates, allowing farmers to achieve optimal growth with less feed [22]. This efficiency enables the use of less expensive feed ingredients, which promotes cost savings while maintaining performance. The economic efficiency of broiler production systems is further enhanced by minimizing the reliance on costly synthetic additives, reducing operational expenses. Investment in enzyme supplementation yields a high return on investment, as the benefits translate into lower production costs and improved profitability. Additionally, feed enzymes minimize ingredient wastage, ensuring that farmers maximize the nutritional value of every feed component [23]. By optimizing feed formulations, broiler producers can utilize available resources more effectively, leading to a more sustainable and economically viable poultry operation that meets market demands while enhancing financial returns.

**Formulation Flexibility**

The application of feed enzymes in broiler diets significantly enhances feed formulation flexibility, allowing producers to adapt to changing market conditions and resource availability. By enabling the inclusion of non-traditional feed ingredients, these enzymes help expand the range of potential feed components, which can be particularly beneficial in times of fluctuating ingredient prices [22]. They improve the utilization of fibrous feed materials, reducing dependence on high-cost staples, such as corn and soybean meal [24]. Furthermore, the promotion of by-products, like rice bran or wheat middlings, enhances overall feed sustainability and cost-effectiveness. Enzymes also enhance the digestibility of high-fiber diets, making alternative protein sources more viable and effective in broiler nutrition. This flexibility allows for the incorporation of feed ingredients that may possess higher anti-nutritional factors, as enzymes can mitigate their adverse effects. Overall, this adaptability promotes diet diversification, optimizing resource use, and facilitates the formulation of effective diets across various production systems, leading to better growth and health outcomes for broilers.

**Environmental Benefits**

The use of feed enzymes in broiler diets offers substantial environmental benefits. One of the key advantages is the reduction of phosphorus and nitrogen excretion in manure, which minimizes soil and water contamination [22]. By improving nutrient absorption, feed enzymes decrease the release of harmful compounds into the environment, contributing to lower ammonia emissions in poultry houses and reducing methane emissions from poultry farming [25]. These reductions directly translate into lower greenhouse gas emissions, thus supporting efforts to mitigate climate change [26]. Moreover, efficient nutrient utilization reduces water usage, further enhancing the sustainability of poultry production. By minimizing nutrient waste, feed enzymes also lessen the overall environmental impact of poultry farming, promoting more eco-friendly production practices. The improved quality of manure, with a more balanced nutrient profile, contributes to better manure management, enhancing soil health and fertility when used as fertilizer, thereby supporting sustainable agricultural systems.

**Resource Efficiency**

The incorporation of feed enzymes in broiler diets is a significant step toward promoting sustainability and resource efficiency within poultry production. By enhancing the digestibility of feed,

© STM Journals 2025. All Rights Reserved 

these enzymes support sustainable practices that optimize resource use in feed production [27]. They encourage the inclusion of agricultural by-products in broiler diets, which not only reduces waste but also lowers costs. This strategy decreases reliance on finite feed resources and minimizes the need for imported feed ingredients by optimizing locally available options. The use of enzyme-treated feed aligns with circular economic principles, facilitating nutrient recycling within agricultural systems. Moreover, this approach alleviates pressure on land resources dedicated to feeding crop production, contributing to a more sustainable food production system overall. By enhancing nutrient cycling, feed enzymes help to minimize the environmental footprints of poultry farming, leading to reduced greenhouse gas emissions and less resource depletion, thus fostering a more sustainable future for the poultry industry.

### Welfare and Stress Resilience

The use of feed enzymes in broiler diets plays a crucial role in enhancing animal welfare and stress resilience. By improving gut health, these enzymes reduce gut-related stress, which is essential for the overall well-being of broilers. Enhanced digestive health leads to better nutrient absorption and energy utilization, promoting vitality and comfort among birds. Moreover, feed enzymes improve resilience to heat stress, a common challenge in poultry production, by helping maintain optimal gut function and immune responses [12]. They also mitigate stress associated with dietary changes, allowing for smoother transitions when altering feed formulations. By minimizing the risk of digestive disorders, these enzymes support the physiological adaptation of broilers to various stressors in production systems. Furthermore, the reduction of oxidative stress contributes to improved health outcomes, enhancing both the welfare and longevity of broilers [28]. Overall, the implementation of feed enzymes fosters an environment conducive to better growth, health, and productivity in poultry farming.

## DEMERITS OF USING FEEDZYME

### Economic Concerns

Economic concerns surrounding the use of feed enzymes in poultry diets encompass a variety of factors that can significantly impact producers. High initial costs associated with purchasing quality enzyme products can deter adoption, especially among small farms operating on tight budgets. Additionally, the variable efficacy of these enzymes can lead to inconsistent results, complicating the economic viability of their use [29]. Over-supplementation risks may arise, resulting in nutrient imbalances and increased waste, further complicating cost-benefit analyses. The need for training, increased monitoring, and quality assurance also adds labor costs, creating economic burdens that challenge market competition and innovation in the industry.

### Nutritional Issues

Nutritional issues related to feed enzymes in poultry diets pose several challenges affecting animal health and production efficiency. A primary concern is the potential for nutrient wastage and decreased nutrient absorption, which can lead to nutritional deficiencies. Additionally, enzymes may cause nutrient competition and excessive nutrient release, resulting in overload risks that strain metabolic processes [30]. The shift from traditional feed ingredients to enzyme-treated alternatives can alter nutrient composition and potentially compromise diet quality [2]. Limited effectiveness with certain ingredients and incompatibility with specific components further hinder enzyme efficacy, emphasizing the need for more research on their performance in various conditions.

### Health and Welfare

Health and welfare concerns in livestock management encompass various issues. A significant concern is the risk of misuse of feed additives, which can adversely affect animal health [29]. Disruptions in gut health may lead to an increased risk of digestive disorders. While some interventions aim to reduce gut-related stress, they can cause allergenic reactions. Changes in nutrition can also influence hormonal balance, heighten nutritional deficiencies and altering animal behavior, ultimately affecting resilience to stress and disease challenges.

© STM Journals 2025. All Rights Reserved 

### Quality and Efficacy

One significant issue is the limited shelf life of feed additives, which can affect their effectiveness. Enzyme stability is also a concern, as the risk of enzyme degradation may compromise product performance [15]. Additionally, variable feed composition can lead to inconsistent results, while insufficient field trials hinder the assessment of long-term benefits compared to short-term outcomes. The limited regional adaptability of certain products may also pose challenges. Furthermore, variability in enzyme activity and the potential for excessive nutrient release can alter nutritional profiles during processing.

### Consumer Factors

Consumer and market factors play a crucial role in shaping livestock product dynamics. Market saturation can lead to increased competition, making it challenging for new products to gain traction [31]. Additionally, misleading marketing practices contribute to confusion surrounding marketing claims, undermining consumer trust. The presence of a limited target audience further complicates market penetration. Negative public perception and consumer mistrust regarding product safety and efficacy can hinder acceptance. Moreover, a lack of standardization in labeling and quality control, along with limited research on emerging products, exacerbates these challenges, impacting overall market growth and sustainability.

### Miscellaneous

The dependence on enzyme producers may lead to issues in feed processing techniques and variability in enzyme formulations. Changes in regulatory landscapes further complicate compliance, influencing formulation quality and traditional practices [32]. Economic constraints limit operational flexibility, while the potential for allergenicity and negative synergistic effects raises health concerns. Additionally, factors, such as short-term results versus long-term benefits, limited consumer knowledge, and complicated monitoring contribute to the overall complexity of managing livestock health and production.

## CONCLUSIONS

The integration of feed enzymes into broiler diets represents a significant advancement in poultry nutrition, offering a multifaceted approach to enhance nutrient utilization, improve performance, and promote health and welfare. This study highlights the numerous benefits associated with enzyme supplementation, including improved feed conversion ratios, enhanced growth rates, and better gut health, which collectively contribute to the overall sustainability of poultry production. Moreover, feed enzymes not only optimize the use of conventional and non-traditional feed ingredients but also support animal welfare by reducing gut-related stress and enhancing resilience to various environmental challenges. As the poultry industry faces increasing pressures from rising feed costs and the demand for environmentally responsible practices, the application of feed enzymes emerges as a viable solution to address these challenges effectively. However, the study also identifies limitations and areas for future research, emphasizing the need for continued investigation into enzyme formulations, long-term effects, and environmental sustainability. By addressing these aspects, the poultry industry can fully leverage the advantages of feed enzymes, paving the way for more efficient and sustainable production systems.

### Limitations

While the integration of feed enzymes in broiler diets presents numerous benefits, several limitations must be acknowledged in this study. Firstly, the variability in the efficacy of different enzymes can complicate the establishment of universal recommendations; results may vary based on enzyme type, dosage, and specific broiler genetics or management practices. Additionally, the economic impact of enzyme supplementation can differ across production systems, with varying costs and benefits depending on local feed ingredient availability and pricing. Moreover, the study may not fully account for the interaction between feed enzymes and other dietary components, which can influence their effectiveness. The long-term effects of continuous enzyme supplementation on broiler health and

© STM Journals 2025. All Rights Reserved 

performance remain underexplored, necessitating further research to assess potential cumulative effects and interactions.

Furthermore, the environmental impact of enzyme production and use is another area that requires careful consideration. While feed enzymes can reduce the environmental footprint of poultry production, the sustainability of the enzymes themselves, including their production and sourcing, is not addressed in depth. Lastly, much of the existing research on feed enzymes is conducted under controlled conditions, which may not fully replicate the complexities of commercial production environments. As a result, the practical application of findings may be limited, and further studies are essential to validate laboratory results in real-world settings. Addressing these limitations will provide a more comprehensive understanding of the role of feed enzymes in broiler diets and their implications for sustainable poultry production.

**Future Directions**

One key direction is the continued development of enzyme formulations tailored to specific feed ingredients and broiler genetics. This customization could enhance nutrient utilization and performance results by ensuring that the enzymes are optimally matched to the dietary composition and the unique digestive capabilities of different broiler strains. Another significant area for future research is the exploration of synergistic effects between feed enzymes and other nutritional strategies, such as probiotics and prebiotics. Investigating how these components can work together may lead to enhanced gut health and overall bird performance, offering a holistic approach to poultry nutrition. Additionally, long-term studies are needed to assess the cumulative effects of continuous enzyme supplementation on broiler health, growth, and welfare. Such research will help identify any potential risks or benefits associated with prolonged use, providing clearer guidelines for producers.

The environmental sustainability of feed enzymes is another critical focus area. Future studies should evaluate the life cycle impacts of enzyme production, including sourcing, manufacturing, and application, to better understand their overall sustainability. This knowledge could inform best practices for reducing the environmental footprint of poultry production while maximizing the benefits of enzyme use. Moreover, advancing technology in feed formulation and nutrient analysis could aid in optimizing the inclusion of feed enzymes in broiler diets. The use of precision feeding techniques, coupled with real-time monitoring of bird performance and health metrics, could help producers tailor diets more effectively and dynamically adjust enzyme supplementation based on the specific needs of the flock.

Lastly, collaboration between researchers, industry stakeholders, and regulatory bodies will be essential for translating research findings into practical applications. By fostering partnerships that prioritize innovative feed strategies, the poultry industry can enhance the efficiency and sustainability of broiler production, ensuring its resilience in the face of growing global demands. These future directions collectively underscore the need for ongoing research and development to fully realize the potential of feed enzymes in optimizing broiler diets and promoting sustainable poultry farming.

**REFERENCES**

1. Alagawany M, Elnesr SS, Farag MR. The role of exogenous enzymes in promoting growth and improving nutrient digestibility in poultry. Iran J Vet Res. 2018;19(3):157–64.
2. Ugwuanyi JO. Enzymes for nutritional enrichment of agro-residues as livestock feed. Elsevier Inc.; 2016. doi:10.1016/B978-0-12-802392-1.00010-1.
3. Adedokun SA, Olojede OC. Optimizing gastrointestinal integrity in poultry: The role of nutrients and feed additives. Front Vet Sci. 2019;5(JAN):348. doi:10.3389/fvets.2018.00348.
4. Wickramasuriya SS, et al. Role of physiology, immunity, microbiota, and infectious diseases in the gut health of poultry. Vaccines. 2022;10(2):172.
5. Leinonen I, Kyriazakis I. How can we improve the environmental sustainability of poultry production? Proc Nutr Soc. 2016;75(3):265–73. doi:10.1017/S0029665116000094.

© STM Journals 2025. All Rights Reserved 

6. Troncoso FD, Sánchez DA, Ferreira ML. Production of plant proteases and new biotechnological applications: An updated review. ChemistryOpen. 2022;11(3). doi:10.1002/open.202200017.
7. Rabapane KJ, Mitema A, Nelson K, Feto NA. Bacillus spp. of ruminant origin as major sources of potential industrial amylases. In: Bacilli in agrobiotechnology: Plant stress tolerance, bioremediation, and bioprospecting. Springer; 2022. p. 209–30. doi:10.1007/978-3-030-85465-2_10.
8. Sureshkumar S, Song J, Sampath V, Kim I. Exogenous enzymes as zootechnical additives in monogastric animal feed: A review. Agric. 2023;13(12):1–21. doi:10.3390/agriculture13122195.
9. Edison LK, Ragitha VM, Pradeep NS. Beta-glucanases in animal nutrition. In: Microbial beta glucanases: Molecular structure, functions and applications. Springer; 2022. p. 73–83.
10. Adeola O, Cowieson AJ. Board-invited review: Opportunities and challenges in using exogenous enzymes to improve nonruminant animal production. J Anim Sci. 2011;89(10):3189–218. doi:10.2527/jas.2010-3715.
11. Khattak FM, Pasha TN, Hayat Z, Mahmud A. Enzymes in poultry nutrition. J Anim Plant Sci. 2006;16(1–2):1–7.
12. Bedford MR, Apajalahti JH. The role of feed enzymes in maintaining poultry intestinal health. J Sci Food Agric. 2022;102(5):1759–70. doi:10.1002/jsfa.11670.
13. Kiarie E, Romero LF, Nyachoti CM. The role of added feed enzymes in promoting gut health in swine and poultry. Nutr Res Rev. 2013;26(1):71–88. doi:10.1017/S0954422413000048.
14. Bedford MR, Cowieson AJ. Exogenous enzymes and their effects on intestinal microbiology. Anim Feed Sci Technol. 2012;173(1–2):76–85. doi:10.1016/j.anifeedsci.2011.12.018.
15. Ojha BK, Singh PK, Shrivastava N. Enzymes in the animal feed industry. In: Enzymes in food biotechnology: production, applications and future prospects. 2018. p. 93–109. doi:10.1016/B978-0-12-813280-7.00007-4.
16. Alam MJ, Howlider MAR, Pramanik MAH, Haque MA. Effect of exogenous enzyme in diet on broiler performance. Int J Poult Sci. 2003;2(2):168–73. doi:10.3923/ijps.2003.168.173.
17. Cowieson AJ, Lu H, Ajuwon KM, Knap I, Adeola O. Interactive effects of dietary protein source and exogenous protease on growth performance, immune competence and jejunal health of broiler chickens. Anim Prod Sci. 2017;57(2):252–61. doi:10.1071/AN15523.
18. Attia YA, Al-Khalaifah H, Abd El-Hamid HS, Al-Harthi MA, El-shafey AA. Effect of different levels of multienzymes on immune response, blood hematology and biochemistry, antioxidants status and organs histology of broiler chicks fed standard and low-density diets. Front Vet Sci. 2020;6(February):510. doi:10.3389/fvets.2019.00510.
19. Lin Y, Olukosi OA. Exogenous enzymes influenced Eimeria-induced changes in cecal fermentation profile and gene expression of nutrient transporters in broiler chickens. Animals. 2021;11(9):1–19. doi:10.3390/ani11092698.
20. Dalólio FS, et al. Exogenous enzymes in diets for broilers. Rev Bras Saude Prod Anim. 2016;17(2):149–61. doi:10.1590/S1519-99402016000200003.
21. Mahmood T, Mirza MA, Nawaz H, Shahid M. Effect of different exogenous proteases on growth performance, nutrient digestibility, and carcass response in broiler chickens fed poultry by-product meal-based diets. Livest Sci. 2017;200:71–5. doi:10.1016/j.livsci.2017.04.009.
22. Costa FGP, Goulart CC, Figueiredo DF, Oliveira CFS, Silva JHV. Economic and environmental impact of using exogenous enzymes on poultry feeding. Int J Poult Sci. 2008;7(4):311–4. doi:10.3923/ijps.2008.311.314.
23. Munir K, Maqsood S. A review on role of exogenous enzyme supplementation in poultry production. Emirates J Food Agric. 2013;25(1):66–80. doi:10.9755/ejfa.v25i1.9138.
24. Chotinsky D. The use of enzymes to improve utilization of nutrient in poultry diets. Bulg J Agric Sci. 2015;21(2):429–35.
25. Konkol D, et al. Recent innovations in various methods of harmful gases conversion and its mechanism in poultry farms. Environ Res. 2022;214:113825. doi:10.1016/j.envres.2022.113825.
26. Bundgaard AM, Dalgaard R, Gilbert C, Thrane M. Assessment of the potential of digestibility-improving enzymes to reduce greenhouse gas emissions from broiler production. J Clean Prod. 2014;73:218–26. doi:10.1016/j.jclepro.2013.12.055.

© STM Journals 2025. All Rights Reserved 

27. Zampiga M, Calini F, Sirri F. Importance of feed efficiency for sustainable intensification of chicken meat production: Implications and role for amino acids, feed enzymes and organic trace minerals. Worlds Poult Sci J. 2021;77(3):639–59. doi:10.1080/00439339.2021.1959277.
28. Oke OE, et al. Oxidative stress in poultry production. Poult Sci. 2024;103(9). doi:10.1016/j.psj.2024.104003.
29. Adeola O, Cowieson AJ. Board-invited review: Opportunities and challenges in using exogenous enzymes to improve nonruminant animal production. J Anim Sci. 2011;89(10):3189–218.
30. Kogut MH. Issues and consequences of using nutrition to modulate the avian immune response. J Appl Poult Res. 2017;26(4):605–12. doi:10.3382/japr/pfx028.
31. Acheampong S. Future of broiler farming: Trends, challenges, and opportunities. 2024. doi:10.5772/intechopen.1006556.
32. Acamovic T. Commercial application of enzyme technology for poultry production. Worlds Poult Sci J. 2001;57(3):236–42. doi:10.1079/wps20010016.

© STM Journals 2025. All Rights Reserved 