

Advances in Solubility Enhancement Strategies for Poorly Water-soluble Drugs: A Comprehensive Review

Jeevan T.N.¹, Aman Suresh T.^{2*}, Omkarswamy Maradimath³

Abstract

Solubility enhancement holds significant importance in the field of pharmaceutical research as it aims to augment the solubility and bioavailability of drugs that possess low solubility. Poorly soluble drugs pose a considerable challenge in drug development due to their tendency to display inadequate absorption, bioavailability, and therapeutic efficacy. The advancement of solubility enhancement techniques encompasses a wide range of approaches, including physical and chemical methods, as well as innovative technologies such as cyclodextrin complexes, co-crystals, nanoemulsions, amorphous solid dispersions, and supercritical fluid technology. The choice of solubility enhancement technique depends on the specific physicochemical properties of the drug and the desired formulation characteristics. However, it is important to consider the stability, toxicity, and pharmacokinetic profile of the drug when selecting a solubility enhancement strategy. Solubility enhancement is an ongoing challenge in drug development, but advancements in solubility enhancement techniques offer promising solutions for improving drug delivery and efficacy. This audit gives an idea of different dissolvability upgrade methods and their potential applications in sedate advancement. Extra examination and headway in this space might result within the creation of novel and upgraded choices.

Keywords: Solubility, cyclodextrin, nanosuspension, hydrophobic drugs, bioavailability.

INTRODUCTION

Solvency can be characterized quantitatively by deciding the concentration of the solute in a soaked arrangement at a specific temperature. Qualitatively, it can be described as the spontaneous amalgamation of two or more substances to generate a uniform molecular dispersion. The medicate solvency in immersed arrangement may be a inactive property where as the medicate disintegration rate could be a energetic property that relates more closely to the bioavailability rate [1].

*Author for Correspondence

Author: Aman Suresh T

E-mail: amansuresht@gmail.com

¹Student, Department of Pharmaceutics, SJM College of Pharmacy, Chitradurga, Karnataka, India

²Assistant Professor, Department of Pharmacy Practice, Sandip Institute of Pharmaceutical Sciences, Nashik, Maharashtra, India

³Assistant Professor, Department of Pharmacology, SJM College of Pharmacy, Chitradurga, Karnataka, India

Received Date: March 10, 2024

Accepted Date: March 14, 2024

Published Date: March 26, 2024

Citation: Jeevan T.N., Aman Suresh T., Omkarswamy Maradimath. Advances in Solubility Enhancement Strategies for Poorly Water-soluble Drugs: A Comprehensive Review. International Journal of Vaccines. 2024; 1(1): 1–9p.

Solubilization enhancement is a method employed to augment the solubility of inadequately soluble pharmaceutical agents. This methodology encompasses the utilization of diverse pharmaceutical adjuncts to heighten the solubility of the agent, thereby ameliorating its bioavailability and therapeutic efficacy.

Importance of solubility in drug development is how poor solubility can lead to low bioavailability, inconsistent pharmacokinetics, and reduced therapeutic efficacy. The subsequent section proceeds to delve into the diverse methods of enhancing solubility, encompassing physical and chemical alterations, complexation, and solid dispersion [2].

Molecule estimate lessening may be a physical modification that leads to an increment within the drug's surface range and improves its disintegration rate. The utilize of surfactants is another physical alteration that can progress solvency by lessening interfacial pressure between the sedate and the disintegration medium [4].

Chemical modifications involve the addition of functional groups to the drug molecule, which can improve solubility by increasing its hydrophilicity. Examples of chemical modifications include salt formation, esterification, and prodrug formation.

Complexation refers to the process whereby a complex is formed between the medication and an appropriate carrier, for example, cyclodextrins or polymers. This method has the ability to enhance solubility through the enhancement of the drug's stability, reduction in crystallinity, and augmentation of its solubilization capacity.

Solid dispersion entails the dispersion of the pharmaceutical compound within a hydrophilic matrix, for instance, a polymer, with the intention of augmenting its solubility. This methodology possesses the capability of enhancing solubility through the amplification of the compound's surface area, the diminution of its crystalline structure, and the augmentation of its properties related to wetting.

The review article further explores the different factors that may impact the efficacy of techniques employed to enhance solubility. These factors encompass the drug's physicochemical properties, the selection of excipients, the method of preparation, and the design of the formulation [3].

MECHANISM OF SOLUBILITY

The term 'solubility' alludes to the greatest sum of solute that can be broken up in a given amount of dissolvable. It can moreover be characterized both quantitatively and subjectively. In quantitative terms, it is characterized as the concentration of the solute in a immersed arrangement at a particular temperature. Subjectively, dissolvability can be portrayed as the unconstrained interaction of two or more substances to form a homogeneous atomic scattering. A soaked arrangement is one in which the solute is in balance with the dissolvable [7–9].

NEED OF SOLUBILITY

The therapeutic efficacy of a medication relies on the bioavailability and, ultimately, the solubility of drug molecules. Solvency could be a significant figure in achieving the required concentration of the medicate within the systemic circulation, which permits for the sign of a pharmacological reaction [5]. Despite the availability of various new drugs and their derivatives due to extensive research and development, over 40% of lipophilic drug candidates fail to reach the market due to their poor bioavailability, even though they may possess potential pharmacodynamic activities. For a lipophilic drug to successfully enter the market, it often requires a high dosage to achieve the desired pharmacological action. The primary objective of the subsequent formulation and development phase is to ensure that the drug is available at the appropriate site of action within an optimal dosage, and this is where the concept of hydrotropism becomes relevant.

SOLUBILITY ENHANCEMENT TECHNIQUES

Solubility enhancement techniques can be categorized into various groups according to the mechanism of action [12]. Presented here are a few of the prevailing methods of classification.

1. *Physical modifications*: This category includes techniques that alter the physical properties of the drug to improve its solubility. Examples of physical modifications include particle size reduction, milling, and spray-drying.
2. *Chemical modifications*: This category includes techniques that chemically modify the drug to improve its solubility. Examples of chemical modifications include salt formation, prodrug formation, and esterification.




Figure 1. Figure showing the variation of solubility with permeability.

3. *Co-solvents:* Co-solvents are solvents that are miscible with water and can be used to enhance the solubility of a drug. Examples of co-solvents include propylene glycol, polyethylene glycol, and ethanol.
4. *Surfactants:* Surfactants are compounds that can decrease the interfacial pressure between the medicate and the disintegration medium, making strides in solvency. Illustrations of surfactants incorporate sodium lauryl sulfate, Tween 80, and Pluronic.
5. *Complexation:* Complexation includes the arrangement of a complex between the medicate and a carrier atom to progress solvency. Cases of carriers incorporate cyclodextrins, polyvinylpyrrolidone, and polymers.
6. *Solid dispersion:* Solid dispersion involves the dispersion of the drug in a hydrophilic matrix to improve its solubility. Examples of matrices include polyethylene glycol, polyvinylpyrrolidone, and hydroxypropyl methylcellulose.
7. *Nanoparticles:* Nanoparticles can be used to increase the surface area of the drug, improving its solubility. Examples of nanoparticles include liposomes, solid lipid nanoparticles, and polymeric nanoparticles (Figure 1).

METHODS OF SOLUBILITY ENHANCEMENT

Various techniques have been used in attempt to improve solubility and dissolution rates of poorly water soluble drugs which include as following:

1. Particle size reduction
2. Nanonization
3. Cosolvency
4. Hydrotropy
5. pH adjustment
6. Sonocrystallization
7. Supercritical fluid (SCF) process
8. Solid dispersion
9. Inclusion complexation
10. Self-emulsifying or self-micro emulsifying systems
11. Liquisolid methods

The solubility depends on the physical form of the solid, the nature and composition of solvent medium as well as temperature and pressure of system [8].

Particle Size

The estimate of the strong molecule impacts the solvency since as a molecule gets to be littler, the surface zone to volume proportion increments. The bigger surface zone permits a more prominent interaction with the dissolvable. The impact of molecule estimate on dissolvability can be depicted from the condition given underneath,

$$\log \frac{S}{S_0} = \frac{2\gamma V}{2.303 RT r}$$

Where,

S is the solubility of infinitely large particles

S₀ is the solubility of fine particles

V is molar volume

γ is the surface tension of the solid

r is the radius of the fine particle

T absolute temp in degree kelvin

R universal gas constant

Particle Size Reduction

The dissolvability of medicate is frequently inherently related to sedate molecule estimate; as a molecule gets to be littler, the surface region to volume proportion increments. The bigger surface region permits more prominent interaction with the dissolvable which causes an increment insolubility. Routine strategies of molecule measure diminishment, such as comminution and shower drying, depend upon mechanical stretch to disaggregate the dynamic compound. Molecule estimate diminishment is in this way allowing an productive, reproducible, and financial implies of dissolvability upgrade. Be that as it may, the mechanical powers inalienable to comminution, such as processing and crushing, frequently confer critical sums of physical push upon the sedate item which may initiate corruption [6].

The warm stretch which may happen amid comminution and splash drying is additionally a concern when preparing thermo delicate or unsteady dynamic compounds. Utilizing conventional approaches for about insoluble drugs may not be able to upgrade the dissolvability up to craved level.

Nanonization

As of late, distinctive nanonization strategies have risen to expand the crumbling rates and bioavailability of different drugs that are incapably dissolvable in water [10]. Nanonization broadly insinuates to the think around and utilize of materials and structures at the nanoscale level of generally 100 nm or less. Nanonization can result in made strides sedate dissolvability and pharmacokinetics, and it might moreover diminish systemic side-effects [11].

For numerous unused chemical substances with exceptionally moo dissolvability, verbal bioavailability improvement by micronization isn't adequate since micronized item has the propensity to agglomerate, which leads to diminish viable surface region for disintegration, the following step is nanonization. There are diverse strategies utilized for nanonization of medicate counting Damp processing, Homogenization, Emulsification-solvent dissipation strategy, Pear processing, Shower drying etc. There are several illustrations possible to showcase nanonization of drugs.

Cosolvency

The dissolvability of ineffectively solvent drugs in water can be expanded by blending it with a few water miscible dissolvable in which the medicate is promptly solvent. This prepare is known as cosolvency and the dissolvable utilized in combination are known as cosolvent. Cosolvent framework works by lessening the interfacial pressure between the watery arrangement and hydrophobic solute [12].

It is additionally commonly known as dissolvable mixing. There's a emotional alter within the solvency of drugs by expansion of natural co-solvent into the water. The co solvents are having hydrogen acceptor or giver bunches with a little hydrocarbon locale. The hydrophobic hydrocarbon locale as a rule meddling with the hydrogen holding organize of water which thus decreases the intermolecular fascination of water whereas the hydrophilic hydrogen bonds guarantees watersolvency.

Hydrotrophy

Hydrotrophy could be a solubilization procedure utilized to extend the solvency of hydrophobic compounds in fluid arrangements. The strategy includes the utilize of a expansive sum of a water-soluble compound, known as a hydrotrope, which can solubilize the hydrophobic compound by shaping a complex with it [3].

Hydrotropes are ordinarily little atoms with both hydrophilic and hydrophobic bunches. The hydrophilic bunches associated with water atoms, whereas the hydrophobic groups associated with the hydrophobic compound, permitting it to break down within the fluid arrangement.

The instrument of hydrotropism includes the arrangement of a micellar arrangement, where the hydrophobic compound is encompassed by the hydrotrope particles within the watery arrangement. The hydrotrope atoms frame micelles around the hydrophobic compound, expanding its dissolvability.

Cases of hydrotropes incorporate urea, sodium cumene sulfonate, sodium xylene sulfonate, and sodium benzoate. Hydrotrophy can be utilized in different businesses, counting pharmaceuticals, makeup, and agrochemicals, to move forward the solvency and bioavailability of hydrophobic compounds.

Hydrotrophy has a few focal points over other solubilization techniques. It may be a straightforward and cost-effective strategy, and it does not require the utilize of harmful solvents. Hydrotrophy is additionally a green innovation since it is naturally inviting and diminishes squander era.

PH Adjustment

Destitute water dissolvable medicate may possibly break down in water by applying a pH alter. Solubilized excipients that increment natural pH inside the dose shape to a extend higher than pKa of week after week acidic drugs increment the solvency of that medicate, those excipients that act as alkalizing operators may increment the solvency of week by week fundamental drugs [13].

Sonocrystallization

Recrystallization of ineffectively dissolvable materials utilizing fluid solvents and antisolvents has too been utilized effectively to decrease molecule estimate. The novel approach for molecule estimate lessening on the premise of crystallization by utilizing ultrasound is Sono crystallization. Sono crystallization utilizes ultrasound control characterized by a recurrence extend of 20-100 kHz for actuating crystallization. It's not as it were improves the nucleation rate but too an compelling implies of estimate lessening and controlling measure dispersion of the dynamic pharmaceutical fixings. Most applications utilize ultrasound within the extend 20kHz-5 MHz [14].

Supercritical Fluid (SCF) Process

The number of applications and progresses counting supercritical fluids has in addition created brutally [5]. It has been known for more than a century that supercritical fluids (SCFs) can break up nonvolatile solvents, with the essential point of carbon dioxide, the first broadly utilized supercritical fluid. It is secure, normally neighborly, and judicious. The moo working conditions (temperature and weight) make SCFs engaging for pharmaceutical ask around [15]. A SCF exists as a single organize over its essential temperature (T_c) and weight (P_c). SCFs have properties profitable to thing taking care of since they are midway between those of faultless liquid and gas (i.e., liquid-like thickness, gas-like compressibility and consistency and higher diffusivity than liquids). In expansion, the thickness,

transport properties (such as consistency and diffusivity), and other physical properties (such as dielectric unfaltering and limit) move essentially with small changes in working temperature, weight, or both around the fundamental centers [16, 17].

Hence, it is conceivable to fine-tune a special combination of properties essential for a wanted application. These special handling capabilities of SCFs, long recognized and connected within the nourishment industry, have as of late been adjusted to pharmaceutical applications. Commonly utilized supercritical solvents consolidate carbon dioxide, nitrous oxide, ethylene, propylene, propane, n-pentane, ethanol, noticing salts, and water. Once the sedate particles are solubilized interior SCF, they may be recrystallized at fantastically reduced particle sizes. The flexibility and precision publicized by SCF shapes licenses micronization of steady particles interior restrain ranges of particle degree, routinely to sub-micron levels. Current SCF shapes have outlined the capacity to form Nano Suspensions of particles 5-2,000nm in breadth. Many pharmaceutical companies, such as Nektar Therapeutics and Lavipharm, are specializing in atom building by implies of SCF, Advancements for atom appraise diminishment and dissolvability enhancement [18, 19]. A few strategies of SCF handling have been created to address person perspectives of these inadequacies, such as precipitation with compressed antisolvents handle (PCA), Fast Development of Supercritical Arrangements, Gas Antisolvent Recrystallization, Precipitation with Compressed Liquid Antisolvent, Impregnation or implantation of polymers with bioactive materials, Arrangement improved Scattering by Supercritical Liquid, arrangement upgraded scattering by SCF (SEDS), supercritical antisolvents forms (SAS) and vaporized supercritical extraction framework (ASES) [20, 21].

Solid Dispersion

The concept of strong scatterings was initially proposed by Sekiguchi and Obi, who examined the era and disintegration execution of eutectic dissolves of a sulfonamide sedate and a water-soluble carrier within the early 1960s [22]. Strong scatterings speak to a valuable pharmaceutical procedure for expanding the disintegration, assimilation, and helpful viability of drugs in dose shapes. The term strong scattering alludes to a gather of strong items comprising of at slightest two distinctive components, for the most part a hydrophilic network and a hydrophobic medicate. The preeminent commonly utilized hydrophilic carriers for solid scatterings consolidate polyvinylpyrrolidone (Povidone, PVP), polyethylene glycols (PEGs), Plasdone- S630. Surfactants like Tween-80, docusate sodium, Myrj-52, Pluronic-F68, and sodium lauryl sulfate (SLS) besides find a put inside the specifying of solid scrambling. The dissolvability of celecoxib, halofantrine, and ritonavir can be moved forward by solid diffusing utilizing fitting hydrophilic carriers like celecoxib with povidone (PVP) and ritonavir with gelucire .

Inclusion Complexation

Incorporation complexation may be a solubilization strategy utilized to extend the dissolvability of ineffectively solvent drugs by shaping a complex between the sedate and a have particle. The have particle, moreover known as a have, is regularly a cyclic atom with a depth or a channel that can oblige the sedate atom [18, 19].

The consideration complex is shaped through non-covalent intuitive such as hydrogen holding, van der Waals powers, and hydrophobic intelligent between the medicate atom and the have particle. The arrangement of the consideration complex increments the solvency and bioavailability of the medicate by diminishing its molecule measure and expanding its surface region.

Illustrations of has commonly utilized in inclusion complexation incorporate cyclodextrins, calixarenes, cucurbiturils, and zeolites. Cyclodextrins are the foremost commonly utilized have atoms since of their accessibility, moo poisonous quality, and high-water dissolvability.

Consideration complexation can be performed utilizing different strategies, counting co-precipitation, kneading, and freeze-drying. Co-precipitation includes blending the medicate and the

have in a dissolvable and after that accelerating the complex by including a non-solvent. Kneading includes blending the medicate and the have in a mortar and pestle with a little sum of water to create a glue. Freeze-drying includes solidifying the medicate and the have arrangement and then removing the water by sublimation.

Inclusion complexation has a few points of interest over other solubilization procedures. It could be a straightforward and cost-effective strategy, and it does not require the use of harmful solvents. Incorporation complexation is additionally a green innovation since it is naturally neighborly and diminishes squander era.

Self-emulsifying

Self-emulsifying sedate conveyance frameworks (SEDDS) are details that empower ineffectively dissolvable drugs to be broken up and conveyed in a steady, homogenous, and viable way. SEDDS comprise of an oil stage, surfactant, co-surfactant, and sedate. When blended with water or gastrointestinal liquids, they frame oil-in-water (O/W) emulsions that improve sedate assimilation [4].

The oil stage utilized in SEDDS can be composed of different oils, such as medium-chain triglycerides, long-chain triglycerides, and vegetable oils. The surfactants and co-surfactants utilized in SEDDS are regularly nonionic, such as polyethylene glycol (PEG), polysorbate, and glyceryl monooleate.

Upon contact with gastrointestinal liquids, SEDDS quickly shape fine oil beads, which increment the surface region of the medicate and encourage its assimilation. The surfactant and co-surfactant within the detailing offer assistance to stabilize the emulsion, avoiding medicate precipitation or conglomeration.

SEDDS have a few focal points over other medicate conveyance frameworks. They can move forward the solvency and bioavailability of ineffectively solvent drugs, which can increment their efficacy and diminish the desired measurement. They are moreover convenient to utilize, as they can be managed orally within the shape of capsules or tablets. SEDDS are flexible and can be utilized with different courses of organization, such as intravenous, intramuscular, and transdermal.

SEDDS have been effectively utilized to upgrade the conveyance of different drugs, counting anti-inflammatory, anti-cancer, and cardiovascular drugs. The detailing can moreover be custom-made to suit the particular physicochemical properties of the sedate and the specified course of organization.

Liquisolid Technology

Liquisolid innovation may be a detailing method that empowers the change of a fluid sedate into a free-flowing and compressible powder. Liquisolid frameworks are comprised of two components [17, 22]: a fluid sedate and a carrier fabric. The carrier fabric is composed of a powder that can retain the fluid medicate, and it is regularly composed of a blend of an idle carrier and a coating fabric.

The liquisolid strategy includes blending the liquid medicate with the carrier fabric to create a semi-solid mass, which is at that point changed into a free-flowing powder by including an suitable sum of coating fabric. The coating fabric acts as a boundary between the fluid medicate and the carrier material, preventing the fluid from spilling out and progressing the flowability of the ultimate powder.

Liquisolid frameworks offer a few points of interest over conventional measurement shapes, such as tablets and capsules. They can move forward sedate dissolvability and disintegration rate, which can increment sedate retention and bioavailability. Liquisolid frameworks too offer a more exact and adaptable dosing regimen, as the sum of medicate in each dosage can be effortlessly balanced by changing the composition of the carrier fabric.

There are a few strategies for planning liquisolid frameworks, counting the customary method, the solvent dissipation strategy, and the co-precipitation strategy. The routine strategy includes blending

the fluid sedate with the carrier fabric employing a high-shear blender, whereas the dissolvable vanishing strategy includes dissolving the sedate in a volatile dissolvable and after that blending it with the carrier fabric, which is at that point vanished to take off a dry powder.

The co-precipitation strategy includes accelerating the medicate and the carrier fabric from a arrangement, which shapes a strong mass that is at that point changed over into a powder. This strategy offers a few preferences, counting improved drug stacking and uniform conveyance of the sedate within the last powder [13].

LATEST TECHNOLOGIES IN THE FIELD OF SOLUBILITY ENHANCEMENT

There are a few rising innovations within the field of solvency improvement that are as of now being investigated to move forward medicate conveyance and adequacy [5]. A few of the unused innovations incorporate:

1. *Nanoemulsions*: Nanoemulsions are composed of beads with a breadth of less than 100 nm, which offer a few focal points over conventional emulsions. Nanoemulsions can improve the solvency and bioavailability of ineffectively solvent drugs, and they can moreover make strides sedate focusing on and diminish toxicity [4].
2. *Co-crystals*: Co-crystals are shaped by the interaction between two or more atoms, and they can make strides the solvency and disintegration rate of ineffectively solvent drugs. Co-crystals can be planned to improve sedate solidness and diminish poisonous quality, and they can moreover be custom-made to suit the particular physicochemical properties of the medicate.
3. *Nebulous strong scatterings*: Undefined strong scatterings are shaped by scattering a ineffectively dissolvable medicate in a polymer lattice. The shapeless shape of the medicate improves its dissolvability and disintegration rate, whereas the polymer lattice gives steadiness and avoids medicate recrystallization.
4. *Cyclodextrin complexes*: Cyclodextrins are cyclic oligosaccharides that can shape incorporation complexes with ineffectively dissolvable drugs. Cyclodextrin complexes can move forward medicate solvency and bioavailability, and they can also be custom-made to suit the particular physicochemical properties of the sedate.
5. *Supercritical liquid innovation*: Supercritical liquid innovation includes the utilize of supercritical liquids, such as carbon dioxide, to break up and extricate dynamic pharmaceutical fixings. This innovation offers a few focal points, counting tall dissolvability and natural affect.

CONCLUSION

Solvency upgrade is an vital angle of sedate improvement that can progress the bioavailability and helpful viability of ineffectively dissolvable drugs. The choice of solvency improvement procedure depends on the particular physicochemical properties of the sedate, as well as the specified detailing characteristics. It is critical to consider the steadiness, poisonous quality, and pharmacokinetic profile of the sedate when selecting a dissolvability enhancement strategy.

Dissolvability improvement may be a key challenge in medicate advancement, especially for drugs with moo fluid dissolvability. Be that as it may, headways in dissolvability upgrade procedures offer promising arrangements for moving forward medicate conveyance and viability. Assist investigation and advancement in this range may lead to the improvement of modern and more compelling medicate definitions, and eventually, progressed understanding results.

REFERENCES

1. Limbachiya MI. Solubility enhancement techniques for poorly soluble drugs: A review. *IJPRD*, 2011; 4(4):71-86
2. Patil MS, Godse SG, Saudagar RB. Solubility Enhancement by Various Techniques: An Overview. *World Journal of Pharmacy and Pharmaceutical Sciences*. 2013; 2(6):4558-4572.
3. Pawar AR, Choudhari PD. Novel Techniques for Solubility, Dissolution Rate and Bioavailability Enhancement of Class II & IV drugs. *Asian Journal of Biomedical & Pharmaceutical Science*. 2012; 13:9-14.

4. Godse SZ, Patil MS, Kothavade SM, Saudagar RB. Techniques for Solubility Enhancement of Hydrophobic Drugs: A Review, *J Adv. Pharm. Edu. & Res.* 2013;3(4):403-414.
5. Vemula VR, Lagishetty V, Lingala S. Solubility enhancement techniques, *International Journal of Pharmaceutical Sciences Review and Research.* 2010;5(1):41-51.
6. Savjani KT, Gajjar AK, Savjani JS. Drug Solubility: Importance and Enhancement Techniques. *ISRN Pharmaceutics Article ID195727*, 2012, 1-10, doi:10.5402/2012/195727.
7. N. Blagden, M. de Matas, P.T. Gavan, P. York. Crystal engineering of active pharmaceutical ingredients to improve solubility and dissolution rates, *Advanced Drug Delivery Reviews*, 2007; 59(7):617-630.
8. M. Vogt, K. Kunath, J.B. Dressman. Dissolution enhancement of fenofibrate by micronization, cogrinding and spray-drying: comparison with commercial preparations, *European Journal of Pharmaceutics and Biopharmaceutics.* 2008; 68(2):283-288.
9. Chaumeil JC. Micronization: a method of improving the bioavailability of poorly soluble drugs, *Methods and Findings in Experimental and Clinical Pharmacology.* 1998; 20(3):211-215.
10. Ahmad Z, Maurya N, Mishra KS, Khan I. Solubility Enhancement of Poorly Water-Soluble Drugs: A Review. *International Journal of Pharmacy & Technology.* 2011;3(1):807-823.
11. Riehemann K, Fuchs H, Schneider SW, Luger TA, Godin~ 28 ~B, Ferrari M. Nanomedicine-Challenge and Perspectives. *Chem. Int. Ed. Engl.* 2009; 48:872-897.
12. Md. MofizurRahman, Abul Bashar Ripon Khalipha, Jamal Ahmed, Md. AbShuaibRafshanjani, ShanjidaHaque, *Methods of Solubility and Dissolution Enhancement for Poorly Water-Soluble Drugs: A Review.* 2014; 3(5):107-130.
13. Sareen S, Mathew G, Joseph L. Improvement In Solubility of Poor Water-Soluble Drugs By Solid Dispersion, *International Journal of Pharmaceutical Investigation: Review Article.* 2012; 2(1):12-17.
14. Mohanachandran PS, Sindhumol PG, Kiran TS. Enhancement of Solubility and Dissolution Rate: An Overview, *Pharmacie Globale International Journal of Comprehensive Pharmacy.* 2010; 1(4):1-10.
15. Rantakyla M. Particle production by supercritical antisolvent processing techniques, *Licentiate's Thesis, Helsinki University of Technology, Department of Chemical Technology, Espoo, 2004.*
16. Syed IM, Pavani E. The Lquisolid technique: based drug delivery system, *Int. J PharmSci and Drug Resea rch.* 2012; 4(2):88-96.
17. Vajir S. Lquisolid Compct: a novel approach to enhance bioavailability of poorly soluble drug. *Int. J Pharmacy.* 2012; 2(3):586-590.
18. Spiridon Spireas, Bolton SM. Lquisolids: Lquisolid system and methods of preparing the same. *United States Patent*, 1998.
19. Nagabandi VK, Tadikonda R, Jayaveera KN. Enhancement of dissolution rate and micromeritics of poorly soluble drug ketopr ofen by lquisolid technique, *Journal of Pharmaceutical and Biomedical Sciences.* 2011; 9(9):1-6.
20. Khalid ME, Ahmed M. Samy, Mohamed I. Fetouh for mulation and evaluation of Rofecoxib Lquisolid Tablets, *International Journal of Pharmaceutical Sciences Review and Research.* 2010; 3(1):135-142.
21. Chandel P, Raj K, Kapoor A. Lquisolid technique: an approach for enhancement of solubility, *Journal of Drug Delivery & Therapeutics.* 2013; 3(4):131-137.
22. Gavali SM, Pacharane SS, Sankpal SV, Jadhav KR, Kadam VJ. Lquisolid Compact: A new technique for enhancement of drug dissolution, *Intemational Journal of Research in Pharmacy And Chemistry.* 2011; 1(3):705-713.