

Design and Optimization of Radial Turbines for Waste Heat Recovery Applications

Shashank Gupta*

Abstract

Waste heat recovery (WHR) offers a compelling way to improve sustainability and energy efficiency in several different industrial sectors. In waste heat recovery (WHR) systems, radial turbines are essential because they capture waste heat and transform it into useful mechanical or electrical energy. A thorough summary of the design and optimization concepts guiding radial turbines for WHR applications is given in this review article. After outlining the basic concepts of thermodynamics and fluid dynamics that underpin radial turbine operation, the article explores the complexities of turbine design. It examines important factors that have an impact on turbine performance and efficiency, including material choice, structural integrity, and aerodynamic design. In addition, the review clarifies the different performance optimization approaches used in the design of radial turbines, from experimental validation procedures to computational fluid dynamics (CFD) simulations. Comprehensive discussions are also held regarding advanced optimization techniques, such as surrogate modeling and multi-objective optimization. The article illustrates the various uses of radial turbines in WHR in sectors like power generation, petrochemical, and automotive through several case studies and real-world examples. Critical analysis is performed on performance metrics, problems faced, and lessons learned from these applications to extract important information for upcoming research and development projects.

Keywords: Waste heat recovery, sustainability, fluid dynamics, turbines, computational fluid dynamics

INTRODUCTION

Finding sustainable energy solutions is now critical in a time of rising energy consumption and expanding environmental concerns. Waste heat recovery, or WHR, is a potent way to cut greenhouse gas emissions and energy waste in a variety of industrial sectors. Radial turbines play a crucial role in the effectiveness of waste heat recovery (WHR) systems by capturing waste heat and transforming it into mechanical or electrical energy that can be used. The purpose of this review paper is to clarify the complex design and optimization ideas that support radial turbines used in waste heat recovery applications. We aim to provide engineers, researchers, and policymakers with the necessary knowledge to advance WHR technologies and promote sustainable energy practices by offering a thorough overview of this issue [1].

*Author for Correspondence

Shashank Gupta

E-mail: guptashashank0810@gmail.com

Student, Department of Automation and Robotics, Guru Gobind Singh Indraprastha University, New Delhi, India

Received Date: April 09, 2024

Accepted Date: April 20, 2024

Published Date: May 6, 2024

Citation: Shashank Gupta. Design and Optimization of Radial Turbines for Waste Heat Recovery Applications. International Journal of Mechanical Dynamics and Systems Analysis. 2023; 1(2): 52–58p.

The Importance of Recovery from Waste Heat

The waste heat that is produced as a consequence of different industrial processes is a significant energy resource that is not fully utilized. This excess heat, which can come from industrial furnaces, thermal processes, or exhaust

gases, offers a significant chance for energy recovery. Industries can improve energy efficiency, lower operating costs, and lessen their carbon footprint by capturing and repurposing waste heat [2].

Radial turbines' Function in Waste Heat Recovery

Radial turbines, which are well-known for their effectiveness and adaptability in transforming thermal energy into mechanical power, are the central component of many WHR systems. Radial turbines have clear advantages over their axial counterparts in terms of compactness, scalability, and adaptability to changing operating conditions. Radial turbines maximize the use of waste heat by using the kinetic energy of hot gases to power generators and turbines that generate mechanical work or electricity (Figure 1).




Figure 1. Radial turbine.




Figure 2. Radial flow.

Principles of Radial Turbines

Construction and Essential Parts: Radial turbines are a kind of turbine in which the fluid passes across the rotor blades in an inward or outward direction. Typically, the construction consists of an inlet nozzle to direct flow onto the rotor blades, a casing to contain the working fluid, and a rotor with blades attached radially. A shaft that the rotor is attached to powers a generator or other mechanical load (Figure 2). The following are the main parts of a radial turbine:

1. *Rotor Blades:* The aerodynamic parts of the rotor that draw energy from the fluid flow are called rotor blades. The efficiency and performance of the turbine are greatly influenced by the form and angle of the blades.

2. *Inlet Nozzle:* The inlet nozzle guides the incoming fluid onto the rotor blades at a precise angle and speed. Optimizing turbine performance requires proper inlet nozzle design.
3. *Casing:* The casing supports the rotor structurally and envelops it. It also aids in controlling and directing the fluid flow via the turbine [3].

Working Principles: The idea behind radial turbines is to transform a fluid's kinetic energy into mechanical energy as it flows. The following is a summary of the guiding principles:

1. *Fluid Inlet:* Through the inlet nozzle, the working fluid—typically a gas or steam—enters the turbine at a specific pressure and velocity.
2. *Fluid Expansion:* The fluid expands as it passes over the rotor blades because of the pressure and velocity changes. The rotor rotates because of this expansion creating a reaction force on the blades.
3. *Energy Conversion:* A shaft receives mechanical energy from the rotating rotor and uses it to drive a load, like a turbine or a generator for power.
4. *Fluid Outlet:* The fluid leaves the turbine at a reduced pressure and velocity after traveling through the spinning blades and imparting some of its energy to the rotor.

Benefits and Drawbacks

Radial turbines have a few advantages over other kinds of turbines, such as:

Compactness: Compared to axial turbines, radial turbines are designed to be more compact, which makes them appropriate for applications with limited space.

Scalability: Adaptable to a range of operating conditions, they can be scaled for varying power outputs.

Efficiency: High pressure differential applications are a prime example of where radial turbines excel in terms of efficiency.

Radial turbines do, however, have certain drawbacks, such as:

Complexity: Compared to simpler turbine types, the design and manufacturing of radial turbines can be more expensive and complex.

Restricted Operating Range: At low flow rates and high-pressure ratios, radial turbines may have a narrower operating range than axial turbines.

Sensitivity to Flow Conditions: They are susceptible to changes in flow, and poor design or use can result in decreased performance and efficiency.

When properly designed and used within their ideal operating range, radial turbines provide a flexible and effective solution for waste heat recovery applications [4].

DESIGN CONSIDERATIONS

Operating Parameters and Conditions at the Inlet

Temperature and Pressure: Turbine performance and efficiency are directly impacted by inlet conditions, which include the waste heat stream's temperature and pressure. Power output usually increases with higher inlet temperatures, but material deterioration and thermal stresses must be carefully considered.

Flow Rate: The mass flow rate through the turbine is determined by the waste heat stream's flow rate, which also influences the turbine's power output. Optimizing performance under a range of

operating conditions is ensured by designing the turbine to accommodate variations in flow rate. Fluid Composition: Material choice and turbine longevity are influenced by the waste heat stream's composition, which includes any impurities or corrosive elements. It is imperative that the fluid composition be compatible in order to avoid corrosion, erosion, and fouling.

Efficiency Objectives

Setting efficiency goals is essential for directing the design process and maximizing the performance of the turbine. Efficiency objectives usually seek to maximize energy extraction from the waste heat stream while minimizing losses, though they may differ based on the application and operational requirements [5].

Design of Aerodynamics

Blade Profile Optimization: Optimizing energy extraction and reducing losses depends heavily on the design of rotor blades. In order to achieve the desired aerodynamic performance, such as a high lift-to-drag ratio and low losses from separation or stall, optimizing blade profiles entails shaping the blades.

Angles of Inlet and Outlet: Choosing the inlet and outlet correctly minimizes losses from flow deviation or separation and guarantees effective flow through the turbine. Turbine performance is improved by optimizing these angles according to fluid properties and operating conditions.

Flow Path Geometry: The design of the flow path geometry, which includes the diffuser, rotor, and inlet nozzle, affects the distribution of pressure and the behavior of fluid flow. Optimizing the geometry of the flow path reduces losses and guarantees even flow distribution throughout the rotor blades, enhancing overall performance [6].

Aspects of Structure

Material Selection: To ensure structural integrity and longevity, the right materials must be selected. These materials must have high strength, resistance to corrosion, and temperature capability. High-temperature applications frequently use materials like ceramic composites or superalloys based on nickel.

Cooling Strategies: To disperse heat and stop the thermal deterioration of turbine components, it is essential to implement efficient cooling strategies. The use of thermal barrier coatings, internal or external cooling channels, and film cooling methods keeps component temperatures within allowable bounds.

Rotor Dynamics: To avoid vibration, resonance, and rotor instability problems, one must have a thorough understanding of rotor dynamics. Premature wear or failure of the rotor can be avoided by balancing the rotor blades, addressing aerodynamic instabilities, and optimizing bearing designs.

Performance Optimization Techniques for Radial Turbines in Waste Heat Recovery

Maximizing energy extraction, efficiency, and reliability in waste heat recovery applications requires optimizing the performance of radial turbines. Various methodologies can be utilized to optimize turbine efficacy and accomplish intended operational objectives:

Simulations of Computational Fluid Dynamics (CFD)

Through in-depth examination of the fluid flow behavior inside the turbine, CFD simulations enable engineers to evaluate performance under a range of operating scenarios.

CFD simulations improve efficiency and offer insights into flow path optimization, blade design, and heat transfer phenomena by simulating flow dynamics, turbulence, and heat transfer phenomena [7].

Optimizing Blade Profiles

Refinement of rotor blade profiles through design and advanced optimization algorithms can increase aerodynamic efficiency and decrease losses.

Iterative refinement of blade shapes to attain desired performance characteristics, like high lift-to-drag ratios and minimal losses, is made possible by computational tools in conjunction with optimization algorithms.

Optimization with Multiple Objectives

Engineers can simultaneously optimize several performance criteria, such as efficiency, power output, and cost, by using multi-objective optimization techniques.

Particle swarm optimization and other multi-objective optimization algorithms allow the exploration of trade-offs between competing objectives in order to find Pareto-optimal solutions.

Using a Stand-In

Appropriate modeling methods, like Gaussian process regression or response surface approaches, make it easier to approximate complex turbine performance models in an effective manner.

Through the creation of surrogate models using a small number of simulations or experimental data points, engineers can quickly explore the design space and find design configurations that show promise.

Validation Through Experimentation

Verifying performance predictions and validating computational models of turbine prototypes requires experimental testing and validation.

Pressure readings, temperature profiles, and power output are examples of experimental data that offer important insights into the behavior and performance traits of turbines in the real world [8].

Control of Active Flow

Optimizing flow conditions and minimizing losses can be achieved through the implementation of active flow control strategies, such as boundary layer manipulation, inlet guide vane adjustment, and blade tip clearance control.

Turbine performance is improved by active flow control techniques, which dynamically modify flow parameters to preserve ideal operating conditions.

Advanced Methods of Cooling

By creating novel cooling techniques like transpiration, impingement, or film cooling, turbine component thermal degradation can be avoided and thermal management improved.

Higher turbine inlet temperatures are made possible by sophisticated cooling strategies, which increase power output and efficiency.

Analysis of Sensitivity

Sensitivity analyses are a useful tool for determining which design parameters and operating conditions have the greatest impact on turbine performance.

Engineers can focus optimization efforts on important factors and prioritize design improvements by quantifying the sensitivity of performance metrics to input parameters [9].

Challenges

1. *High Temperature Operation:* Exposure to high temperatures can result in thermal stresses, material degradation, and shortened turbine lifespans. This is one of the main challenges in waste heat recovery applications. Creating materials and cooling strategies that can withstand high temperatures is essential to guaranteeing the longevity and dependability of turbines.
2. Further optimization is required to maximize energy extraction and minimize losses, even though radial turbines have a high efficiency in converting waste heat into mechanical energy. Optimizing turbine performance still requires addressing aerodynamic inefficiencies, flow non-uniformities, and secondary losses.
3. *Transient Operation:* Variations in waste heat availability or load demands frequently result in transient operating conditions for turbines in waste heat recovery systems. Turbine design and control strategies face difficulties in managing transient behavior, which includes start-up/shutdown procedures, load variations, and transient response characteristics.
4. *Integration Complexity:* System compatibility, thermal matching, and control interfaces must all be carefully taken into account when integrating radial turbines into waste heat recovery systems. The challenges in system design and implementation are making sure that the system integrates seamlessly with current processes and maximizing system performance overall.
5. *Cost-Effectiveness:* Although waste heat recovery has many potential advantages, cost-effectiveness is still a deterrent to widespread adoption, especially in capital-intensive industries. Economic viability and investment decision-making are challenged by the need to balance upfront investment costs with long-term energy savings and operational benefits [10].

Future Directions

1. *Advanced Materials:* Turbines will be able to endure severe operating conditions and have longer operational lifespans thanks to ongoing research into high-temperature materials like ceramic composites, refractory metals, and thermal barrier coatings. Improvements in materials science will enable increased temperatures at the turbine inlet and increased efficiency.
2. *Advanced Cooling Techniques:* In high-temperature environments, turbine performance and reliability will be improved by cooling technique innovations such as active cooling, advanced thermal management systems, and additive manufacturing-based cooling designs. Raising operating temperatures and efficiency levels will be possible with the optimization of cooling strategies.
3. *Research Collaboration:* To drive innovation and address technological challenges in waste heat recovery, it is imperative to foster collaboration among academia, industry, and government agencies. Innovation-sharing networks, cooperative research projects, and financial assistance will hasten the creation and application of cutting-edge radial turbine technologies.

CONCLUSION

When it comes to achieving waste heat recovery-based energy efficiency, radial turbines are invaluable resources. In spite of obstacles such as elevated temperatures and intricate integration, developments in materials, cooling, and control systems present encouraging prospects. Radial turbines will be the driving force behind a sustainable future in which waste heat is turned from a byproduct to a valuable resource through cooperation and ongoing innovation. Radial turbines are the key to significant energy savings and environmental benefits across industries, helping to create a more sustainable and greener world because of their efficiency and adaptability.

REFERENCES

1. Dong, B., Xu, G., Li, T., Luo, X., & Quan, Y. (2017). Parametric analysis of organic Rankine cycle based on a radial turbine for low-grade waste heat recovery. *Applied Thermal Engineering*, 126, 470-479.
2. Del Turco, P., Scotti Del Greco, A., Natali, D., Borys, R., & Biagi, R. (2010, October). Design and optimization of radial flow wheels for a waste heat recovery double supersonic stage turbo-expander. In *Turbo Expo: Power for Land, Sea, and Air* (Vol. 44014, pp. 1117-1126).

3. Uusitalo, A., Turunen-Saaresti, T., Gronman, A., Honkatukia, J., & Backman, J. (2015). Combined thermodynamic and turbine design analysis of small capacity waste heat recovery orc. *Proceedings of the ASME ORC*.
4. Carcasci, C., Ferraro, R., & Miliotti, E. (2014). Thermodynamic analysis of an organic Rankine cycle for waste heat recovery from gas turbines. *Energy*, 65, 91-100.
5. Laux, C., Gotter, A., Eckert, F., & Neef, M. (2022). Experimental results of a low-pressure steam Rankine cycle with a novel water lubricated radial inflow turbine for the waste heat utilization of internal combustion engines. *Energy Conversion and Management*, 271, 116265.
6. Palagi, L., Sciubba, E., & Tocci, L. (2019). A neural network approach to the combined multi-objective optimization of the thermodynamic cycle and the radial inflow turbine for Organic Rankine cycle applications. *Applied energy*, 237, 210-226.
7. Bekiloğlu, H. E., Bedir, H., & Anlaş, G. (2019). Multi-objective optimization of ORC parameters and selection of working fluid using preliminary radial inflow turbine design. *Energy conversion and management*, 183, 833-847.
8. Di Battista, D., Fatigati, F., Carapellucci, R., & Cipollone, R. J. E. C. (2021). An improvement to waste heat recovery in internal combustion engines via combined technologies. *Energy Conversion and Management*, 232, 113880.
9. Zhang, L., Zhuge, W., Zhang, Y., & Peng, J. (2015). Numerical study of organic Rankine cycle radialinflow turbines for heavy-duty diesel engine coolant heat recovery. *ASME ORC*, 84, 1-12.
10. Uusitalo, A., Honkatukia, J., & Turunen-Saaresti, T. (2017). Evaluation of a small-scale waste heat recovery organic Rankine cycle. *Applied energy*, 192, 146-158.